

WEIFANG HAOTIAN FARM EQUIPMENT CO., LTD.

31, EAST DONGFENG ST., KUIWEN DISTRICT,
WEIFANG CITY, SHANDONG PROVINCE, CHINA

FOTON 75-90HP TRACTOR

 TOP CHINESE OFFER



DESCRIPTIONS

We are top Chinese supplier with 20 years experience of manufacture, sales and export. These tractors are our important products, we have done many promotions these years and also made it more competitive on price too, please check its details.

What more we can supply you:

- check cheapest freight to your seaport
- one year guarantee our products
- free easy worn parts and maintain tools cost USD35.00
- equip many types tools with our ordered machines

PRICE (FOB Qingdao Port, China)

Foton tractor FT754, FOTON engine, power steering, Cab with AC, luk clutch, metal hood, 16+8 shuttle shift, inner air filter, multi-way valve, swing draw bar, tyres (12.4-24/16.9-34), 6 splines

[USD15550/unit](#)

WEIFANG HAOTIAN FARM EQUIPMENT CO., LTD.

31, EAST DONGFENG ST., KUIWEN DISTRICT,
WEIFANG CITY, SHANDONG PROVINCE, CHINA

Foton tractor FT824, FOTON engine, power steering, Cab with AC, luk clutch,metal hood,16+8 shuttle shift,inner air filter,multi-way vavle,swing draw bar,tyres(12.4-24/16.9-34),6 splines

[USD15850/unit](#)

Foton tractor FT904, FOTON engine, power steering, Cab with AC, luk clutch,metal hood,16+8 shuttle shift,inner air filter,multi-way vavle,swing draw bar,tyres(12.4-24/16.9-34),6 splines

[USD16250/unit](#)

Packages:

3 sets/40HQ without cabin

Payment term: 50% of good values paid by T/T in advance, the rest 50% of goods values paid by T/T before shipment.

Delivery: within 25 days after getting the T/T in advance.

SPECIFICATIONS

Model	FT754	FT824	FT904
Drive Type	4X4		
Engine			
Engine Type	Water-cooled, in-line, four stroke, 4 cylinder		
Max. Torque (N.m) @ Revolving Speed (rpm)	263@1500~1700	288@1500~1700	288@1500~1700
Displacement (L)	4		
Fuel Tank Capacity (L)	145		
Engine Rated Power kW @rpm	55@2200	60.3@2200	
Rated Operating Condition Fuel Consumption Rate (g/kW.h)	<248		
Drive Train			
Clutch	Dry-type, double-acting		
Standard PTO Speed (rpm)	540/1000		
Gears	8+4/16+8 (creeper gear)/16+8(shuttle gear)/*=* (shuttle gear)/16+16(synchronizer)		
Gear Shift Mode	Meshing bush/ synchronizer		
Hydraulic System			
Hydraulic Output Flow (L/min)	37/47		
Hydraulic Output Valve	2 lines (optional)		
Working Device			
Three Points Suspension Category	Category II		
Lift Capacity (610mm Point) kN	Ordinarily riser:>15; or forced pressure riser:>20		
Tillage Depth Adjustment	Semi-remote lifter: force and gear combination control Remote lifter: height adjustment, floating control		
Parameter			
Overall Dimension (LXWXH) mm	4530X2050X2810		

WEIFANG HAOTIAN FARM EQUIPMENT CO., LTD.

31, EAST DONGFENG ST., KUIWEN DISTRICT,
WEIFANG CITY, SHANDONG PROVINCE, CHINA

Min. Operating Weight (kg)	With Cab	4090	4155	
	Without Cab	3795	3855	
Wheelbase (mm)		2195		
Min. Ground Clearance (mm)		405		
Front Tire		11.2-24/12.4-24		
Rear Tire		16.9-34/18.4-30/18.64-38		

GUARANTEE

1. Our company guarantee exported tractors under good quality.
2. In order to protect the importer's rights and profits, our company provide "quality guarantee". Importer can get required spare parts or technical service from our company if importer has something wrong with the tractor about quality during the guarantee period.

2.1 Guarantee terms

One year valid from the date of B/L.

- 2.2 Our company will give out a solving advice within 3 days after the date of getting the importer's detailed information about faults of the tractor.

- 2.3 Besides the above list, our company also support spare parts of tractor used for maintenance under the importer's order.

2.4 Guarantee spare parts list

Item	Description	Fault
1	Frame	Broken or out of shape
2	Front Axle	Crackle or damaged
3	Gearbox	Crackle or damaged
4	Rear Axle	Crackle or damaged
5	Clutch cover	Crackle or damaged
6	Axle shaft cover	Crackle or damaged
7	Final transmission box	Crackle or damaged
8	Wheel shaft	Crackle or damaged
9	Steering arm	Crackle or damaged
10	Brake drum	Crackle or damaged
11	Air case	Damaged
12	Hitch	Damaged

3. Our company supports technical service.
4. Our company supports spare parts for 5 years continually after stopping production.

with best regards,

Yansong Liu

Weifang Haotian Farm Equipment Co., Ltd.

WEIFANG HAOTIAN FARM EQUIPMENT CO., LTD.

31, EAST DONGFENG ST., KUIWEN DISTRICT,
WEIFANG CITY, SHANDONG PROVINCE, CHINA

Add: 31, east dongfeng st., kuiwen district,
weifang city, shandong province, China.

Tel/fax: 0086-536-2293190

Mobile: 0086-13561421630

Email: yansong2007@hotmail.com