

U.S.A
Catalog 719-99-08/14
Supercedes 719-99-07/11

U.S.A.
1-800-869-0435
FAX 1-800-228-3148

CANADA
1-888-275-4397
FAX 1-888-464-4397

GOODYEAREP.COM/HEAVYDUTY



DISTRIBUTED BY:

The GOODYEAR (and Winged Foot Design) trademark is used by Veyance Technologies, Inc. under license from The Goodyear Tire & Rubber Company. Goodyear Engineered Products are manufactured and sourced exclusively by Veyance Technologies, Inc. or its affiliates. ©2014 Veyance Technologies, Inc. All Rights Reserved.

SAP 20035721 719-99

202-5224-08/14


GOODYEAREP.COM/HD

Aftermarket Parts - Automotive, Conveyor Belt - Heavyweight and Lightweight, Government, Heavy Duty, Home and Garden, Hydraulics, Industrial Hose, Power Transmission Products, Powersports and Rubber Track



2014

SUPER-CUSHION® AIR SPRINGS FOR TRUCK, TRAILER AND BUS SUSPENSIONS AND FOR CAB AND SEAT SPRINGS



SUPER-CUSHION® AIR SPRINGS

FOR TRUCK, TRAILER AND BUS SUSPENSIONS
AND FOR CAB AND SEAT SPRINGS

SUPER-CUSHION® AIR SPRINGS



Get durability, performance and value with air springs for truck, trailer, bus and cab seat applications.

Goodyear Engineered Products Air Springs offer:

- Bright yellow Mylar tag – easy identification
- Superior load cushioning – reduced in-transit damage
- Improved driver comfort and reduced driver fatigue
- Long life performance through advanced engineering



GOODYEAR
ENGINEERED PRODUCTS

VEYANCE
TECHNOLOGIES

Now there's even more to the Gatorback® Club!

The Gatorback® Club gives installers more ways to earn extra points and get additional rewards!



MORE QUALIFYING PRODUCTS!



V-Belts
25 Points Per Sleeve



Poly-V® Belts
50 Points Per Sleeve



Tensioners
75 Points Per UPC



Timing Belts & Kits
100 Points Per UPC



Air Springs
100 Points Per UPC

MORE REWARDS!

Now you can redeem points for gift cards at even more retailers!

NEW retailers

TARGET



CURRENT RETAILERS



MORE FEATURES!

Visit goodyearep.com/gatorbackclub to learn more, earn more and return more often!

☒ Technician tips

☒ Earn bonus points for answering surveys

☒ Manage your points with ease!

The GOODYEAR (and Winged Foot Design) trademark is used by Veyance Technologies, Inc. under license from The Goodyear Tire & Rubber Company. Goodyear Engineered Products are manufactured and sourced exclusively by Veyance Technologies, Inc. or its affiliates. The Gatorback trademark is licensed to Veyance Technologies, Inc. by The Goodyear Tire & Rubber Company. ©2014 Veyance Technologies, Inc. All Rights Reserved.

GOODYEAR
ENGINEERED PRODUCTS

VEYANCE
TECHNOLOGIES

TABLE OF CONTENTS

AIR SPRING PRODUCT INFORMATION	PAGE
Air Suspension Features and Benefits.....	A1
Super-Cushion® Air Springs for Trucks, Trailers, & Buses.....	A2
Components of Super-Cushion® Air Springs.....	A3
Unique Product Identification System.....	A4
How to Choose the Correct Replacement Air Spring.....	A5
Air Spring Identification.....	A6-A7
Air Spring Installation.....	A8-A9
Air Suspension Vehicle Maintenance Checklist.....	A10
Selected Non-warrantable Conditions.....	A11-A13
 NEW ADDITIONS	
2014 New Air Spring Additions.....	A14
 NOTES	A15
 IDENTIFICATION & APPLICATION INFORMATION	
Bellows.....	1-30
Rolling Lobe.....	31-107
Sleeve.....	108-119
Note Page	120
FLEX MEMBER INDEX	121-124
FIRESTONE FLEX MEMBER CROSS REFERENCE	125-126
PISTON INDEX	
Pistons for Rolling Lobe Air Springs.....	127-130
CROSS REFERENCE INFORMATION	
Competitors to Super-Cushion®	131-140
DISCONTINUED PARTS	141
NOTES	142
TERMS AND CONDITIONS	143
NOTES	144



AIR SUSPENSION FEATURES & BENEFITS

Greater level of isolation...

- * Reduces need for electrical and instrument maintenance.
- * Reduces cab and body damage.
- * Reduces axle, transmission and tire wear.
- * Reduces downtime.
- * Extends trailer life.
- * Reduces driver fatigue.

For the owner-operator, air suspension...

- * Improves isolation in both loaded and unloaded conditions.
- * Broadens types of loads available for transport, including electronic equipment where air suspensions are required by the shipper.
- * Greater driver comfort.
- * Increased resale value.
- * Protects hinges, lights, rivets, and all trailer hardware.

Reasons for increased air suspension usage:

- * Suspension manufacturers have built in a greater degree of durability, longer warranty periods.
- * Increased need for greater axle excursion.

SUPER-CUSHION®

Air Springs for Trucks, Trailers and Buses

Super-Cushion® air springs for trucks, trailers buses, and cab & seat springs protect cargo, provide constant-level hauling, and deliver long, trouble-free service.

Super-Cushion® air springs give your trucks, trailers and buses a new high in productivity and long life. They offer a quiet, cushioned ride. Truck, trailer and bus bodies last longer than with steel springs because there is less vibration. The driver rides in greater comfort, becomes less fatigued and stays more alert. Plus cargo has better protection from shock and vibration. Whenever you want to add an axle, Super-Cushion® air springs fit right in.


Super-Cushion® air springs, when used with leveling valves, also maintain consistent trim regardless of the load. That means clearance heights remain constant, and that trailer floors are flush with loading dock floors for ease of loading and unloading.

For driver comfort, load cushioning, and long life for your trucks, trailers, bus, and cab and seat springs specify Goodyear Engineered Products Super-Cushion® air springs.




Components Of Super-Cushion® Air Springs

ROLLING LOBE AIR SPRING (1R DESIGN)




DOUBLE CONVOLUTION AIR SPRING (2B DESIGN)



Unique Product Identification System

The Super-Cushion® air spring assembly part number consists of the Product Description and the Assembly Number. Elements of this system are shown in the following example for ordering a 2B12-300 Assembly:

2 B 12 - 300



These three numbers represent a unique identifier for this particular air spring.

This is the nominal outside working diameter of the air spring assembly, in inches. (It is not the maximum diameter.)

This letter refers to the type of air spring:

B - Bellows

R - Rolling Lobe (bead type conventional)

S - Sleeve (beadless rolling lobe type)


Number of convolutions in the assembly:

1 - single convolute

2 - double convolute

3 - triple convolute

How to Choose the Correct Replacement Air Spring



Many air springs appear to be similar in design and size at first glance. However, differences in the manufacturing techniques used for similar looking air springs may create substantial differences in operating dimensions. Specifically, the inflated (or operating) diameters of seemingly identical air springs will vary depending on the angle of the reinforcing fabric used in the flexible member.

For example, air spring models 1R12-092 and 1R13-039 appear very similar when first examined. However, the 1R12-092 model will inflate (operate) on vehicle at approximately 12" diameter, while the 1R13-039 model will operate at 13" diameter. In a substitution of the 1R13-039 air spring for the 1R12-092 in a truck trailer suspension, the larger air spring inflated diameter would most likely rub on another suspension component (such as a tire, shock absorber, or bracket) and cause failure within a few miles.

Air springs with interference type failures will not be considered for warranty claims. Be sure to select the correct replacement!

To select the proper Goodyear Engineered Products Super-Cushion® replacement air spring, use the procedure on the next page.

CAUTION: Numbers molded on the rubber bag (flexible member) are **NOT** the assembly part numbers. Bags with the same numbers are used with different combinations of top and bottom metals. They may or may not have an internal rubber bumper.


Air Spring Identification

1. Start with the original equipment or aftermarket part number. It is usually located on a label affixed to the top plate of the air spring. If it is a Goodyear Engineered Products part number, simply double check the product photo in the main body of the catalog. If you have an O.E. number or a Firestone number look in the cross-reference section.

2. If the O.E. part number or aftermarket part number is unknown you should begin your search with the bellows number. The number is molded into the rubber part of the air spring. Once identified you can narrow down the choices in the Flexible Members Index section.

3. Measure the width of the top plate and make a note of the bolt pattern or taps.

4. Measure the width of the piston or bottom bead plate and make a note how the bolt pattern is oriented compared to the bolts on the top plate (Inline or Rotated). The view of this orientation should appear as if you are looking directly through a clear drinking glass from the top to bottom. This is how the catalog illustrations are drawn.



5. Measure the height of the air spring with no air pressure from the top plate to the bottom of the piston. This is the extended height.

6. Compress the bag as far as possible with no air pressure and measure the height. This is the compressed height or minimum height.

7. Measure the distance from center to center of each bolt on the top and bottom of the air spring.



2B DESIGN



3B DESIGN

NOTES:


If the air spring you are replacing has studs (retainers) attached to the top or bottom plate, and the Goodyear Engineered Products Super-Cushion® air spring is identical except that it has recessed, blind taps, use the optional shoulder studs 578-92-9-056. (Pictured to the right.) Screw these into the plate using Locktite #271, or equivalent, thread lock to insure that the studs do not loosen in service.

If you wish to use cap screws or your own bolts to attach air springs with recessed blind nuts to the suspension, the screw must have 3/8-16 threads and must extend no more than 0.562" into the blind taps. Deeper penetration will cause the new air spring to leak and it cannot be repaired satisfactorily.

Air springs with damaged blind taps cannot be considered for warranty claims.

SHOULDER STUD

578-92-9-056



Air Spring Installation

Before you start installing air springs, make sure you have all the necessary tools and equipment to perform the repair safely. Familiarize yourself with the suspension on which you are performing the repair by reviewing the manufacturer's service guide.

If you are in doubt about something, ask for assistance from a qualified suspension specialist, the suspension manufacturer or the air spring manufacturer; it can save you a lot of time and aggravation later in the job.

Here are important tips to remember when installing a new unit:

****When disconnecting the leveling valve linkage, check for bent or broken linkage; if you find any, replace the damaged parts.**

****Check shock absorbers for possible replacement. There are usually two warning signs indicating a worn shock. If it can be easily compressed or extended, it is time for a new unit. Also, if the vehicle has just been brought in for service, the shock should be warm to the touch. If not, it needs to be replaced. Remember, proper shock maintenance is one of the keys to long air spring life.**

****Once the air lines are disconnected, check the line for cracks or damage. Also check for loose fittings, and replace any worn components.**

****Some times the cause of air spring failure is visible and/or readily apparent; other times it is not. When it is not, inspect the air spring after you have removed it to determine the cause of failure and then correct the root cause of the problem.**

****With the air spring removed, other parts of the air suspension become more accessible. Check for wear or damage of the frame hangers, trailing arm bushings, torque rods, the trailing arms and the air spring mounts. Again, replace components where necessary.**

****Also check the area around the air spring mounting to ensure there are not any obstacles or sharp edges that can damage the new air spring.**

****Before installing the new unit, clean the air spring mounting plates to ensure proper attachment to the suspension.**

****Always use new attaching bolts for the installation. Old bolts should never be reused since they may fail.**

****Check the leveling arm for proper operation. Under load, the leveling arm should move from the neutral position up to the intake position. This lets air into the springs, which brings the arm back to the neutral position. When the load is removed, the leveling arm should move down to the exhaust position. That opens the exhaust valve, allowing air to escape until the arm returns to the neutral position.**

Air Spring Installation

NOTES

Add Shoulder Stud #578-92-9-056 where required.

SAFETY & LONGEVITY RULES

1. Use Goodyear Engineered Products Flexible Members on Goodyear Engineered Product Pistons Only.

2. Replace ALL air springs on each axle instead of just one.

Following Rule 1 will prevent component failure due to interference with other suspension parts or other truck/trailer components.

Following Rule 2 will give equal riding heights & bounce response to insure a stable and safer ride.

Any old air spring assemblies which are still serviceable could be carried

AIR SPRING TORQUE REQUIREMENTS

The following values are considered to be the maximum allowable torque for the designated mounting hardware.

Maximum Torque (ft. lbs.)

3/8" - UNC BLIND TAPS	25
1/2" - UNC BOLT OR STUD	25
3/4" - UNC STUD	55
3/4" - UNF COMBO STUD	50

AIR FITTINGS

1/4" NPTF	20
1/2" NPTF	20
3/4" NPTF	20


Air springs failing due to overtorquing will not be considered for warranty claims.

Air Suspension Maintenance Vehicle Check-List

- * Check air lines and fittings for leaks: rubbing on air spring.
- * Check proper clearance around air spring when inflated. Generally, a minimum of 1-1/2" will allow for the increased diameter which occurs in heavy jounce.
- * Periodically, check suspension for proper ride height. This dimension should be maintained +/- 1/4" to protect the springs and shocks from over-extension or frequent bottoming out of the suspension.
- * When doing routine vehicle maintenance, block up the suspension and check for irregular wear or material build-up on the flexmember. Clean, if necessary, using a non-petroleum based cleaning solution.
- * Check rolling lobe piston for material build-up. Hardened debris on the piston will shorten spring life and should be removed as part of your regular maintenance.
- * Check shock absorbers for any signs of leaking hydraulic fluid, broken end connections, worn bushings or cylinders, and over extension.
- * Periodically, check nuts and bolts for proper torque. See manufacturer's manual for specific recommendations.
- * Check height control valve to see that it is functioning properly. Clean or replace, if necessary. A properly maintained valve will save hundreds of dollars in unneeded maintenance expense.

Routine inspection of all of the above, according to a pre-determined mileage maintenance schedule will extend the life of your vehicle and reduce your overall maintenance expense.

SELECTED NON-WARRANTABLE CONDITIONS




Over-Extension

- Eventual tearing away of the bellows from the top plate or the bottom piston.
- The top plate may appear convex.
- Commonly seen on lift axle applications, particularly on trucks and tractors used in severe on/off road service such as construction, logging, or quarrying.
- Results from operation of the air spring beyond its rated maximum extended height or long-term operation at or near its maximum extended height.

Possible causes:

- Improper restraint of the downward travel of the axle that allows the air spring to operate beyond its rated maximum extended height.
- The ride position is too high due to improper adjustment or improper functioning of the leveling valve.
 - Can result in long-term operation of the air spring at or near its rated maximum extended height.
- Shock absorbers are not functioning properly, are missing or are improperly sized.
- Incorrect air spring for application (too short).



Normal Cycle Fatigue

- Fatigue cracks will appear on the outer surface of the rubber as a normal part of the ageing process.
- Minor cracks are not ordinarily a cause for removal.
- The air spring will still function properly provided there is no air leakage.

SELECTED NON-WARRANTABLE CONDITIONS




DAMAGE FROM CHEMICALS

Rubber Damage from Chemicals

- Grease and oil are common examples that can cause this condition after prolonged contact with the rubber flexible member.

Possible causes:

- Excessive oil in the air supply.
- Excessive greasing of universal joints.
- Excessive greasing of the fifth wheel.
- Leaking seals in suspension components.
- Use of petroleum based cleaners on the air spring (use only soap and water for cleaning).



CORROSION & IMPACTS

Corrosion and Impacts

- Deterioration of the top plate or piston.

Possible causes:

- Chemical exposure.
- Road debris being flung into the piston causing a crack.
- Pitting from salt.
- Excessive oil or water in the air supply.
- Build-up of debris on the piston, top plate, or girdle hoops (keep clean with soap and water).

SELECTED NON-WARRANTABLE CONDITIONS



External Abrasion















- A hole rubbed into the side of the bellows.

Possible causes:














- Bellows contact with components on the vehicle (such as air lines).
- Road dirt and debris.
- Worn or failed parts in the suspension.
 - Worn bushing
 - Broken shock
 - misalignment
- Leak or pinch in air line causing spring to be under-inflated.

New Air Springs
















<u>New part number</u>	<u>Type</u>	<u>New part number</u>	<u>Type</u>
1B5-510	Bellows	1S4-187	Sleeve
1B12-322	Bellows	1S4-205	Sleeve
1R8-009	Rolling Lobe	1S5-157	Sleeve
1R8-031	Rolling Lobe	1S5-175	Sleeve
1R8-041	Rolling Lobe	1S5-176	Sleeve
1R9-071	Rolling Lobe	1S5-186	Sleeve
1R10-165	Rolling Lobe	1S6-036	Sleeve
1R10-171	Rolling Lobe	1S6-641	Sleeve
1R11-109	Rolling Lobe	1S8-003	Sleeve
1R11-176	Rolling Lobe	2B14-362	Sleeve
1R11-207	Rolling Lobe	2B7-540	Sleeve
1R11-209	Rolling Lobe	2B7-541	Sleeve
1R12-212	Rolling Lobe	3B12-337	Sleeve
1R12-377	Rolling Lobe	3B14-453	Sleeve
1R12-406	Rolling Lobe	3B14-456	Sleeve
1R12-507	Rolling Lobe	3B14-462	Sleeve
1R12-535	Rolling Lobe	3B14-463	Sleeve
1R12-539	Rolling Lobe		
1R12-540	Rolling Lobe		
1R12-545	Rolling Lobe		
1R12-592	Rolling Lobe		
1R12-593	Rolling Lobe		
1R12-645	Rolling Lobe		
1R12-663	Rolling Lobe		
1R12-1047	Rolling Lobe		
1R12-1048	Rolling Lobe		
1R12-1049	Rolling Lobe		
1R13-149	Rolling Lobe		
1R13-235	Rolling Lobe		
1R13-237	Rolling Lobe		
1R13-239	Rolling Lobe		
1R14-117	Rolling Lobe		
1R14-151	Rolling Lobe		
1R14-155	Rolling Lobe		
1R14-164	Rolling Lobe		
1R14-176	Rolling Lobe		
1R14-179	Rolling Lobe		
1R14-198	Rolling Lobe		
1R14-201	Rolling Lobe		
1R14-222	Rolling Lobe		
1R14-232	Rolling Lobe		
1R14-236	Rolling Lobe		
1R14-240	Rolling Lobe		

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1B5-510 <u>Flexmember</u> 579-91-3-501		ASC-92-8-109 	ASB-92-6-045 	
1B8-564 <u>Flexmember</u> 579-91-3-532		ASC-92-8-171 	ASB-92-6-055 	
1B12-301 <u>Flexmember</u> 578-91-3-301		ASA-92-8-002 	ASA-92-6-002 	<u>Conti</u> 64595 <u>FS330-11468</u> <u>FIRESTONE</u> 7009 W013587009 <u>NEWAY</u> 905-57-002 <u>TRIANGLE</u> 4468 <u>TRP</u> AS70090
1B12-305 <u>Flexmember</u> 578-91-3-301		ASA-92-8-006 	ASA-92-6-002 	<u>FIRESTONE</u> 6920 7043 W013586920 W013587043
1B12-306 <u>Flexmember</u> 578-91-3-301		ASA-92-8-002 	ASA-92-6-002 	













-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1B12-313 <u>Flexmember</u> 578-91-3-301		ASA-92-8-002 	ASA-92-6-002 	<u>Conti</u> 64596 FS330-11474 <u>FIRESTONE</u> W013587008
1B12-322 <u>Flexmember</u> 578-91-3-301		ASB-92-8-164 	ASA-92-6-002 	
1B14-350 <u>Flexmember</u> 578-91-3-351		ASA-92-8-028 	ASA-92-6-013 	<u>Conti</u> 64523 FS530-14442 <u>FIRESTONE</u> 7103 W013587103 <u>PEERLESS</u> 0550-00015 <u>TRIANGLE</u> 4442 TRP AS71030
1B14-351 <u>Flexmember</u> 578-91-3-351		ASA-92-8-028 	ASA-92-6-013 	<u>AMERICAN CARRIER</u> 8003007 <u>Conti</u> 64524 64525 FS530-14446 FS530-14447 <u>FIRESTONE</u> 7105 W013587104 W013587105 <u>TRIANGLE</u> 4447 <u>TRP</u> AS71050
1B14-358 <u>Flexmember</u> 578-91-3-352		ASA-92-8-031 	ASA-92-6-015 	<u>Conti</u> 64521 FS530-14339 <u>DAYTON</u> 354-7112 <u>FIRESTONE</u> 7112 W013587112 <u>INT'L / NAVISTAR</u> 554782C1 <u>LOAD GUARD</u> SC2012 <u>NEWAY</u> 905-57-026 905-57-028 905-57-041 AR-1834 <u>RIDEWELL</u> 1003587112C S-3364-C <u>TRIANGLE</u> 4339













-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1B14-373 Flexmember 578-91-3-351		ASA-92-8-174 	ASA-92-6-056 	
2B6-530 Flexmember 579-923-510		ASC-92-8-154 	ASB-92-6-051 	
2B6-535 Flexmember 579-92-3-515		ASC-92-8-175 	ASA-92-6-052 	Conti 66094 FD110-15766 LOADAIR P10-754U
2B7-540 Flexmember 579-92-3-525		ASA-92-8-114 	ASB-92-6-049 	
2B7-541 Flexmember 579-92-3-525		ASC-92-8-171 	ASB-92-6-049 	
















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers	
2B7-542 <u>Flexmember</u> 579-923-525					
2B7-548 <u>Flexmember</u> 579-92-3-526				<u>Conti</u> 67667 FD110-17A775 <u>HENDRICKSON</u> 5079 <u>TRP</u> ASC7750	
2B8-550 <u>Flexmember</u> 579-92-3-530				<u>AMERICAN CARRIER</u> 8003006 <u>Conti</u> 64601 FD120-20509 <u>FIRESTONE</u> 7325 W013587325 <u>MACK TRUCK</u> 227QS32 57QK1113 <u>TRIANGLE</u> 4509 <u>WATSON & CHALIN</u> AS-0030	
2B9-200 <u>Flexmember</u> 578-92-3-202				<u>Conti</u> 64267 FD200-19320 <u>DAYTON</u> 354-6910 <u>DINA</u> A-8127-19 <u>FIRESTONE</u> 6910 W013586910 <u>GRANNING</u> 1371 <u>HDA</u> PMABG-6910B <u>HENDRICKSON</u> 45843-3 B-8768 <u>INT'L / NAVISTAR</u> 554783C1 <u>LOAD GUARD</u> SC2011 <u>MASA</u> 227138412 <u>PREVOST</u> 63-0173 <u>R & S TRUCK & BODY</u> 1027405 <u>RIDEWELL</u> 1003586910C S-4512-C <u>TAURUS</u> AS218-6910 <u>TRIANGLE</u> 4320 <u>TRP</u> AS69100 <u>WATSON & CHALIN</u> AS-0001	
















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
2B9-201 <u>Flexmember</u> 578-92-3-202				Conti 64515 FD200-19499 DAYTON 354-6902 FIRESTONE 6935 W013586935 FLEETRITE 2B9-491 FREIGHTLINER 16-14318-000 GRANNING 4848 HDA PMABG-6902B HENDRICKSON B-2630 INT'L / NAVISTAR 554784C1 LOAD GUARD SC2010 MASA 227004001 R & S TRUCK & BODY 1027505 RIDEWELL S-1728-C SAUR AXLES (SAS) P50-733A (LIFT SUSPENSIONS INC. 200042 TAURUS AS218-6902 TRIANGLE 4310 4499 TRP AS69350
2B9-206 <u>Flexmember</u> 578-92-3-202				Conti 64510 FD200-19315 DAYTON 354-6905 E-Z RIDE 8030120 FIRESTONE 6905 W013586905 HENDRICKSON 45843-1 B-3518 B-5270 INT'L / NAVISTAR 1685175C1 LOAD GUARD SC2071 RIDEWELL 1003586905C S-2845-C TAURUS AS218-6905 TRIANGLE 4315 TRP AS69050 WATSON & CHALIN AS-0020
2B9-210 <u>Flexmember</u> 578-92-3-202				Conti 64511 FD200-19362 FIRESTONE 6908 W013586908 TRIANGLE 4362 TRP AS69080 WATSON & CHALIN AS-0035
2B9-216 <u>Flexmember</u> 578-92-3-202				DINA AZ-8127-19 PREVOST 63-0174 TRAILERS DE MONTERREY 73312B
















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
2B9-218 <u>Flexmember</u> 578-92-3-206		ASA-92-8-113 	ASA-92-6-010 	Conti 64553 FD200-25453 FIRESTONE 6927 W013586927 INT'L / NAVISTAR 1685176C1 LOAD GUARD SC2072 REYCO 12906-01 12906-02 TAURUS AS218-6927 TRIANGLE 4453 TRP AS69270
2B9-225 <u>Flexmember</u> 578-92-3-202		ASA-92-8-117 	ASA-92-6-044 	FIRESTONE 6928 W013586928 TTX 1999408
2B9-229 <u>Flexmember</u> 578-92-3-211		ASA-92-8-113 	ASA-92-6-077 	Conti 64517 FD200-19505 FD200-22706 FIRESTONE 6897 W013586897 FLEETRITE 2B9-490 TRIANGLE 4505 TRP AS68860 AS68970 WATSON & CHALIN AS-0058
2B9-230 <u>Flexmember</u> 578-92-3-202		ASA-92-8-113 	ASA-92-6-044 	Conti 64513 FD200-19450 FIRESTONE 6940 W013586940 TRIANGLE 4450 TRP AS69400
2B9-239 <u>Flexmember</u> 578-92-3-211		ASA-92-8-016 	ASA-92-6-010 	Conti 64509 FD200-19310 FIRESTONE 6902 W013586902 RIDEWELL 1003586902C TRP AS69020 WATSON & CHALIN AS-0002

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
2B9-240 <u>Flexmember</u> 578-92-3-202		ASB-92-9-151 	ASB-92-9-151 	<u>FIRESTONE</u> 7119 W013587119 <u>MCI</u> 12C-1-36 <u>PREVOST</u> 63-0166
2B9-244 <u>Flexmember</u> 578-92-3-202		ASA-92-8-172 	ASA-92-6-044 	
2B9-245 <u>Flexmember</u> 578-92-3-202		ASA-92-8-113 	ASA-92-6-108 	<u>Conti</u> 64519 FD200-19510 <u>FIRESTONE</u> 7788 W013587788 <u>TRIANGLE</u> 4510 <u>WATSON & CHALIN</u> AS-0088
2B9-246 <u>Flexmember</u> 578-92-3-211		ASA-92-8-172 	ASA-92-6-108 	<u>Conti</u> 64514 FD200-19452 <u>FIRESTONE</u> 6932 W013586932 <u>RIDEWELL</u> 1003586932C <u>TRIANGLE</u> 4452
2B9-250 <u>Flexmember</u> 578-92-3-206		ASA-92-8-040 	ASA-92-6-010 	<u>Conti</u> 64549 FD200-25426 <u>FIRESTONE</u> 6943 W013586943 <u>LOAD GUARD</u> SC2122 <u>NEWAY</u> 905-57-237 <u>SUSPENSIONS INC.</u> 200835 <u>TRIANGLE</u> 4426 <u>TRP</u> AS69430 <u>WATSON & CHALIN</u> AS-0041
















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers	
2B9-251 <u>Flexmember</u> 578-92-3-206		ASA-92-8-040 	ASA-92-6-010 	<u>Conti</u> 64552 FD200-25429 <u>FIRESTONE</u> 6948 W013586948 <u>LOAD GUARD</u> SC2123 <u>RIDEWELL</u> 1003586948C <u>TRIANGLE</u> 4429 TRP AS69480	
2B9-252 <u>Flexmember</u> 578-92-3-206		ASA-92-8-172 	ASA-92-6-044 	<u>Conti</u> 64554 FD200-19448 FD200-25454 <u>FIRESTONE</u> 6944 W013586944 <u>HISTEER</u> 10302 <u>LOAD GUARD</u> SC2124 <u>SUSPENSIONS</u> INC. 200118	<u>TRIANGLE</u> 4448 TRP AS69440
2B9-253 <u>Flexmember</u> 578-92-3-206		ASA-92-8-040 	ASA-92-6-010 	<u>Conti</u> 64550 FD200-25427 <u>FIRESTONE</u> 6945 W013586945 <u>LOAD GUARD</u> SC2125 <u>RIDEWELL</u> 1003586945C <u>TRIANGLE</u> 4427 TRP AS69450	
2B9-254 <u>Flexmember</u> 578-92-3-206		ASA-92-8-172 	ASA-92-6-010 	<u>Conti</u> 64555 FD200-25463 <u>FIRESTONE</u> 6946 W013586946 <u>LOAD GUARD</u> SC2126 <u>RIDEWELL</u> 1003586946C <u>SUSPENSIONS</u> INC. 200180	<u>TRIANGLE</u> 4463 TRP AS69460
2B9-255 <u>Flexmember</u> 578-92-3-206		ASA-92-8-016 	ASA-92-6-010 	<u>Conti</u> 64551 FD200-25428 <u>DAYTON</u> 354-6947 <u>FIRESTONE</u> 6947 W013586947 <u>HENDRICKSON</u> B-8701 <u>LOAD GUARD</u> SC2127 <u>RIDEWELL</u> 1003586947C	<u>TRIANGLE</u> 4428 TRP AS69470
















● - Bolt or Stud 1/2-13 or 1/2-20
⊕ - Tapped Hole on Top Retainers
3/8-16, on Pistons - 1/2-13

⊗ - Air Fitting - 1/4 NPTF
⊗ - Air Fitting - 1/2 NPTF or
3/8 NPTF













⊙ - Stud - 3/4-10
⊗ - Combination Stud Air Fitting
Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
2B9-265 <u>Flexmember</u> 578-92-3-206		ASA-92-8-270 	ASA-92-6-044 	Conti 64512 FD200-19448 FIRESTONE W013586941
2B9-266 <u>Flexmember</u> 578-92-3-208		ASA-92-8-292 	ASA-92-6-044 	Conti 64554 FD200-25-454 FD200-25454 FIRESTONE W013586944 HISTEER 10307 TRIANGLE 4454 TRP AS69440
2B9-270 <u>Flexmember</u> 578-92-3-206		ASA-92-8-298 	ASA-92-6-010 	RIDEWELL 1002B09270G
2B9-280 <u>Flexmember</u> 578-92-3-211		ASA-92-8-172 	ASA-92-6-044 	Conti 64512 FD200-19448 FIRESTONE 6941 W013586941 HISTEER 10302 TRIANGLE 4448 TRP AS69410
2B9-288 <u>Flexmember</u> 578-92-3-211		ASA-92-8-016 	ASA-92-6-010 	Conti 64516 FD200-19504 FIRESTONE 6926 W013586926 TRP AS69260

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
2B9-296 <u>Flexmember</u> 578-923-211		ASA-92-8-113 	ASA-92-6-125 	
2B9-606 <u>Flexmember</u> 578-923-211		ASA-92-8-040 	ASA-92-6-010 	
2B9-607 <u>Flexmember</u> 578-923-208		ASA-92-8-270 	ASA-92-6-010 	
2B9-611 <u>Flexmember</u> 578-923-211		ASA-92-8-270 	ASA-92-6-134 	
2B9-614 <u>Flexmember</u> 578-9-23-211		ASA-92-8-270 	ASA-92-6-134 	













-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers	
2B10-226 <u>Flexmember</u> 578-92-3-250		ASA-92-8-113 	ASA-92-6-010 	<u>Conti</u> 67705 FD200-19713 FD200-22524 <u>FIRESTONE</u> 7795 W013587795 <u>HENDRICKSON</u> B-14486 <u>TRIANGLE</u> 4524	
2B12-300 <u>Flexmember</u> 578-92-3-309		ASA-92-8-003 	ASA-92-6-001 	<u>Conti</u> 64283 FD330-22327 <u>DAYTON</u> 354-7424 <u>FIRESTONE</u> 7424 W013587424 <u>HDA</u> PMABG-7424B <u>INT'L /</u> <u>NAVISTAR</u> 554785C1 <u>LOAD GUARD</u> SC2024 <u>NEWAY</u> 905-57-014 TC-144-2 <u>R & S TRUCK & BODY</u> 1090215 <u>SAUR AXLES (SAS)</u> P10-755 <u>TAURUS</u> AS214-7424 <u>TRIANGLE</u> 4327 <u>WATSON & CHALIN</u> AS-0009	
2B12-304 <u>Flexmember</u> 578-92-3-309		ASA-92-8-005 	ASA-92-6-006 	<u>Conti</u> 64501 FD330-22500 <u>FIRESTONE</u> 7344 W013587344 <u>FLXIBLE</u> 6-336-13 6-336-5 <u>SMOOTH RIDE</u> P10-755C	
2B12-305 <u>Flexmember</u> 578-92-3-310		ASA-92-8-026 	ASA-92-6-002 	<u>Conti</u> 64531 FD330-22323 FD330-30323 <u>DAYTON</u> 354-7443 <u>FIRESTONE</u> 7443 W013587443 <u>GRANNING</u> 1218 1589 <u>INT'L /</u> <u>NAVISTAR</u> 554786C1 <u>LOAD GUARD</u> SC2026 <u>RIDEWELL</u> 1003587443C S-2683-C <u>TRIANGLE</u> 4323 <u>WATSON & CHALIN</u> AS-0027	
















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers	
2B12-307 <u>Flexmember</u> 578-92-3-309		ASA-92-8-017 	ASA-92-6-002 	<u>Conti</u> 64488 FD330-22318 <u>FIRESTONE</u> 7403 W013587403 <u>GRANNING</u> 2725 HDA PMABG-7403B <u>HENDRICKSON</u> B-1159 B-2883 INT'L /	<u>NAVISTAR</u> 554080C1 <u>R & S TRUCK & BODY</u> 1040201 1090201 <u>RIDEWELL</u> S-4302-C <u>SUSPENSIONS INC.</u> 200448 <u>TRIANGLE</u> 4318 <u>WATSON &</u>
2B12-309 <u>Flexmember</u> 578-92-3-309		ASA-92-8-002 	ASA-92-6-002 	<u>Conti</u> 64270 FD330-22313 <u>DAYTON</u> 354-7400 <u>FAB TEK</u> 40080 <u>FIRESTONE</u> 7400 W013587400 <u>FREIGHTLINER</u> 16-10769-000 <u>GMC</u> 693230 <u>GRANNING</u> 2726 HDA PMABG-7400B <u>HENDRICKSON</u> C-1013 INT'L /	<u>NAVISTAR</u> 554788C1 <u>LOAD GUARD</u> SC2020 <u>MASA</u> 227002002 <u>NEWAY</u> 905-57-016 TC-144-4 <u>R & S TRUCK & BODY</u> 1027519 <u>RIDEWELL</u> 1003587400C S-788-C <u>TAURUS</u> AS214-7400 <u>TRIANGLE</u> 4313 <u>WATSON & CHALIN</u> AS-0003
2B12-313 <u>Flexmember</u> 578-92-3-309		ASA-92-8-004 	ASA-92-6-004 	<u>Conti</u> 64494 FD330-22364 <u>DAYTON</u> 354-7405 <u>FIRESTONE</u> 7405 W013587405 <u>HUTCHENS</u> IND. 10384-01 INT'L / <u>NAVISTAR</u> 1685177C1	<u>LOAD GUARD</u> SC2073 <u>SUSPENSIONS INC.</u> 200981 <u>TAURUS</u> AS214-7405 <u>TRIANGLE</u> 4364
2B12-317 <u>Flexmember</u> 578-92-3-310		ASA-92-8-004 	ASA-92-6-004 	<u>Conti</u> 64539 FD330-30502 <u>FIRESTONE</u> 7499 W013587499 <u>SUSPENSIONS INC.</u> 201602 <u>TRIANGLE</u> 4502	
















- Bolt or Stud 1/2-13 or 1/2-20
- Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- Air Fitting - 1/4 NPTF
- Air Fitting - 1/2 NPTF or 3/8 NPTF
- Stud - 3/4-10
- Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers	
2B12-318 <u>Flexmember</u> 578-92-3-309		ASA-92-8-006 	ASA-92-6-002 	<u>FIRESTONE</u> 7185 W013587185	
2B12-319 <u>Flexmember</u> 578-92-3-309		ASA-92-8-005 	ASA-92-6-004 	<u>Conti</u> 64497 FD330-22367 <u>DAYTON</u> 354-7409 <u>FIRESTONE</u> 7409 W013587409 <u>INT'L /</u> <u>NAVISTAR</u> 1685178C1 <u>LOAD GUARD</u> SC2074	<u>TAURUS</u> AS214-7409 <u>TRIANGLE</u> 4367
2B12-320 <u>Flexmember</u> 578-92-3-309		ASA-92-8-003 	ASA-92-6-004 	<u>Conti</u> 64489 FD330-22334 <u>DAYTON</u> 354-7437 <u>FIRESTONE</u> 7401 7437 W013587401 W013587437 <u>GMC</u> 2076095 711954 <u>HDA</u> PMABG-7401B <u>INT'L /</u> <u>NAVISTAR</u> 554789C1	<u>LOAD GUARD</u> SC2025 <u>NEWAY</u> 905-57-015 TC-144-3A <u>RIDEWELL</u> 1003587437C 1006587437C S-3363-C <u>TRIANGLE</u> 4334 4337 <u>VOLVO</u> 2076095 <u>WATSON &</u> <u>CHALIN</u> AS-0014
2B12-324 <u>Flexmember</u> 578-92-3-310		ASA-92-8-017 	ASA-92-6-002 	<u>Conti</u> 64532 FD330-30340 FD330-30513 <u>DAYTON</u> 354-7447 <u>E-Z RIDE</u> 8030150 <u>FIRESTONE</u> 7447 7790 W013587447 W013587790	<u>HENDRICKSON</u> 1475 B-6242 <u>INT'L /</u> <u>NAVISTAR</u> 554790C1 <u>LOAD GUARD</u> SC2028 <u>TRIANGLE</u> 4340 4513
















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers	
2B12-340 <u>Flexmember</u> 578-92-3-309		ASB-92-9-153 	ASB-92-8-153 	<u>FIRESTONE</u> 7124 W013587124 <u>MCI</u> 12C-3-52 <u>PREVOST</u> 63-0185	
2B12-345 <u>Flexmember</u> 578-92-3-315		ASA-92-8-005 	ASA-92-6-002 	<u>Conti</u> 64597 FD331-26514 <u>FIRESTONE</u> 7545 W013587545 <u>HENDRICKSON</u> 1796 <u>TRIANGLE</u> 4514 <u>WATSON & CHALIN</u> AS-0087-1F	
2B12-346 <u>Flexmember</u> 578-92-3-315		ASA-92-8-005 	ASA-92-6-002 	<u>Conti</u> 64599 FD331-26-541 FD331-26541 <u>FIRESTONE</u> 7550 W013587550 <u>HISTEER</u> 10315 <u>TRIANGLE</u> 4541 <u>WATSON & CHALIN</u> AS-0087	
2B12-402 <u>Flexmember</u> 578-92-3-310		ASA-92-8-005 	ASA-92-6-002 	<u>Conti</u> 64534 FD330-30370 <u>DAYTON</u> 354-7446 <u>FIRESTONE</u> 7446 W013587446 <u>HDA</u> PMABG-7446B <u>HENDRICKSON</u> B-3798 INT'L /	<u>NAVISTAR</u> 554791C1 <u>LOAD GUARD</u> SC2027 <u>R & S TRUCK & BODY</u> 1082914 <u>SILENT DRIVE</u> AS-7446 <u>TRIANGLE</u> 4370 <u>WATSON & CHALIN</u> AS-0005
2B12-406 <u>Flexmember</u> 578-92-3-309		ASA-92-8-005 	ASA-92-6-002 	<u>Conti</u> 64268 FD330-22331 <u>DAYTON</u> 354-7410 <u>FIRESTONE</u> 7410 W013587410 <u>FREIGHTLINER</u> 16-11378-000 INT'L / <u>NAVISTAR</u> 554792C1	<u>LOAD GUARD</u> SC2023 <u>TAURUS</u> AS214-7410 <u>TRIANGLE</u> 4331 <u>TRP</u> AS74100
















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
2B12-410 <u>Flexmember</u> 578-92-3-309		ASA-92-8-017 	ASA-92-6-004 	<u>Conti</u> 64492 FD330-22346 <u>DAYTON</u> 354-7404 <u>FIRESTONE</u> 7404 W013587404 <u>HENDRICKSON</u> B-1345 B-5468 <u>INT'L / NAVISTAR</u> 554793C1 <u>LOAD GUARD</u> SC2022 <u>TAURUS</u> AS214-7404 <u>TRIANGLE</u> 4346
2B12-411 <u>Flexmember</u> 578-92-3-309		ASA-92-8-088 	ASA-92-6-006 	<u>Conti</u> 64500 FD330-22472 <u>DAYTON</u> 354-7181 <u>FIRESTONE</u> 7181 W013587181 <u>FRUEHAUF</u> UAB-5620 UCC-3054-1 <u>INT'L / NAVISTAR</u> 554794C1 <u>LOAD GUARD</u> SC2018 <u>TAURUS</u> AS214-7181 <u>TRIANGLE</u> 4472
2B12-412 <u>Flexmember</u> 578-92-3-309		ASA-92-8-088 	ASA-92-6-038 	<u>Conti</u> 64499 FD330-22471 <u>DAYTON</u> 354-7183 <u>FIRESTONE</u> 7183 W013587183 <u>FRUEHAUF</u> UCA-0112 UCA-0112B <u>INT'L / NAVISTAR</u> 554795C1 <u>LOAD GUARD</u> SC2019 <u>TAURUS</u> AS214-7183 <u>TRIANGLE</u> 4471
2B12-416 <u>Flexmember</u> 578-92-3-315		ASA-92-8-002 	ASA-92-6-002 	<u>Conti</u> 64533 FD330-30369 <u>FIRESTONE</u> 7444 W013587444 <u>HENDRICKSON</u> B-9830 <u>TRIANGLE</u> 4369
2B12-424 <u>Flexmember</u> 578-92-3-309		ASA-92-8-006 	ASA-92-6-002 	<u>TRAILERS DE MONTERREY</u> 73312A















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers	
2B12-425 <u>Flexmember</u> 578-92-3-309				<u>Conti</u> 64493 FD330-22363 <u>E-Z RIDE</u> 8030190 <u>FIRESTONE</u> 7180 W013587180 <u>INT'L /</u> <u>NAVISTAR</u> 1685179C1 <u>LOAD GUARD</u> SC2075	<u>NEWAY</u> 570-07-180 <u>PEERLESS</u> 0550-00001 <u>RIDEWELL</u> 1003587180C S-4538-C <u>TAURUS</u> AS214-7180 <u>TRIANGLE</u> 4363
2B12-426 <u>Flexmember</u> 578-92-3-309				<u>Conti</u> 64495 FD330-22365 <u>DAYTON</u> 354-7406 <u>FIRESTONE</u> 7406 W013587406 <u>INT'L /</u> <u>NAVISTAR</u> 1685180C1 <u>LOAD GUARD</u> SC2076	<u>RIDEWELL</u> 1003587406C S-3159-C <u>TAURUS</u> AS214-7406 <u>TRIANGLE</u> 4365
2B12-427 <u>Flexmember</u> 578-92-3-309				<u>Conti</u> 64491 FD330-22343 <u>DAYTON</u> 354-7429 <u>FIRESTONE</u> 7429 W013587429 <u>INT'L /</u> <u>NAVISTAR</u> 1685181C1 <u>KWIK-LOK /</u> <u>TODCO</u> CP-5223	<u>LOAD GUARD</u> SC2077 <u>TAURUS</u> AS214-7429 <u>TRIANGLE</u> 4343
2B12-428 <u>Flexmember</u> 578-92-3-310				<u>Conti</u> 64536 FD330-30372 <u>FIRESTONE</u> 7473 W013587473 <u>INT'L /</u> <u>NAVISTAR</u> 1685182C1 <u>LOAD GUARD</u> SC2078 <u>RIDEWELL</u> 1003587473C	<u>TRIANGLE</u> 4372
2B12-429 <u>Flexmember</u> 578-92-3-309				<u>Conti</u> 66300 FD330-22780 <u>FIRESTONE</u> 7184 W013587184	















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
2B12-432 <u>Flexmember</u> 578-92-3-309		ASA-92-8-005 	ASA-92-6-001 	Conti 4465 64498 FD330-22368 FD330-22465 <u>FIRESTONE</u> 7423 W013587423 <u>INT'L /</u> <u>NAVISTAR</u> 1681750C1 <u>LOAD GUARD</u> SC2101 <u>TRIANGLE</u> 4368
2B12-434 <u>Flexmember</u> 578-92-3-310		ASA-92-8-017 	ASA-92-6-002 	Conti 64535 FD330-30371 FD330-30464 <u>FIRESTONE</u> 7472 W013587472 <u>HENDRICKSON</u> 36514-5 B-12514-005 <u>INT'L /</u> <u>NAVISTAR</u> 1681751C1 <u>LOAD GUARD</u> SC2128 <u>SAUR AXLES</u> (SAS) PB10-784 <u>TRIANGLE</u> 4371 4464
2B12-440 <u>Flexmember</u> 578-92-3-315		ASA-92-8-005 	ASA-92-6-004 	Conti 64284 FD331-26480 <u>FIRESTONE</u> 7555 W013587555 <u>HENDRICKSON</u> 20018 <u>REYCO</u> 18813-01 20018-01 <u>TRIANGLE</u> 4480 <u>TRP</u> AS75550
2B12-446 <u>Flexmember</u> 578-92-3-310		ASA-92-8-002 	ASA-92-6-002 	Conti 64533 FD330-30369 <u>FIRESTONE</u> 7444 W013587444 <u>HENDRICKSON</u> B-9830 <u>TRIANGLE</u> 4369
2B12-463 <u>Flexmember</u> 578-92-3-309		ASA-92-8-257 	ASA-92-6-002 	Conti 64502 FD330-22540 <u>FIRESTONE</u> 6850 W013586850 <u>RIDEWELL</u> 1003586850C <u>TRP</u> AS68500
















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers	
2B14-354 <u>Flexmember</u> 578-92-3-353		ASA-92-8-028 	ASA-92-6-013 	<u>Conti</u> 64548 FD530-22374 <u>DAYTON</u> 354-7145 <u>FIRESTONE</u> 7145 W013587145 <u>INT'L /</u> <u>NAVISTAR</u> 554796C1 <u>LOAD GUARD</u> SC2016	<u>MACK TRUCK</u> 57QL239 <u>RIDEWELL</u> 1003587145C S-4540-C <u>TRIANGLE</u> 4374 <u>VOLVO</u> 35203-0005 35203-3204
2B14-355 <u>Flexmember</u> 578-92-3-353		ASA-92-8-028 	ASA-92-6-013 	<u>AMERICAN CARRIER</u> 8003005 <u>Conti</u> 64546 FD530-22342 <u>DAYTON</u> 354-7146 <u>FIRESTONE</u> 7146 W013587146 <u>INT'L /</u> <u>NAVISTAR</u> 554797C1	<u>LOAD GUARD</u> SC2017 <u>NEWAY</u> 905-57-039 AR-1520 <u>RIDEWELL</u> 1003587146C <u>TRIANGLE</u> 4342
2B14-356 <u>Flexmember</u> 578-92-3-353		ASA-92-8-028 	ASA-92-6-013 	<u>Conti</u> 64545 FD530-22321 <u>FIRESTONE</u> 7136 W013587136 <u>GRANNING</u> 1626 HDA PMABG-7136B <u>HENDRICKSON</u> B-1080 <u>INT'L /</u>	<u>NAVISTAR</u> 554798C1 <u>LOAD GUARD</u> SC2014 <u>R & S TRUCK & BODY</u> 1027556 <u>RIDEWELL</u> 1003587136C <u>TRIANGLE</u> 4321 <u>WATSON & CHALIN</u> AS-0004
2B14-359 <u>Flexmember</u> 578-92-3-353		ASA-92-8-031 	ASA-92-6-015 	<u>Conti</u> 64544 FD530-22316 <u>FIRESTONE</u> 7140 W013587140 <u>GRANNING</u> 1015 HDA PMABG-7140B <u>HENDRICKSON</u> B-3184 <u>INT'L /</u>	<u>NAVISTAR</u> 554799C1 <u>LOAD GUARD</u> SC2015 <u>R & S TRUCK & BODY</u> 1090214 <u>RIDEWELL</u> 1003587140C <u>TRIANGLE</u> 4316 <u>WATSON & CHALIN</u> AS-0008
2B14-360 <u>Flexmember</u> 578-92-3-353		ASA-92-8-031 	ASA-92-6-015 	<u>Conti</u> 64543 FD530-22311 <u>DAYTON</u> 354-7135 <u>FIRESTONE</u> 7135 W013587135 <u>HENDRICKSON</u> B-12514-014 <u>INT'L /</u> <u>NAVISTAR</u> 554800C1	<u>LOAD GUARD</u> SC2013 <u>NEWAY</u> 905-57-001 <u>PEZZANI</u> AR-21-A <u>RIDEWELL</u> 1003587135C S-1326-C <u>TRIANGLE</u> 4311 <u>TRUCKSTELL</u> 63641 63644
















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers	
2B14-362 <u>Flexmember</u> 566-92-3-356		ASA-92-8-028 	ASA-92-6-013 	<u>FIRESTONE</u> 6800	
2B14-363 <u>Flexmember</u> 578-92-3-356		ASA-92-8-030 	ASA-92-6-013 		
2B14-365 <u>Flexmember</u> 578-92-3-356		ASA-92-8-046 	ASA-92-6-014 	<u>Conti</u> 64590 FD530-30451 <u>DAYTON</u> 354-6801 <u>E-Z RIDE</u> 8030160 <u>FIRESTONE</u> 6801 W013586801 <u>HENDRICKSON</u> B-2734 <u>INT'L/</u>	<u>NAVISTAR</u> 1685183C1 <u>LOAD GUARD</u> SC2079 <u>RIDEWELL</u> 1003586801C <u>TRIANGLE</u> 4451 <u>TRP</u> AS68010 <u>WATSON &</u> <u>CHALIN</u> AS-0021
2B14-366 <u>Flexmember</u> 578-92-3-353		ASA-92-8-100 	ASA-92-6-015 	<u>Conti</u> 64589 FD530-30449 <u>DAYTON</u> 354-6803 <u>FIRESTONE</u> 6803 W013586803 <u>HENDRICKSON</u> B-6412 <u>LOAD GUARD</u> SC2129 <u>TRIANGLE</u> 4449	<u>TRP</u> AS68030
2B14-367 <u>Flexmember</u> 578-92-3-353		ASA-92-8-049 	ASA-92-6-043 	<u>Conti</u> 64547 FD530-22345 <u>DAYTON</u> 354-7123 <u>FIRESTONE</u> 7123 7133 W013587123 W013587133 <u>INT'L/</u> <u>NAVISTAR</u> 1685184C1	<u>KWIK-LOK /</u> <u>TODCO</u> 53671 <u>LOAD GUARD</u> SC2080 <u>TRIANGLE</u> 4345
















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
2B14-383 <u>Flexmember</u> 578-92-3-356		ASA-92-8-174 	ASA-92-6-118 	<u>Conti</u> 64604 FD530-35530 <u>FIRESTONE</u> 7557 W013587557 <u>HISTEER</u> 10316 <u>REYCO</u> 19983-01 <u>TRIANGLE</u> 4530 <u>WATSON &</u>
2B14-462 <u>Flexmember</u> 578-92-3-356		ASA-92-8-030 	ASA-92-6-013 	<u>Conti</u> 64593 FD530-30532 FD530-35720 <u>FIRESTONE</u> 6805 W013586805 <u>RIDEWELL</u> 1003586805C <u>TRP</u> AS68050
2B14-469 <u>Flexmember</u> 566-23-8-329		ASA-92-8-352 	ASA-92-6-016 	<u>NEWAY</u> 905-57-257
2B14-470 <u>Flexmember</u> 578-92-3-356		ASA-92-8-031 	ASA-92-6-015 	<u>Conti</u> 64606 FD530-35544 <u>FIRESTONE</u> 7782 W013587782 <u>TRIANGLE</u> 4544 <u>WATSON &</u> <u>CHALIN</u> AS-0032
2B14-473 <u>Flexmember</u> 578-92-3-353		ASA-92-8-046 	ASA-92-6-014 	
















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers	
2B14-476 <u>Flexmember</u> 578-92-3-356				<u>Conti</u> 64605 FD530-35543 <u>FIRESTONE</u> 6799 W013586799 <u>NEWAY</u> 905-57-203 <u>TRP</u> AS67990 <u>WATSON & CHALIN</u> AS-0034	
2B14-479 <u>Flexmember</u> 578-923-356					
3B12-300 <u>Flexmember</u> 578-93-3-100				<u>Conti</u> 64562 FT330-29431 FT330-29469 <u>DAYTON</u> 354-8008 <u>FIRESTONE</u> 8008 8025 W013588008 W013588025 <u>HENDRICKSON</u> B-11637	<u>LOAD GUARD</u> SC2130 <u>RIDEWELL</u> 1003588008C <u>TRIANGLE</u> 4431 4469 <u>WATSON & CHALIN</u> AS-0019
3B12-301 <u>Flexmember</u> 578-93-3-100				<u>Conti</u> 64563 FT330-29432 FT330-29498 <u>FIRESTONE</u> 8010 8030 W013588010 W013588030 <u>LOAD GUARD</u> SC2119 <u>RIDEWELL</u> 1003588010C 1003588030C	S-5844-C <u>TRIANGLE</u> 4432
3B12-303 <u>Flexmember</u> 578-93-3-100				<u>Conti</u> 64285 FT330-29434 <u>FIRESTONE</u> 8018 W013588018 <u>HISTEER</u> 10303 <u>LOAD GUARD</u> SC2131 <u>TRIANGLE</u> 4434 <u>WATSON &</u>	<u>CHALIN</u> AS-0075
















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
3B12-304 <u>Flexmember</u> 578-93-3-100	 3B12-304	ASA-92-8-002 	ASA-92-6-000 	<u>Conti</u> 64568 FT330-29503 <u>FIRESTONE</u> 8006 W013588006 <u>LOAD GUARD</u> SC2132 <u>SUSPENSIONS</u> INC. 200620 <u>TRIANGLE</u> 4430 4503
3B12-305 <u>Flexmember</u> 578-93-3-100	 3B12-305	ASA-92-8-006 .750-14 NPTF 	ASA-92-6-002 	
3B12-310 <u>Flexmember</u> 578-93-3-100	 3B12-310	ASA-92-8-005 	ASA-92-6-002 	<u>Conti</u> 64565 FT330-29466 <u>FIRESTONE</u> 8027 W013588027 <u>SILENT DRIVE</u> AS-8025 AS-8027 <u>SUSPENSIONS</u> INC. 200117 <u>TRIANGLE</u> 4466
3B12-312 <u>Flexmember</u> 578-93-3-100	 3B12-312	ASA-92-8-005 	ASA-92-6-035 	<u>Conti</u> 64571 FT330-29508 FT330-29525 <u>FIRESTONE</u> 8033 W013588033 <u>HENDRICKSON</u> B-14487 <u>LOAD GUARD</u> SC2784 <u>TRIANGLE</u> 4508 4525
3B12-315 <u>Flexmember</u> 578-93-3-100	 3B12-315	ASA-92-8-017 	ASA-92-6-111 	<u>Conti</u> 64573 FT330-29547

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
3B12-319 <u>Flexmember</u> 578-93-3-100	 3B12-319	ASA-92-8-017  5.50 9.00	ASA-92-6-002  6.20 9.00	Conti 64560 FT330-29413 <u>FIRESTONE</u> 8032 W013588032 <u>HENDRICKSON</u> B-12405 S-12405 <u>TRIANGLE</u> 4413 <u>WATSON & CHALIN</u> AS-0048
3B12-322 <u>Flexmember</u> 578-93-3-103	 3B12-322	ASA-92-8-230  5.50 10.30 1.38	ASA-92-6-110  6.20 10.30	<u>FIRESTONE</u> 8042 W013588042 <u>HENDRICKSON</u> 1015 <u>NEWAY</u> 905-57-236
3B12-323 <u>Flexmember</u> 578-93-3-103	 3B12-323	ASA-92-8-367  6.20 10.30	ASA-92-6-110  6.20 10.30	<u>FIRESTONE</u> 8043 W013588043 <u>HENDRICKSON</u> S-14795
3B12-324 <u>Flexmember</u> 578-93-3-100	 3B12-324	ASA-92-8-159  6.20 9.00	ASA-92-6-002  6.20 9.00	<u>WATSON & CHALIN</u> AS-0048-2G
3B12-325 <u>Flexmember</u> 578-93-3-103	 3B12-325	ASA-92-8-363  2.87 6.20 10.30	ASA-92-6-106  6.20 10.30	<u>FIRESTONE</u> 8048 W013588048
















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
3B12-326 <u>Flexmember</u> 578-93-3-103	 3B12-326	ASA-92-8-364 	ASA-92-6-106 	<u>FIRESTONE</u> 8047 W013588047
3B12-328 <u>Flexmember</u> 578-93-3-100	 3B12-328	ASA-92-8-017 	ASA-92-6-111 	<u>Conti</u> 64572 FT330-29546 <u>FIRESTONE</u> 7994 W013587994 <u>TRIANGLE</u> 4546 <u>WATSON & CHALIN</u> AS-0019-1F
3B12-329 <u>Flexmember</u> 578-93-3-100	 3B12-329	ASA-92-8-159 	ASA-92-6-111 	<u>Conti</u> 64573 FT330-29547 <u>FIRESTONE</u> 7990 7995 W013587990 W013587995 <u>TRIANGLE</u> 4547 <u>WATSON & CHALIN</u> AS-0048-1F
3B12-335 <u>Flexmember</u> 578-93-3-100	 3B12-335	ASA-92-8-005 	ASA-92-6-111 	<u>Conti</u> 64570 FT330-29520 FT330-29723 <u>FIRESTONE</u> 7996 W013587996 <u>GRANNING</u> 8221 <u>TRIANGLE</u> 4520
3B12-337 <u>Flexmember</u> 578-93-3-104	 3B12-337	ASA-92-8-406 	ASA-92-6-110 	













● - Bolt or Stud 1/2-13 or 1/2-20
⊙ - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13

⊗ - Air Fitting - 1/4 NPTF
⊗ - Air Fitting - 1/2 NPTF or 3/8 NPTF
















⊙ - Stud - 3/4-10
⊗ - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
3B12-338 <u>Flexmember</u> 578-93-3-100	 3B12-338	ASA-92-8-331 	ASA-92-6-002 	
3B12-342 <u>Flexmember</u> 578-93-3-100	 3B12-342	ASA-92-8-431 	ASA-92-6-002 	<u>WATSON & CHALIN</u> AS-0048-3G
3B12-347 <u>Flexmember</u> 578-93-3-103	 3B12-347	ASA-92-8-367 	ASA-92-6-121 	
3B12-415 <u>Flexmember</u> 578-93-3-105	 3B12-415	ASA-92-8-017 	ASA-92-6-002 	<u>Conti</u> 66522 FT330-29554 <u>FIRESTONE</u> 8038 W013588038 <u>HISTEER</u> 10313
3B12-416 <u>Flexmember</u> 578-93-3-105	 3B12-416	ASA-92-8-005 	ASA-92-6-002 	<u>FIRESTONE</u> 8039 W013588039 <u>HISTEER</u> 10303
















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers	
3B14-351 <u>Flexmember</u> 578-93-3-350		ASA-92-8-028 	ASA-92-6-013 		
3B14-354 <u>Flexmember</u> 578-93-3-350		ASA-92-8-028 	ASA-92-6-013 	<u>Conti</u> 64506 FT530-32336 <u>E-Z RIDE</u> 8030170 <u>FIRESTONE</u> 7808 W013587808 <u>INT'L /</u> <u>NAVISTAR</u> 554801C1 <u>LOAD GUARD</u> SC2031	<u>PEERLESS</u> 0550-00030 <u>RIDEWELL</u> 1003587808C S-4830-C <u>TRIANGLE</u> 4336 <u>TRUCKSTELL</u> 63640
3B14-356 <u>Flexmember</u> 578-93-3-350		ASA-92-8-028 	ASA-92-6-013 	<u>Conti</u> 64504 FT530-32329 <u>DAYTON</u> 354-7798 <u>FIRESTONE</u> 7798 W013587798 <u>GRANNING</u> 1613 <u>HDA</u> PMABG-7798B <u>INT'L /</u>	<u>NAVISTAR</u> 554802C1 <u>LOAD GUARD</u> SC2029 <u>TRIANGLE</u> 4329 4436 <u>WATSON &</u> <u>CHALIN</u> AS-0006
3B14-359 <u>Flexmember</u> 578-93-3-350		ASA-92-8-031 	ASA-92-6-015 	<u>Conti</u> 64503 FT530-32325 <u>DAYTON</u> 354-7818 <u>E-Z RIDE</u> 8030180 <u>FIRESTONE</u> 7816 7818 W013587816 W013587818 <u>GRANNING</u> 1014 1476 <u>HENDRICKSON</u> B-6861	<u>INT'L /</u> <u>NAVISTAR</u> 554803C1 <u>LOAD GUARD</u> SC2032 <u>RIDEWELL</u> 1003587818C 1003587839C S-2685-C <u>TRIANGLE</u> 4325 4437 <u>WATSON &</u> <u>CHALIN</u> AS-0025 AS-0033

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
3B14-360 <u>Flexmember</u> 578-93-3-350		ASA-92-8-031 	ASA-92-6-015 	<u>Conti</u> 64505 FT530-32333 <u>DAYTON</u> 354-7800 <u>FIRESTONE</u> 7800 W013587800 <u>GRANNING</u> 4514 <u>HOLLAND</u> <u>HITCH</u> 4514 <u>INT'L / NAVISTAR</u> 554804C1 <u>LOAD GUARD</u> SC2030 <u>RIDEWELL</u> 1003587800C S-1505-C <u>TRIANGLE</u> 4333 4439
3B14-361 <u>Flexmember</u> 578-93-3-350		ASA-92-8-030 	ASA-92-6-013 	
3B14-364 <u>Flexmember</u> 578-93-3-350		ASA-92-8-100 	ASA-92-6-015 	<u>Conti</u> 64581 FT530-35455 <u>HENDRICKSON</u> B-7100 <u>TRIANGLE</u> 4455
3B14-365 <u>Flexmember</u> 578-93-3-350		ASA-92-8-100 	ASA-92-6-015 	
3B14-367 <u>Flexmember</u> 578-93-3-350		ASA-92-8-100 	ASA-92-6-050 	<u>Conti</u> 64583 FT530-35457 <u>DAYTON</u> 354-7847 <u>HENDRICKSON</u> B-8874 <u>TRIANGLE</u> 4457

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF
















Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
3B14-450 <u>Flexmember</u> 556-33-8-335		ASA-92-8-028 	ASA-92-6-013 	<u>FIRESTONE</u> W013587845
3B14-451 <u>Flexmember</u> 578-93-3-335		ASA-92-8-100 	ASA-92-6-015 	<u>Conti</u> 64582 FT530-35456 <u>FIRESTONE</u> 7846 W013587846 <u>HENDRICKSON</u> S-7853 <u>TRIANGLE</u> 4456
3B14-452 <u>Flexmember</u> 578-93-3-335		ASA-92-8-174 	ASA-92-6-056 	<u>Conti</u> 64580 FT530-35441 <u>FIRESTONE</u> 7850 W013587850 <u>HISTEER</u> 10301 <u>SUSPENSIONS</u> INC. 200177 <u>TRIANGLE</u> 4441 <u>WATSON & CHALIN</u> AS-0086
3B14-453 <u>Flexmember</u> 578-33-8-335		ASA-92-8-028 	ASA-92-6-013 	<u>Conti</u> 64576 FT530-35436 <u>FIRESTONE</u> 7838 W013587838
3B14-455 <u>Flexmember</u> 556-33-8-335		ASA-92-8-031 	ASA-92-6-113 	

-  - Bolt or Stud 1/2-13 or 1/2-20




 - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF

 - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
















 - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
3B14-456 <u>Flexmember</u> 578-33-8-335		ASA-92-8-031 	ASA-92-6-015 	<u>FIRESTONE</u> 7839
3B14-457 <u>Flexmember</u> 556-33-8-335		ASA-92-8-100 	ASA-92-6-015 	<u>Conti</u> 64581 FT530-35455 <u>FIRESTONE</u> 7843 W013587843
3B14-459 <u>Flexmember</u> 556-33-8-335		ASA-92-8-100 	ASA-92-6-050 	<u>Conti</u> 64583 FT530-35457 <u>FIRESTONE</u> 7847 W013587847
3B14-462 <u>Flexmember</u> 578-33-8-335		ASA-92-8-031 	ASA-92-6-013 	<u>FIRESTONE</u> 7855
3B14-463 <u>Flexmember</u> 578-33-8-335		ASA-92-8-174 	ASA-92-6-013 	<u>FIRESTONE</u> 7859















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
3B14-464 <u>Flexmember</u> 556-33-8-335		ASA-92-8-100 	ASA-92-6-013 	<u>Conti</u> 64587 <u>FT530-35534</u> <u>FIRESTONE</u> 7862 W013587862
















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers	
1R8-009 <u>Flexmember</u> 566-16-3-007 <u>Piston</u> 566-16-7-000 Aluminum	 18.6 6.8	ASC-16-8-003  3.38 5.31	 1/2-20 UNF 8.25		
1R8-031 <u>Flexmember</u> 566-16-3-007 <u>Piston</u> 566-16-7-000 Aluminum	 18.6 5.6	ASC-16-8-004  3.38 5.31	 1/2-20 UNF 8.25		
1R8-034 <u>Flexmember</u> 566-16-3-007 <u>Piston</u> 566-16-7-021 Composite	 18.6 5.8 1.51	ASC-16-8-004  3.38 5.31	 8.00	<u>FIRESTONE</u> 5710 5730 W013585710 W013585730 <u>FLXIBLE</u> 6-304-156 6-336-175 <u>GMC</u> 10530086 6617550 698634 8870484 G5008051	<u>LES AUTOBUS</u> 10530086 698934 G5001705 <u>NOVABUS</u> G5001705 G5001706 <u>PREVOST</u> 63-0226
1R8-041 <u>Flexmember</u> 566-16-3-007 <u>Piston</u> 566-16-7-021 Composite	 18.8 5.8	ASC-16-8-004  3.38 5.31	 1/2-20 UNF 8.00		
1R9-003 <u>Flexmember</u> 566-18-3-004 <u>Piston</u> 566-16-7-021 Composite	 17.9 5.6	ASC-16-8-004  3.38 5.31	 8.00	<u>AM GENERAL</u> 5973923 <u>Conti</u> 66-5-13S056 68136 <u>FIRESTONE</u> 5409 W013585409 W013585435 <u>FLXIBLE</u> 6-336-11 <u>GMC</u> 662743	<u>NEW FLYER</u> 5920815 5973877 5973923 5993113











-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R9-025 <u>Flexmember</u> 566-18-3-010 <u>Piston</u> 566-16-7-017 Aluminum		ASC-16-8-004 		
1R9-038 <u>Flexmember</u> 566-18-3-010 <u>Piston</u> 566-16-7-017 Aluminum		ASC-16-8-004 		<u>Conti</u> 66-5-13S039 68121 <u>FIRESTONE</u> 5406 W013585406 <u>GMC</u> 2021085 667512A 667512C 716111 <u>GRANNING</u> 1971
1R9-047 <u>Flexmember</u> 566-18-3-004 <u>Piston</u> Not Included		ASC-16-8-004 	USE EXISTING SUPER CUSHION PISTON	<u>FLXIBLE</u> 6-336-166
1R9-053 <u>Flexmember</u> 566-18-3-004 <u>Piston</u> 566-16-7-021 Composite		ASC-16-8-003 		<u>GMC</u> 672755 <u>MCI</u> 12L-4-212 12L-4-8
1R9-054 <u>Flexmember</u> 566-18-3-004 <u>Piston</u> 566-16-7-000 Aluminum		ASC-16-8-020 		<u>INT'L / NAVISTAR</u> 2013947C2

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R9-056 <u>Flexmember</u> 566-18-3-004 <u>Piston</u> 566-16-7-000 Aluminum		ASC-16-8-020 		INT'L / NAVISTAR 2013948C2
1R9-065 <u>Flexmember</u> 566-18-3-003 <u>Piston</u> 566-16-7-009 Steel		ASC-16-8-024 		Conti 66-5-11S027 66-5B-11S525 68108 68119 <u>FIRESTONE</u> 2119 8997 W013582119 W013588997 <u>GRANNING</u> 5122 <u>HENDRICKSON</u> B-2394 NEWAY 905-57-029 905-57-034 <u>RIDEWELL</u> 1003588997C <u>TRIANGLE</u> 8525 <u>WATSON &</u> <u>CHALIN</u> AS-0026
1R9-070 <u>Flexmember</u> 566-18-3-004 <u>Piston</u> 566-16-7-021 Composite		ASC-16-8-004 		Conti 66-5-13S446 68123 <u>FIRESTONE</u> 5410 W013585410 <u>GRANNING</u> 2112 <u>RIDEWELL</u> 1003585410C <u>TRIANGLE</u> 8446 <u>WATSON &</u> <u>CHALIN</u> AS-0029
1R9-071 <u>Flexmember</u> 566-18-3-004 <u>Piston</u> 566-16-7-021 Composite		ASC-16-8-018 		
1R10-019 <u>Flexmember</u> 566-20-3-022 <u>Piston</u> 566-20-7-240 Composite		ASA-92-8-151 		<u>FIRESTONE</u> 9115 W013589115 <u>FLXIBLE</u> 6-336-209 <u>GMC</u> 2475408 684242 716110

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF













Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R10-030 <u>Flexmember</u> 566-20-3-022 <u>Piston</u> Not Included		ASA-92-8-151 	USE EXISTING SUPER CUSHION PISTON	<u>GMC</u> 667513A 667513C 720414
1R10-072 <u>Flexmember</u> 566-20-3-029 <u>Piston</u> 566-20-7-055 Aluminum		ASA-92-8-162 		
1R10-085 <u>Flexmember</u> 566-20-3-021 <u>Piston</u> Not Included		ASA-92-8-151 	USE EXISTING SUPER CUSHION PISTON	<u>FIRESTONE</u> 9017 W013589017 <u>FLXIBLE</u> 97-240-153 <u>GMC</u> 661759A 661759C 667302 677302 8875032 G1019449 <u>LES AUTOBUS</u> 661759C <u>NOVABUS</u> N15558 <u>PREVOST</u> 63-0044 <u>TMC</u> 661759C
1R10-087 <u>Flexmember</u> 566-20-3-021 <u>Piston</u> 566-20-7-240 Composite		ASA-92-8-152 		<u>BLUEBIRD</u> 990671 <u>FLXIBLE</u> 6-336-212 <u>GMC</u> G1019452 <u>PREVOST</u> 63-0067 63-0158

-  - Bolt or Stud 1/2-13 or 1/2-20

 - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF

 - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10

 - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R10-089 <u>Flexmember</u> 566-20-3-021 <u>Piston</u> 566-20-7-240 Composite		ASA-92-8-151 		<u>AUTO BUS</u> 10530087 <u>FIRESTONE</u> 9017 9067 9236HR 9386 9436 9610 W013589017 W013589067 W013589236 W013589386 W013589436 W013589610 <u>FLXIBLE</u> 6-304-157 6-336-174 6-841-92 97-240-153 <u>GMC</u> 10530087 661756 677302 684192 684193 684195-3 8870485 8875032 <u>NOVABUS</u> N15558 <u>PREVOST</u> 63-0044
1R10-090 <u>Flexmember</u> 566-20-3-021 <u>Piston</u> 566-20-7-120 Composite		ASA-92-8-151 		<u>GMC</u> 10530087 661756 684192 684193 6989635 G1019450 G1020957 <u>LES AUTOBUS</u> 10530087 698935 G5008052 <u>TMC</u> 10530087 684192 684193 6989635 G1020957
1R10-091 <u>Flexmember</u> 566-20-3-021 <u>Piston</u> 566-20-7-240 Composite		ASA-92-8-152 		<u>FIRESTONE</u> 9380 W013589380 <u>FLXIBLE</u> 6-336-15 6-336-182 <u>GMC</u> 662744 <u>MCI</u> 12F-4-34 12L-4-261 12L-4-5 12M-4-6
1R10-099 <u>Flexmember</u> 566-20-3-021 <u>Piston</u> 566-20-7-240 Composite		ASA-92-8-309 		<u>DINA</u> 224-B020030 <u>MCI</u> 1496372

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF
















Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R10-101 <u>Flexmember</u> 566-20-3-027 <u>Piston</u> 566-20-7-150 Steel	12.5 4.0 3/4 x 10 UNC 1R10-101	ASA-92-8-179 5.50 9.00	8.25	<u>FIRESTONE</u> 5770 W013585770 <u>MCI</u> 39390246
1R10-105 <u>Flexmember</u> 566-20-3-021 <u>Piston</u> 566-20-7-240 Composite	20.1 6.0 1R10-105	ASA-92-8-151 4.76 9.00	4.12 9.27	<u>FIRESTONE</u> 9043 <u>NOVABUS</u> G1076863
1R10-108 <u>Flexmember</u> 566-20-3-021 <u>Piston</u> 566-20-7-120 Composite	20.1 8.1 1R10-108	ASA-92-8-152 4.76 9.00	4.12 9.98	<u>FIRESTONE</u> 8899 W013588899 <u>PREVOST</u> 63-0077
1R10-109 <u>Flexmember</u> 566-20-3-021 <u>Piston</u> 566-20-7-077-03 Aluminum	20.1 6.0 1R10-109	ASA-92-8-017 5.50 9.00	4.12 9.50	<u>ORION</u> 020117511-4 T14-1044
1R10-118 <u>Flexmember</u> 566-20-3-021 <u>Piston</u> 566-20-7-240 Composite	19.5 6.3 1R10-118	ASA-92-8-179 5.50 9.00	9.27	

- Bolt or Stud 1/2-13 or 1/2-20
















- Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- Air Fitting - 1/4 NPTF

- Air Fitting - 1/2 NPTF or 3/8 NPTF
- Stud - 3/4-10
















- Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R10-120 <u>Flexmember</u> 566-20-3-021 <u>Piston</u> 566-20-7-240 Composite		ASA-92-8-162 		Conti 64388 99K-15P424 <u>FIRESTONE</u> 9293 W013589293 <u>NEWAY</u> 905-57-120 <u>NOVABUS</u> N38168 <u>TRIANGLE</u> 8424 TRP AS92930
1R10-122 <u>Flexmember</u> 566-20-3-021 <u>Piston</u> 566-20-7-237 Composite		ASA-92-8-164 		Conti 64389 99K-15P425 <u>FIRESTONE</u> 9291 W013589291 <u>NEWAY</u> 905-57-122 905-57-139 <u>TRIANGLE</u> 8425 TRP AS92910
1R10-127 <u>Flexmember</u> 566-20-3-021 <u>Piston</u> 566-20-7-240 Composite		ASA-92-8-102 		<u>ORION</u> 20117526
1R10-133 <u>Flexmember</u> 566-20-3-021 <u>Piston</u> 566-20-7-240 Composite		ASA-92-8-152 		<u>FIRESTONE</u> W013589592
1R10-137 <u>Flexmember</u> 566-20-3-023 <u>Piston</u> 566-20-7-240 Composite		ASA-92-8-429 		















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers	
1R10-165 <u>Flexmember</u> 566-20-3-021 <u>Piston</u> 566-20-7-240 Composite		ASA-92-8-407 			
1R10-171 <u>Flexmember</u> 566-20-3-021 <u>Piston</u> 566-20-7-387 Composite		ASA-92-8-355 	M12 X 1.75-6g 		
1R11-018 <u>Flexmember</u> 566-22-3-006 <u>Piston</u> 566-20-7-079 Steel		ASA-20-8-004 		<u>Conti</u> 99-14A322 <u>DAYTON</u> 352-9073 352-9415 <u>FIRESTONE</u> 9415 W013589415 <u>HENDRICKSON</u> B-7193 INT'L / <u>NAVISTAR</u> 554761C1	<u>KENWORTH</u> K-102-A K-303-5 <u>LOAD GUARD</u> SC2049 <u>RIDEWELL</u> 1003589073C 1013580708C <u>TAURUS</u> AS103-9073 <u>TRIANGLE</u> 8322
1R11-028 <u>Flexmember</u> 566-22-3-021 <u>Piston</u> 566-20-7-014 Steel		ASA-92-8-024 		<u>Conti</u> 64255 99-12P314 <u>FIRESTONE</u> 9422 W013589422 <u>FLEETRITE</u> 1R11-278 INT'L / <u>NAVISTAR</u> 554762C1 <u>KENWORTH</u> K-303-14 K-303-15	K-303-6 <u>LOAD GUARD</u> SC2050 <u>TOYO</u> TRL230H360382 <u>TRIANGLE</u> 8314 TRP AS94220 <u>WATSON & CHALIN</u> AS-0017
1R11-039 <u>Flexmember</u> 566-22-3-143 <u>Piston</u> 566-20-7-036 Aluminum		ASA-92-8-005 		<u>Conti</u> 64379 99-14A337 <u>FIRESTONE</u> 9439 W013589439 <u>TRIANGLE</u> 8337	

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R11-045 <u>Flexmember</u> 566-22-3-143 <u>Piston</u> 566-20-7-077-03 Aluminum		ASA-92-8-164 		
1R11-047 <u>Flexmember</u> 566-22-3-021 <u>Piston</u> 566-20-7-014 Steel		ASA-92-8-005 		MCI 12J-3-53
1R11-066 <u>Flexmember</u> 566-22-3-021 <u>Piston</u> 566-20-7-055 Aluminum		ASA-92-8-327 1.00-11.50 NPTF 		FIRESTONE 9447 W013589447 RIDEWELL 1003589447C
1R11-075 <u>Flexmember</u> 566-22-3-028 <u>Piston</u> 566-20-7-055 Aluminum		AS1-92-8-163 		
1R11-088 <u>Flexmember</u> 566-22-3-143 <u>Piston</u> 566-20-7-120 Composite		ASA-92-8-152 		FIRESTONE 5739 W013585739 PREVOST 63-0092 63-0104

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF
















Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R11-090 <u>Flexmember</u> 566-22-3-143 <u>Piston</u> 566-20-7-079 Steel	 18.3 8.1	ASA-92-8-438 1.250-12 UNF outside .500-14 NPTF inside  4.76 9.00	 4.12 10.12	<u>PREVOST</u> 63-0090 63-0094 63-0106
1R11-094 <u>Flexmember</u> 566-22-3-143 <u>Piston</u> 566-20-7-240 Composite	 18.0 6.4	ASA-92-8-179  5.50 9.00	 9.27	
1R11-097 <u>Flexmember</u> 566-22-3-044 <u>Piston</u> 566-20-7-079 Steel	 22.1 8.1	ASA-92-8-152  4.76 9.00	 4.12 10.12	<u>PREVOST</u> 63-0129
1R11-109 <u>Flexmember</u> 566-22-3-143 <u>Piston</u> Not Included	 18.3 8.1	ASA-92-8-438 1/2-14 NPTF  4.76 9.00	USE EXISTING SUPER CUSHION PISTON	<u>PREVOST</u> 63-0109
1R11-115 <u>Flexmember</u> 566-22-3-051 <u>Piston</u> 566-20-7-183 Steel	 18.3 6.2	ASA-92-8-271 .500-14 NPTF  2.87 6.20 9.00	 6.20 7.84	<u>MCI</u> 12-03-1041

-  - Bolt or Stud 1/2-13 or 1/2-20
















 - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF

 - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10

 - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R11-121 <u>Flexmember</u> 566-22-3-143 <u>Piston</u> 566-20-7-156 Composite		ASA-92-8-005 		<u>Conti</u> 64379 99-14A337 <u>FIRESTONE</u> 9441 W013589441 <u>FLXIBLE</u> 6-336-200 <u>GILLIG</u> 53-13187 53-14006 53-8212 <u>NOVABUS</u> N16374
1R11-130 <u>Flexmember</u> 566-22-3-049 <u>Piston</u> 566-20-7-124 Steel		ASA-92-8-005 		<u>NOVABUS</u> N17842
1R11-143 <u>Flexmember</u> 566-22-3-143 <u>Piston</u> 566-20-7-240 Composite		ASA-92-8-304 M22x 1.5-6G outside 250 18NPTF inside 		<u>DINA</u> 224-B020020 <u>MCI</u> 12-03-6034 1512076
1R11-147 <u>Flexmember</u> 566-22-3-143 <u>Piston</u> 566-20-7-240 Composite		ASA-92-8-102 		<u>ORION</u> 20217501
1R11-149 <u>Flexmember</u> 566-22-3-143 <u>Piston</u> 566-20-7-239 Composite		ASA-92-8-142 		<u>Conti</u> 64364 99-12P464 <u>FIRESTONE</u> 8901 W013588901

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF
















Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R11-150 <u>Flexmember</u> 566-22-3-021 <u>Piston</u> 566-20-7-055 Aluminum		ASA-92-8-162 		<u>Conti</u> 64286 99-12P563 <u>FIRESTONE</u> 9448 W013589448 <u>RIDEWELL</u> 1003589448C <u>TRIANGLE</u> 8563 TRP AS94480
1R11-151 <u>Flexmember</u> 566-22-3-021 <u>Piston</u> 566-20-7-055 Aluminum		ASA-92-8-162 		<u>BLUEBIRD</u> 1286814 <u>FIRESTONE</u> 9457 W013589457 <u>RIDEWELL</u> 1003589457C
1R11-152 <u>Flexmember</u> 566-22-3-021 <u>Piston</u> 566-20-7-055 Aluminum		ASA-92-8-162 		<u>CHANCE BUS</u> 23891728 <u>FIRESTONE</u> 9459 W013589459 <u>RIDEWELL</u> 1003589459C
1R11-159 <u>Flexmember</u> 566-22-3-021 <u>Piston</u> 566-20-7-014 Steel		ASA-92-8-162 		<u>Conti</u> 64367 99-12P479 <u>FIRESTONE</u> 9387 W013589387 <u>TRP</u> AS93920
1R11-161 <u>Flexmember</u> 566-22-3-057 <u>Piston</u> 566-20-7-150 Steel		ASA-92-8-115 		<u>AMERICAN CARRIER</u> 8003023 <u>FIRESTONE</u> 5766 W013585766 <u>HUTCHENS IND.</u> 19141-01

-  - Bolt or Stud 1/2-13 or 1/2-20
















 - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF

 - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10

 - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R11-162 <u>Flexmember</u> 566-22-3-021 <u>Piston</u> 566-20-7-014 Steel		ASA-92-8-164 		
1R11-166 <u>Flexmember</u> 566-22-3-143 <u>Piston</u> 566-20-7-235 Composite		ASA-92-8-164 		Conti 64386 99K-15P417 <u>FIRESTONE</u> 9295 W013589295 <u>NEWAY</u> 905-57-121 <u>TRIANGLE</u> 8417 TRP AS92950
1R11-169 <u>Flexmember</u> 566-22-3-143 <u>Piston</u> 566-20-7-250 Composite		ASA-92-8-151 		<u>NOVABUS</u> G1202328 G1202651 G1202652
1R11-170 <u>Flexmember</u> 566-22-3-143 <u>Piston</u> 566-20-7-240 Composite		ASA-92-8-165 		
1R11-171 <u>Flexmember</u> 566-22-3-057 <u>Piston</u> 566-20-7-150 Steel		ASA-92-8-164 		<u>AMERICAN CARRIER</u> 8003003 Conti 64627 99-12P705 <u>FIRESTONE</u> 9421 W013589421 <u>TRIANGLE</u> 8468 TRP AS94210

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF
















Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R11-175 <u>Flexmember</u> 566-22-3-060 <u>Piston</u> 566-20-7-257 Composite		ASA-92-8-355 		<u>INT'L / NAVISTAR</u> 3541733C1
1R11-176 <u>Flexmember</u> 566-22-3-075 <u>Piston</u> 566-20-7-257 Composite		ASA-92-8-355 		
1R11-178 <u>Flexmember</u> 566-22-3-143 <u>Piston</u> 566-20-7-209 Composite		ASA-92-8-005 		<u>Conti</u> 67492 99-14P895 <u>FIRESTONE</u> W01W359385 <u>NEW FLYER</u> 55089 TRP AS93850
1R11-179 <u>Flexmember</u> 566-22-3-143 <u>Piston</u> 566-20-7-209 Composite		ASA-92-8-005 		<u>Conti</u> 64631 99-14P708 99K-15P708 <u>FIRESTONE</u> W01W359465 <u>NEW FLYER</u> 99865
1R11-189 <u>Flexmember</u> 566-22-3-049 <u>Piston</u> 566-20-7-240 Composite		ASA-92-8-309 		<u>MCI</u> 1498928

-  - Bolt or Stud 1/2-13 or 1/2-20
















 - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF

 - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10

 - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R11-191 <u>Flexmember</u> 566-22-3-143 <u>Piston</u> 566-20-7-239 Composite	 16.5 6.0	ASA-92-8-005  6.20 9.00	 9.80	Conti 64381 99-14A517 99-14P517 <u>FIRESTONE</u> 8919 W013588919 <u>RIDEWELL</u> 1003588919C <u>TRIANGLE</u> 8517
1R11-200 <u>Flexmember</u> 566-22-3-021 <u>Piston</u> 566-20-7-252 Composite	 13.6 5.0	ASA-92-8-003  2.88 6.20 9.00	 4.12 9.30	Conti 64365 99-12P477 <u>FIRESTONE</u> 9376 W013589376 <u>MCI</u> 14002 <u>MONOCO</u> <u>COACH</u> 14002 <u>TRIANGLE</u> 8477 TRP AS93760
1R11-201 <u>Flexmember</u> 566-22-3-021 <u>Piston</u> 566-20-7-252 Composite	 13.6 4.5	ASA-92-8-017  5.50 9.00	 4.12 9.30	Conti 64366 99-12P478 <u>FIRESTONE</u> 9377 W013589377 <u>REYCO</u> 21054-01 <u>TRIANGLE</u> 8478 TRP AS93770
1R11-202 <u>Flexmember</u> 566-22-3-021 <u>Piston</u> 566-20-7-252 Composite	 13.6 4.5	ASA-92-8-164  5.50 9.00	 4.12 9.30	Conti 64363 99-12P447 <u>FIRESTONE</u> 9378 W013589378 <u>RIDEWELL</u> 1003589378C <u>TRIANGLE</u> 8447 TRP AS93780
1R11-203 <u>Flexmember</u> 566-22-3-021 <u>Piston</u> 566-20-7-251 Composite	 13.6 4.5	ASA-92-8-164  5.50 9.00	 9.20	Conti 64367 99-12P479 <u>FIRESTONE</u> 9387 W013589387 <u>RIDEWELL</u> 1003589387C <u>TRIANGLE</u> 8479 TRP AS93870

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF
















Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R11-204 <u>Flexmember</u> 566-22-3-021 <u>Piston</u> 566-20-7-253 Composite		ASA-92-8-164 		<u>Conti</u> 64362 99-12P401 <u>FIRESTONE</u> 8900 W013588900 <u>REYCO</u> 17361-01 <u>TRIANGLE</u> 8401
1R11-205 <u>Flexmember</u> 566-22-3-021 <u>Piston</u> 566-20-7-253 Composite		ASA-92-8-017 		<u>Conti</u> 64368 99-12P516 <u>FIRESTONE</u> 9476 W013589476 <u>REYCO</u> 20446-01 <u>TRIANGLE</u> 8516 TRP AS94760
1R11-207 <u>Flexmember</u> 566-22-3-021 <u>Piston</u> 566-20-7-156 Composite		ASA-92-8-269 		
1R11-209 <u>Flexmember</u> 566-22-3-143 <u>Piston</u> 566-20-7-209 Composite		ASA-92-8-151 		
1R11-216 <u>Flexmember</u> 566-22-3-068 <u>Piston</u> 566-20-7-257 Composite		ASA-92-8-355 	M12 x 1.75-6G 	

-  - Bolt or Stud 1/2-13 or 1/2-20
















 - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF

 - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10

 - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R11-219 <u>Flexmember</u> 566-22-3-021 <u>Piston</u> 566-20-7-287 Steel		ASA-92-8-374 SAE 45° flare, .500 O.D. tube SAE J512, .750-16 UNF-2A 		<u>Conti</u> 66112 99-9P860 <u>FIRESTONE</u> 9617 W013589617 <u>KENWORTH</u> K-303-18 <u>TRIANGLE</u> 8514
1R11-220 <u>Flexmember</u> 566-22-3-021 <u>Piston</u> 566-20-7-286 Steel		ASA-92-8-374 SAE 45° flare, .500 O.D. tube SAE J512, .750-16 UNF-2A 		<u>Conti</u> 66113 99-10P862 <u>FIRESTONE</u> 9618 W013589618 <u>KENWORTH</u> K-303-19
1R11-221 <u>Flexmember</u> 566-22-3-021 <u>Piston</u> 566-20-7-287 Steel		ASA-92-8-373 JIC 37° flare, 1.0 O.D. tube SAE J514, 1.312-12 UNF-2A 		<u>Conti</u> 65367 65394 99-10P576 99-9P537 <u>FIRESTONE</u> 9622 9675 W013589622 W013589675 <u>KENWORTH</u> K-303-22 K-303-28 <u>TRIANGLE</u> 8537 <u>TRP</u> AS96750
1R11-222 <u>Flexmember</u> 566-22-3-021 <u>Piston</u> 566-20-7-286 Steel		ASA-92-8-373 JIC 37° flare, 1.0 O.D. tube SAE J514, 1.312-12 UNF-2A 		<u>Conti</u> 65389 99-10P538 <u>FIRESTONE</u> 9625 W013589625 <u>KENWORTH</u> K-303-25 <u>TRIANGLE</u> 8538 <u>TRP</u> AS96250
1R11-223 <u>Flexmember</u> 566-22-3-143 <u>Piston</u> 566-20-7-156 Composite		ASA-92-8-005 		<u>FIRESTONE</u> 9469 W013589469

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF
















Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R11-224 <u>Flexmember</u> 566-22-3-073 <u>Piston</u> 566-20-7-308 Composite		ASA-92-8-151 		
1R11-225 <u>Flexmember</u> 566-22-3-057 <u>Piston</u> 566-20-7-253 Composite		ASA-92-8-164 		<u>FIRESTONE</u> 9650 W013589650 <u>NEWAY</u> 905-57-097
1R11-232 <u>Flexmember</u> 566-22-3-049 <u>Piston</u> 566-20-7-124 Steel		ASA-92-8-257 		<u>NOVABUS</u> N35162
1R11-241 <u>Flexmember</u> 566-22-3-143 <u>Piston</u> 566-20-7-253 Composite		ASA-92-8-164 		
1R11-242 <u>Flexmember</u> 566-22-3-021 <u>Piston</u> 566-20-7-252 Composite		ASA-92-8-437 		<u>Conti</u> 64256 99-12P515 <u>FIRESTONE</u> 9616 W013589616 <u>KENWORTH</u> K-303-16 <u>TRIANGLE</u> 8515 <u>TRP</u> AS96160

-  - Bolt or Stud 1/2-13 or 1/2-20
















 - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF

 - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10






 - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R11-243 <u>Flexmember</u> 566-22-3-143 <u>Piston</u> 566-20-7-120 Composite		ASA-92-8-438 		<u>PREVOST</u> 63-0093 63-0099 63-0105 63-0260
1R11-244 <u>Flexmember</u> 566-22-3-079 <u>Piston</u> 566-20-7-079 Steel		ASA-92-8-438 		<u>PREVOST</u> 63-0102 63-0126 63-0259
1R11-249 <u>Flexmember</u> 566-22-3-084 <u>Piston</u> 566-20-7-156 Composite		ASA-92-8-367 		<u>FIRESTONE</u> W013588616 <u>NABI-HF</u> 633-9668
1R11-252 <u>Flexmember</u> 566-22-3-042 <u>Piston</u> 566-20-7-235 Composite		ASA-92-8-164 		<u>Conti</u> 64423 910-17-5P536 <u>FIRESTONE</u> W013588903
1R11-268 <u>Flexmember</u> 566-22-3-021 <u>Piston</u> 566-20-7-287 Steel		ASA-92-8-480 JIC 37° flare, 1.0 O.D. tube SAE J514, 1.312-12 UNF-2A 		<u>Conti</u> 66109 99-9P859 <u>FIRESTONE</u> 9541 9542 9547 W013589542 W013589547 W015449542









-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers	
1R12-028 <u>Flexmember</u> 566-24-3-024 <u>Piston</u> 566-20-7-079 Steel		ASC-20-8-003 		<u>PREVOST</u> 63-0045	
1R12-066 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-080 Composite		ASA-92-8-164 		<u>Conti</u> 64294 910-16P333 <u>DAYTON</u> 352-9083 <u>FIRESTONE</u> 9083 W013589083 <u>GRANNING</u> 1359 1528 B59 <u>INT'L /</u>	<u>NAVISTAR</u> 554763C1 <u>LOAD GUARD</u> SC2036 <u>RIDEWELL</u> 1003589083C <u>TAURUS</u> AS506-9080 <u>TRIANGLE</u> 8333 <u>WATSON & CHALIN</u> AS-0018 AS-0028
1R12-069 <u>Flexmember</u> 566-24-3-163 <u>Piston</u> 566-20-7-235 Composite		ASA-92-8-041 		<u>Conti</u> 64274 910-14P312 <u>DAYTON</u> 352-9069 <u>FIRESTONE</u> 9069 W013589069 <u>FLEETRITE</u> 1R12-1052 <u>INT'L /</u> <u>NAVISTAR</u> 554764C1 <u>LOAD GUARD</u> SC2034	<u>PETERBILT</u> 03-01649 03-02038 03-02456 03-04759 03-07112 23-10042 <u>TAURUS</u> AS504-9069 AS506-9069 <u>TRIANGLE</u> 8312 <u>WATSON & CHALIN</u> AS-0077
1R12-076 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-036 Aluminum		ASA-92-8-151 		<u>AM GENERAL</u> 5973924 <u>FIRESTONE</u> 9100 W013589100	
1R12-090 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-079 Steel		ASA-92-8-052 		<u>Conti</u> 64262 910-16P407 <u>DAYTON</u> 352-9213 <u>FIRESTONE</u> 9213 W013589213 <u>FLEETRITE</u> 1R12-1060 <u>INT'L /</u> <u>NAVISTAR</u> 1660581C1 501559C1	501559C2 <u>LOAD GUARD</u> SC2048 <u>TRIANGLE</u> 8407












-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-092 <u>Flexmember</u> 566-24-3-163 <u>Piston</u> 566-20-7-080 Composite		ASA-92-8-164 		Conti 64269 910-16P310 910-16P350 DAYTON 352-9082 FAB TEK 101828 FIRESTONE 9082 W013589082 FLEETRITE 1R12-1053 GRANNING 2727 HDA PMABG-9082B HENDRICKSON 36514-7 B-2066 HUTCHENS IND. 9630-01 INT'L/ NAVISTAR 517559C9 KWIK-LOK / TODCO CP-3281 CP-5125 CP-5152 LOAD GUARD SC2035 NEWAY 905-57-006 905-57-027 905-57-037 905-57-054 905-57-075 AR-1315-1-F AR-1315-1-G NOVABUS N39112 R & S TRUCK & BODY 1090217 REYCO 12882-01 RIDEWELL 1003589082C S-542-C SUSPENSIONS INC. 201869 TAURUS AS506-9082 TOYO TRL-240/393 TRIANGLE 8310 WATSON & CHALIN AS-0011
1R12-093 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> Not Included		ASA-92-8-164 	USE EXISTING SUPER CUSHION PISTON	HUTCHENS IND. 9630-03 INT'L/ NAVISTAR 554765C1 LOAD GUARD SC2054 NEWAY 900-44-200 900-44-216 900-44-647 RIDEWELL 1013580712C TAURUS AS506-0712
















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers	
1R12-095 <u>Flexmember</u> 566-24-3-067 <u>Piston</u> 566-20-7-014 Steel	 1R12-095	ASA-92-8-162 		<u>BLUEBIRD</u> 12TA-1-2 300-961250 <u>Conti</u> 64260 910-10P311 <u>DAYTON</u> 352-9039 <u>FAB TEK</u> 101827 <u>FIRESTONE</u> 9039 W013589039 <u>FLEETRITE</u> 1R12-1061 <u>FLXIBLE</u> 6-336-202 <u>HDA</u> PMABG-9039B <u>HENDRICKSON</u> B-11650 B-2064 <u>HUTCHENS</u> IND. 9424-01 9424-03 INT'L/ <u>NAVISTAR</u> 554766C1	<u>LOAD GUARD</u> SC2033 <u>NEWAY</u> 905-57-011 905-57-023 905-57-085 <u>R & S TRUCK & BODY</u> 1090218 <u>RIDEWELL</u> 1003589039C 1013589039C S-2061-C S-5356-C <u>SAUR AXLES (SAS)</u> P50-734 <u>SUSPENSIONS INC.</u> 200457 <u>TAURUS</u> AS500-9039 <u>TRIANGLE</u> 8311 <u>WATSON & CHALIN</u> AS-0012
1R12-097 <u>Flexmember</u> 566-24-3-067 <u>Piston</u> Not Included	 1R12-097	ASA-92-8-162 	USE EXISTING SUPER CUSHION PISTON	<u>HUTCHENS</u> IND. 9424-1 INT'L/ <u>NAVISTAR</u> 554767C1 <u>LOAD GUARD</u> SC2058 <u>NEWAY</u> 900-44-199 900-44-708 900-54-234 <u>RIDEWELL</u> 1013580702C	<u>TAURUS</u> AS500-0702
1R12-103 <u>Flexmember</u> 566-24-3-066 <u>Piston</u> 566-20-7-006 Aluminum	 1R12-103	ASA-92-8-164 		<u>Conti</u> 64279 910-19P315 <u>DAYTON</u> 352-9101 <u>FIRESTONE</u> 9101 W013589101 <u>HENDRICKSON</u> B-3842 INT'L/ <u>NAVISTAR</u> 554768C1 <u>LOAD GUARD</u> SC2038 <u>NEWAY</u> 900-44-701 905-57-008 905-57-009 905-57-082	<u>REYCO</u> 12883-01 <u>RIDEWELL</u> 1003589101C S-5828-C S-740-C <u>TAURUS</u> AS506-9093 AS509-9101 <u>TOYO</u> TRL-250 <u>TRIANGLE</u> 8315 <u>TRUCKSTELL</u> 63647 <u>WATSON & CHALIN</u> AS-0040

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-113 <u>Flexmember</u> 566-24-3-066 <u>Piston</u> Not Included		ASA-92-8-164 	USE EXISTING SUPER CUSHION PISTON	<u>FIRESTONE</u> W013589102 <u>INT'L /</u> <u>NAVISTAR</u> 554769C1 <u>LOAD GUARD</u> SC2053 <u>NEWAY</u> 900-44-201 900-44-653 900-54-218 <u>RIDEWELL</u> 1013589102C <u>TAURUS</u> AS509-9102
1R12-127 <u>Flexmember</u> 566-24-3-024 <u>Piston</u> 566-20-7-240 Composite		ASC-20-8-003 		<u>PREVOST</u> 63-0040 63-0064
1R12-130 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-080 Composite		ASA-92-8-005 		<u>Conti</u> 64298 910-16P353 <u>FIRESTONE</u> 9227 W013589227 <u>HENDRICKSON</u> B-2924 <u>TRIANGLE</u> 8353
1R12-132 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-036 Aluminum		ASA-92-8-164 		<u>Conti</u> 64445 910-12A319 910-12A341 910-12A343 910-12A504 910-12P319 <u>DAYTON</u> 352-9105 <u>FIRESTONE</u> 9105 9113 9302 9303 W013589105 W013589302 <u>GRANNING</u> 5065 <u>HDA</u> PMABG-9105B <u>HENDRICKSON</u> 36514-3 B-1245 <u>INT'L /</u> <u>NAVISTAR</u> 554770C1 <u>LOAD GUARD</u> SC2039 <u>R & S TRUCK & BODY</u> 1090276 <u>RIDEWELL</u> 1003580725C 1003589105C S-570-C <u>SAUR AXLES (SAS)</u> P50-705 <u>TAURUS</u> AS302-9302 AS502-0725 AS502-9105 AS502-9113 <u>TRIANGLE</u> 8319 <u>WATSON & CHALIN</u> AS-0015

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-139 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-006 Aluminum	 1R12-139 18.7 12.5	ASA-92-8-098  6.20 9.00	 7.87 10.13	MCI 12J-1-23
1R12-142 <u>Flexmember</u> 566-24-3-066 <u>Piston</u> 566-20-7-006 Aluminum	 1R12-142 27.0 9.4	ASA-92-8-005  6.20 9.00	 7.87 10.13	Conti 67479 910-19P946 <u>FIRESTONE</u> W013589241 <u>INT'L /</u> <u>NAVISTAR</u> 1681579C1 <u>LOAD GUARD</u> SC2108 <u>SUSPENSIONS</u> <u>INC.</u> 200041
1R12-143 <u>Flexmember</u> 566-24-3-048 <u>Piston</u> 566-20-7-006 Aluminum	 1R12-143 22.9 9.5	ASC-20-8-045  5.50 7.70	 7.87 10.13	Conti 64302 910-16P376 <u>FIRESTONE</u> 9392 W013589392 <u>HENDRICKSON</u> B-4773 <u>TRIANGLE</u> 8376 TRP AS93920
1R12-145 <u>Flexmember</u> 566-24-3-066 <u>Piston</u> 566-20-7-006 Aluminum	 1R12-145 27.0 9.4	ASA-92-8-017  5.50 9.00	 7.87 10.13	Conti 64325 910-19P356 <u>DAYTON</u> 352-9238 <u>FIRESTONE</u> 9238 W013589238 <u>HENDRICKSON</u> B-5060 <u>INT'L /</u> <u>NAVISTAR</u> 1681737C1 <u>LOAD GUARD</u> SC2109 <u>PREVOST</u> 63-0178 <u>TAURUS</u> AS509-9238 <u>TRIANGLE</u> 8356
1R12-154 <u>Flexmember</u> 566-24-3-048 <u>Piston</u> 566-20-7-120 Composite	 1R12-154 17.1 8.0	ASC-20-8-053  5.50 7.70	 4.12 10.0	MCI 12J-1-88
















-  - Bolt or Stud 1/2-13 or 1/2-20

 - Air Fitting - 1/4 NPTF
















 - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13

 - Air Fitting - 1/2 NPTF or 3/8 NPTF

 - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-155 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-080 Composite	 21.1 7.7 1R12-155	ASA-92-8-002  2.88 6.20 9.00	 7.87 10.10	<u>Conti</u> 64292 910-16P325 <u>FIRESTONE</u> 9096 W013589096 <u>FRUEHAUF</u> UCE-1304-1 <u>TRIANGLE</u> 8325
1R12-156 <u>Flexmember</u> 566-24-3-067 <u>Piston</u> 566-20-7-055 Aluminum	 12.0 4.0 1R12-156	ASA-92-8-005  6.20 9.00	 8.60	<u>MCI</u> 12K-3-11 <u>PREVOST</u> 63-0179
1R12-167 <u>Flexmember</u> 566-24-3-066 <u>Piston</u> 566-20-7-080 Composite	 25.2 7.7 1R12-167	ASA-92-8-164  5.50 9.00	 7.87 10.10	<u>Conti</u> 64323 910-19P326 <u>INT'L /</u> <u>NAVISTAR</u> 1681738C1 1681740C1
1R12-169 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-036-03 Aluminum	 16.7 7.3 1R12-169	ASA-92-8-119  2.88 6.20 9.00	 7.87 10.10	<u>FLXIBLE</u> 97-2410-00006 97-2410-1 97-2410-2 97-2410-3 97-2410-4 97-2410-5 97-6693-1
1R12-178 <u>Flexmember</u> 566-24-3-067 <u>Piston</u> 566-20-7-055 Aluminum	 13.5 5.1 1R12-178	ASA-92-8-125  5.50 9.00	 4.12 8.60	<u>Conti</u> 64361 99-12P379 <u>FIRESTONE</u> 9379 W013589379 <u>INT'L /</u> <u>NAVISTAR</u> 1660694C1 <u>LOAD GUARD</u> SC2110 <u>TRIANGLE</u> 8379 <u>IRP</u> AS93790

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-182 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-079 Steel	 20.5 6.2	ASA-92-8-004  5.50 9.00	 4.12 10.12	<u>Conti</u> 64259 910-16P408 <u>FIRESTONE</u> 9219 W013589219 <u>INT'L /</u> <u>NAVISTAR</u> 1681739C1 <u>LOAD GUARD</u> SC2070 <u>TRIANGLE</u> 8408 <u>TRP</u> AS92190 <u>VOLVO</u> 35003-3201 35003-3203 35003-3204 35003-3209
1R12-185 <u>Flexmember</u> 566-24-3-066 <u>Piston</u> 566-20-7-080 Composite	 25.2 7.6	ASA-92-8-164  5.50 9.00	 7.87 10.13	<u>FIRESTONE</u> 9192 W013589192 <u>HENDRICKSON</u> S6195
1R12-188 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-079 Steel	 20.5 7.1	ASA-92-8-162  5.50 9.00	 4.12 10.12	<u>Conti</u> 64275 910-16P409 <u>FIRESTONE</u> 9223 W013589223 <u>HENDRICKSON</u> 48195 <u>REYCO</u> 12884-01 12884-01A <u>TRIANGLE</u> 8409
1R12-195 <u>Flexmember</u> 566-24-3-066 <u>Piston</u> 566-20-7-006 Aluminum	 28.5 9.4	ASA-92-8-257  4.75 9.00	 7.87 10.13	<u>Conti</u> 64335 910-19P438 <u>FIRESTONE</u> 9349 W013589349 <u>HENDRICKSON</u> B-8988 <u>REYCO</u> 17636-01 <u>TRIANGLE</u> 8438 <u>TRP</u> AS93490
1R12-204 <u>Flexmember</u> 566-24-3-067 <u>Piston</u> 566-20-7-055 Aluminum	 13.5 3.7	ASA-92-8-138  5.50 9.00	 4.12 8.60	<u>FIRESTONE</u> 9566 W013589566 <u>INT'L /</u> <u>NAVISTAR</u> 1672401C1














-  - Bolt or Stud 1/2-13 or 1/2-20

 - Air Fitting - 1/4 NPTF
















 - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13

 - Air Fitting - 1/2 NPTF or 3/8 NPTF

 - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-205 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-055 Aluminum	 16.0 5.1	ASA-92-8-125  5.50 9.00	 4.12 8.60	<u>Conti</u> 64472 910-14P450 <u>FIRESTONE</u> 9568 W013589568 <u>INT'L /</u> <u>NAVISTAR</u> 1675495C1 <u>TRIANGLE</u> 8450 <u>TRP</u> AS95680
1R12-208 <u>Flexmember</u> 566-24-3-066 <u>Piston</u> 566-20-7-006 Aluminum	 27.0 9.5	ASA-92-8-141 3/4 - 14 NPTF  2.87 6.20 9.00	 7.87 10.13	<u>Conti</u> 67703 910-19P973 <u>HENDRICKSON</u> C-10443
1R12-212 <u>Flexmember</u> 566-24-3-072 <u>Piston</u> 566-20-7-079 Steel	 17.0 6.2	UPPER BEAD PLATE NOT INCLUDED	 4.12 10.10	<u>MCI</u> G1004846
1R12-217 <u>Flexmember</u> 566-24-3-048 <u>Piston</u> 566-20-7-120 Composite	 17.1 7.3	UPPER BEAD PLATE NOT INCLUDED. SHOWN FOR REFERENCE ONLY.	 4.12 10.0	<u>MCI</u> 12L-1-104 12L-1-136 <u>PREVOST</u> 63-0181
1R12-220 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-080 Composite	 21.1 7.7	ASA-92-8-164  5.50 9.00	 7.87 10.10	<u>Conti</u> 64301 910-16P372 <u>FIRESTONE</u> 9092 W013589092 <u>HENDRICKSON</u> B-12353 <u>INT'L /</u> <u>NAVISTAR</u> 517096C91 <u>NEWAY</u> 905-57-031 <u>TRIANGLE</u> 8372

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF















Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers	
1R12-256 <u>Flexmember</u> 566-24-3-090 <u>Piston</u> 566-20-7-159 Composite	 29.1 9.5	ASA-92-8-142  6.20 9.00	 7.87 9.80	<u>Conti</u> 64384 64716 910-21A505 910-21P505 <u>FIRESTONE</u> 9367 W013589321 W013589367 <u>HENDRICKSON</u> B-14249 B-4375 <u>LOAD GUARD</u> SC2120	<u>SUSPENSIONS</u> <u>INC.</u> 201335 <u>TRIANGLE</u> 8505 <u>TRP</u> AS93670 AS9367A <u>WATSON &</u> <u>CHALIN</u> AS-0104
1R12-261 <u>Flexmember</u> 566-24-3-066 <u>Piston</u> 566-20-7-006 Aluminum	 27.0 9.4	ASA-92-8-005  6.20 9.00	 7.87 10.10	<u>Conti</u> 64327 910-19A358 910-19Pxxx <u>DAYTON</u> 352-9321 <u>FIRESTONE</u> 9241 W013589241 <u>R & S TRUCK &</u> <u>BODY</u> 10907 <u>TAURUS</u> AS509-9241	<u>TRIANGLE</u> 8358 8361
1R12-265 <u>Flexmember</u> 566-24-3-066 <u>Piston</u> 566-20-7-080 Composite	 25.2 7.7	ASA-92-8-164  5.50 9.00	 7.87 10.10	<u>Conti</u> 64331 910-19P390	
1R12-274 <u>Flexmember</u> 566-24-3-097 <u>Piston</u> 566-20-7-079 Steel	 22.8 8.1	ASA-92-8-121  6.20 9.00	 4.12 10.12		
1R12-281 <u>Flexmember</u> 566-24-3-066 <u>Piston</u> 566-20-7-080 Composite	 25.2 9.0	ASA-92-8-121  6.20 9.00	 7.87 10.10	<u>Conti</u> 64327 64615 910-19A358 910-19P321 910-19P358 <u>DAYTON</u> 352-9130 <u>FIRESTONE</u> 9130 9394 W013589130 W013589394	<u>FRUEHAUF</u> UCE-9393-1 UCE-9393-3 UCE-9393-4 <u>TRIANGLE</u> 8321

-  - Bolt or Stud 1/2-13 or 1/2-20
















 - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF

 - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10

 - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-284 <u>Flexmember</u> 566-24-3-048 <u>Piston</u> 566-20-7-240 Composite		UPPER BEAD PLATE NOT INCLUDED. SHOWN FOR REFERENCE ONLY.		
1R12-285 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-080 Composite		ASC-92-8-088 		<u>Conti</u> 64632 910-14P709 <u>FIRESTONE</u> W359060 <u>NEW FLYER</u> 14635 65
1R12-288 <u>Flexmember</u> 566-24-3-048 <u>Piston</u> 566-20-7-120 Composite		ASC-20-8-110 		<u>MCI</u> 12C-1-126 12K-1-45 12L-1-126 <u>PREVOST</u> 63-0180
1R12-303 <u>Flexmember</u> 566-24-3-108 <u>Piston</u> 566-20-7-116 Composite		ASA-92-8-440 		<u>Conti</u> 67473 910S-16A382 910S-16P382 <u>FIRESTONE</u> 5779 9780 W013589780 <u>FLEETRITE</u> 1R12-1054 <u>FREIGHTLINER</u> 16-13810-000 16-13810-001 16-13810-002 16-14377-000 16-15595-000 16-15595-001 16-15595-002 16-16825-000 16-19468-000 18-18335-000 18-18335-001 <u>TRIANGLE</u> 8382 <u>TRP</u> AS9870A
1R12-304 <u>Flexmember</u> 566-24-3-048 <u>Piston</u> 566-20-7-240 Composite		ASC-20-8-110 		<u>FIRESTONE</u> 9018 W013589018 <u>MCI</u> 12G-1-60 12L-1-133 12L-1-135 12L-1-142 <u>PREVOST</u> 63-0182

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF
















Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-309 <u>Flexmember</u> 566-24-3-067 <u>Piston</u> 566-20-7-164 Steel		ASA-92-8-002 		<u>Conti</u> 64446 910-12A327 <u>DAYTON</u> 352-9053 <u>E-Z RIDE</u> 8030192 <u>FAB TEK</u> 10828 <u>FIRESTONE</u> 9053 W013589053 FRUEHAUF UCE-1304-2 <u>RIDEWELL</u> 1003589053C <u>TAURUS</u> AS502-9053 <u>TRIANGLE</u> 8327 <u>WATSON & CHALIN</u> AS-0095
1R12-324 <u>Flexmember</u> 566-24-3-067 <u>Piston</u> 566-20-7-055 Aluminum		ASA-92-8-138 	M12x1.75-6g 	<u>FIRESTONE</u> 9565 W013589565 <u>INT'L / NAVISTAR</u> 2027912C1
1R12-325 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-055 Aluminum		ASA-92-8-125 	M12x1.75-6g 	<u>Conti</u> 64473 910-14P461 <u>FIRESTONE</u> 9567 W013589567 <u>INT'L / NAVISTAR</u> 2027913C1 <u>TRIANGLE</u> 8461 <u>TRP</u> AS95670
1R12-335 <u>Flexmember</u> 566-24-3-090 <u>Piston</u> 566-20-7-006 Aluminum		ASA-92-8-142 		<u>Conti</u> 64291 64715 910-21A361 910-21P361 <u>FIRESTONE</u> 9321 W013589321 <u>TRP</u> AS93210 <u>WATSON & CHALIN</u> AS-0036
1R12-350 <u>Flexmember</u> 566-24-3-061 <u>Piston</u> 566-20-7-197 Aluminum		ASA-92-8-002 		<u>Conti</u> 64433 910-10P339 <u>FIRESTONE</u> 9031 W013589031 <u>PEERLESS</u> 0550-00051 <u>TAURUS</u> AS500-9031 <u>TRIANGLE</u> 8339

-  - Bolt or Stud 1/2-13 or 1/2-20















 - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF

 - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
















 - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-351 <u>Flexmember</u> 566-24-3-061 <u>Piston</u> 566-20-7-197 Aluminum	 13.1 5.3	ASA-92-8-003  2.88 6.20 9.00	 9.25	Conti 64430 910-10P328 <u>FIRESTONE</u> 9033 W013589033 <u>NEWAY</u> 905-57-012 AR-1515-1 <u>TAURUS</u> AS500-9033 <u>TRIANGLE</u> 8328
1R12-352 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-080 Composite	 18.0 7.2	ASA-92-8-004  5.50 9.00	 7.87 10.10	Conti 64258 910-14P345 <u>FIRESTONE</u> W013589010 <u>HENDRICKSON</u> B-2827
1R12-355 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-036 Aluminum	 16.9 5.6	ASA-92-8-088  2.88 9.00	 7.87 10.10	Conti 64447 910-12A329 910-12P329 <u>FIRESTONE</u> 9078 W013589078 <u>FRUEHAUF</u> MFR-022355 UCB-9668-1 <u>TRIANGLE</u> 8329
1R12-356 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-080 Composite	 21.0 6.5	ASA-92-8-258 1.25-12 UNF outside .500-14 NPTF inside  6.13 9.00	 7.87 10.10	Conti 64297 910-16P352 <u>DAYTON</u> 352-9194 <u>FIRESTONE</u> 9194 W013589194 <u>PETERBILT</u> 03-05107 <u>TAURUS</u> AS506-9194 <u>TRIANGLE</u> 8352 <u>WATSON & CHALIN</u> AS-0101
1R12-357 <u>Flexmember</u> 566-24-3-066 <u>Piston</u> 566-20-7-006 Aluminum	 27.0 10.7	ASA-92-8-257  4.75 9.00 1.50	 7.87 10.13	Conti 65356 910-19P439 <u>FIRESTONE</u> 9348 W013589348 <u>TAURUS</u> AS509-9348 <u>TRP</u> AS93480















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-358 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-080 Composite	 21.1 7.7	ASA-92-8-003  2.88 6.20 9.00	 7.87 10.10	<u>Conti</u> 64292 910-16P325 <u>DAYTON</u> 352-9096 <u>FIRESTONE</u> 9096 W013589096 <u>FRUEHAUF</u> UCE-1304-1 <u>TAURUS</u> AS504-9096 <u>TRIANGLE</u> 8325
1R12-359 <u>Flexmember</u> 566-24-3-061 <u>Piston</u> 566-20-7-197 Aluminum	 13.1 5.3	ASA-92-8-088  2.88 9.00	 9.25	<u>Conti</u> 64431 910-10P331 <u>FIRESTONE</u> 9077 W013589077 <u>FRUEHAUF</u> MFR-022354 UCB-4453-1 <u>TAURUS</u> AS500-9077 <u>TRIANGLE</u> 8331
1R12-363 <u>Flexmember</u> 566-24-3-090 <u>Piston</u> 566-20-7-159 Composite	 29.1 9.5	ASA-92-8-164  5.50 9.00	 7.87 9.80	<u>Conti</u> 64382 910-21P360 <u>FIRESTONE</u> 9320 W013589320 <u>NEWAY</u> 905-57-099 <u>TRIANGLE</u> 8360 <u>TRP</u> AS93200
1R12-365 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-079 Steel	 20.6 8.1	ASA-92-8-121  6.20 9.00	 4.50 10.13	<u>Conti</u> 64276 910-16P410 <u>FIRESTONE</u> 9466 W013589466 <u>HENDRICKSON</u> 49048 49674 <u>MACK TRUCK</u> 364SQ28 57QL411M <u>TRIANGLE</u> 8410 <u>TRP</u> AS94660
1R12-366 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-163 Steel	 21.2 7.3	AS1-92-8-192  3.05 9.00	 5.66 9.50	<u>Conti</u> 64401 910-16P710 910-17-5P436 910-175P436 <u>FIRESTONE</u> 8944 9015 9299 W013588944 W013589015 W013589299 <u>HENDRICKSON</u> C-20217 <u>TRIANGLE</u> 8436 <u>TRP</u> AS92990

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-367 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-164 Steel		ASC-92-8-192 		<u>Conti</u> 64395 910-12A427 <u>FIRESTONE</u> 9640 W013589640 <u>HENDRICKSON</u> C-20223 <u>TRIANGLE</u> 8427 <u>TRP</u> AS96400
1R12-369 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-079 Steel		ASA-92-8-165 		<u>DINA</u> 2027911C1
1R12-370 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-036 Aluminum		ASA-92-8-162 		<u>Conti</u> 64464 910-14A330 <u>FIRESTONE</u> 9070 W013589070 <u>NEWAY</u> 905-57-038-1 905-57-090 AR-90112 <u>TAURUS</u> AS504-9070 <u>TRIANGLE</u> 8330 8490 <u>WATSON & CHALIN</u> AS-0050 AS-0053
1R12-375 <u>Flexmember</u> 566-24-3-165 <u>Piston</u> 566-20-7-163 Steel		ASA-92-8-192 		<u>Conti</u> 64288 910-19P435 <u>FIRESTONE</u> 9265 W013589265 <u>FLEETRITE</u> 1R12-1055 <u>HENDRICKSON</u> 20413 C-20124 <u>TRIANGLE</u> 8435 <u>TRP</u> AS92650
1R12-377 <u>Flexmember</u> 566-24-3-120 <u>Piston</u> 566-20-7-192 Steel		ASA-92-8-268 1 1/4 x 12 .500 X 14 NPTF 		<u>PREVOST</u> 63-0151

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF
















Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-383 <u>Flexmember</u> 566-24-3-061 <u>Piston</u> 566-20-7-014 Steel	 12.7 4.4 1R12-383	ASA-92-8-162  5.50 9.00	 9.25	<u>FLXIBLE</u> 97-9999-02185 <u>ORION</u> 010132404-4
1R12-394 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> Not Included	 17.1 7.3 1R12-394	ASA-92-8-283  2.50 4.50 9.00 1.50	USE EXISTING SUPER CUSHION PISTON	<u>MCI</u> 12L-1-169 <u>PREVOST</u> 63-0224
1R12-395 <u>Flexmember</u> 566-24-3-066 <u>Piston</u> 566-20-7-080 Composite	 25.2 7.7 1R12-395	ASA-92-8-005  6.20 9.00	 7.87 10.10	<u>Conti</u> 64324 910-19P355 <u>DAYTON</u> 352-9203 <u>FIRESTONE</u> 9203 W013589203 <u>HENDRICKSON</u> B-2694 <u>TAURUS</u> AS509-9203 <u>TRIANGLE</u> 8355
1R12-396 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-240 Composite	 17.1 7.3 1R12-396	ASA-92-8-283  2.50 4.50 9.00 1.50	 4.12 9.27	<u>MCI</u> 12L-1-140 <u>PREVOST</u> 63-0183
1R12-400 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-246 Steel	 4.66 3.00 3.14 2.25 22.0 6.2 1R12-400	ASA-92-8-306  5.50 9.00	 4.12 10.12	<u>Conti</u> 64310 910-16P416 <u>FIRESTONE</u> 9296 W013589296 <u>TRIANGLE</u> 8416 TRP AS92960 <u>VOLVO</u> 8061151 8169868

-  - Bolt or Stud 1/2-13 or 1/2-20
















 - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF

 - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
















 - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers	
1R12-401 <u>Flexmember</u> 566-24-3-163 <u>Piston</u> 566-20-7-221 Composite		ASA-92-8-165 		<u>Conti</u> 64290 910-175P521 910-18-5P521 910-185P521 <u>FIRESTONE</u> 9371 W013589371 <u>FLEETRITE</u> 1R12-1062 <u>INT'L /</u> <u>NAVISTAR</u> 1670043C1 1686386C1	<u>TRIANGLE</u> 8521 <u>TRP</u> AS93710
1R12-402 <u>Flexmember</u> 566-24-3-097 <u>Piston</u> 566-20-7-246 Steel		ASA-92-8-199 		<u>Conti</u> 64410 910-175P520 910-18-5P520 910-185P520 <u>FIRESTONE</u> 9297 W013589297 <u>HENDRICKSON</u> 50898-1 50898-2 <u>TRIANGLE</u> 8520	<u>TRP</u> AS92970
1R12-403 <u>Flexmember</u> 566-24-3-140 <u>Piston</u> 566-20-7-377 Steel		ASA-92-8-430 		<u>Conti</u> 64265 64336 910-175P440 910-175P519 910-18-5P440 910-185P440 910-18-5P519 910-185P519 <u>FIRESTONE</u> 9373 W013589373 <u>FLEETRITE</u> 1R12-1056	<u>HENDRICKSON</u> 57122-1 <u>MCI</u> 2992101C1 <u>TRIANGLE</u> 8519 <u>TRP</u> AS93730
1R12-404 <u>Flexmember</u> 566-24-3-097 <u>Piston</u> 566-20-7-246 Steel		ASA-92-8-430 		<u>Conti</u> 64264 910-175P451 910-18-5P451 910-185P451 <u>FIRESTONE</u> 9375 W013589375 <u>FLEETRITE</u> 1R12-1063 <u>HENDRICKSON</u> 50899-1 50899-2	<u>MACK TRUCK</u> 364SQ27 57QL414M <u>TRIANGLE</u> 8451 <u>TRP</u> AS93750
1R12-406 <u>Flexmember</u> 566-24-3-120 <u>Piston</u> 566-20-7-223 Steel		ASA-92-8-268 		<u>PREVOST</u> 63-0162	
















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers	
1R12-419 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-233 Composite		ASA-92-8-311 			
1R12-421 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-158 Composite		ASA-92-8-164 		<u>Conti</u> 64258 910-14P345 <u>FIRESTONE</u> 9010 W013589010 <u>REYCO</u> 12928-01 <u>RIDEWELL</u> 1003589010C <u>TRIANGLE</u> 8345 <u>WATSON &</u>	<u>CHALIN</u> AS-0044
1R12-422 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-036 Aluminum		ASA-92-8-013 		<u>Conti</u> 68638 910-12A104 <u>NOVABUS</u> N21361	
1R12-423 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-246 Steel		ASA-92-8-199 	M12x1.75-6g 	<u>VOLVO</u> 3180673	
1R12-424 <u>Flexmember</u> 566-24-3-097 <u>Piston</u> 566-20-7-246 Steel		ASA-92-8-199 		<u>Conti</u> 64277 910-175P406 910-18-5P406 910-185P406 <u>FIRESTONE</u> 9287 W013589287 <u>GMC</u> 15963160 <u>HENDRICKSON</u> 50405 50405-1 50405-2	<u>TRIANGLE</u> 8406 <u>TRP</u> AS92870
















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-432 <u>Flexmember</u> 566-24-3-165 <u>Piston</u> 566-20-7-236 Composite		ASA-92-8-344 	M12x1.75-6g 	<u>Conti</u> 66908 910B-19-5P889 910B-195P889 <u>INT'L/</u> <u>NAVISTAR</u> 350243C94 <u>TRP</u> ASP8890
1R12-434 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-164 Steel		ASA-92-8-164 		<u>Conti</u> 64477 910-14A469 910-14P469 <u>FIRESTONE</u> 8802 W013588802 <u>NEWAY</u> 905-57-170 <u>RIDEWELL</u> 1003588802C <u>TRIANGLE</u> 8469
1R12-435 <u>Flexmember</u> 566-24-3-067 <u>Piston</u> 566-20-7-014 Steel		ASA-92-8-162 		<u>Conti</u> 910-10P471 910-10P482 <u>FIRESTONE</u> 9307 9334 <u>NEWAY</u> 905-57-129 <u>RIDEWELL</u> 1003589334C <u>TRIANGLE</u> 8471 8482 <u>TRP</u> AS93070 AS93340
1R12-436 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-158 Composite		ASA-92-8-017 		<u>Conti</u> 64314 910-16P497 <u>FIRESTONE</u> 8924 W013588924 <u>RIDEWELL</u> 1003588924C <u>TRIANGLE</u> 8497
1R12-437 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-156 Composite		ASA-92-8-017 		<u>Conti</u> 64484 910-14A496 <u>FIRESTONE</u> 9797 W013589797 <u>RIDEWELL</u> 1003589797C <u>TRIANGLE</u> 8496 <u>TRP</u> AS97970
















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-438 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-158 Composite	 1R12-438	ASA-92-8-017 		<u>Conti</u> 64474 910-14P462 <u>FIRESTONE</u> 8805 W013588805 <u>RIDEWELL</u> 1003588805C <u>TRIANGLE</u> 8462
1R12-439 <u>Flexmember</u> 566-24-3-066 <u>Piston</u> 566-20-7-237 Composite	 1R12-439	ASA-92-8-164 		<u>Conti</u> 64338 910-19P470 <u>FIRESTONE</u> 9346 W013589346 <u>NEWAY</u> 905-57-126 <u>TRIANGLE</u> 8470 TRP AS93460 <u>WATSON &</u>
1R12-441 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-235 Composite	 1R12-441	ASA-92-8-164 		<u>Conti</u> 64304 910-16P391 <u>FIRESTONE</u> 9362 W013589362 <u>NEWAY</u> 905-57-113 <u>TRIANGLE</u> 8391 TRP AS93620 <u>WATSON &</u>
1R12-444 <u>Flexmember</u> 566-24-3-066 <u>Piston</u> 566-20-7-159 Composite	 1R12-444	ASA-92-8-004 		
1R12-445 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-156 Composite	 1R12-445	ASA-92-8-164 		<u>Conti</u> 64486 910-14A545 <u>FIRESTONE</u> 8806 W013588806 <u>RIDEWELL</u> 1003588802X

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-446 <u>Flexmember</u> 566-24-3-097 <u>Piston</u> 566-20-7-158 Composite	 23.2 7.9	ASA-92-8-164  5.50 9.00	 7.87 9.80	Conti 64331 910-19P390 FIRESTONE 9245 W013589245 RIDEWELL 1003589245C TRIANGLE 8390 TRP AS92450
1R12-450 <u>Flexmember</u> 566-24-3-097 <u>Piston</u> 566-20-7-158 Composite	 23.2 6.6	ASA-92-8-164  5.50 9.00	 7.87 9.80	Conti 64334 910-17-5P418 FIRESTONE W013589342
1R12-454 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-079 Steel	 17.1 7.3	ASA-92-8-283  2.50 4.50 9.00	 4.12 10.12	Conti 69075 910-16P130 MCI 12L-1-215
1R12-462 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-246 Steel	 20.0 8.1	ASA-92-8-199  6.20 9.00	M12x1.75-6g  10.13	VOLVO 3180984P2
1R12-465 <u>Flexmember</u> 566-24-3-067 <u>Piston</u> 566-20-7-014 Steel	 13.5 4.4	ASA-92-8-013  6.20 9.00	 9.25	Conti 64440 910-10P473 FIRESTONE W013588963

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF
















Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-467 Flexmember 566-24-3-066 Piston 566-20-7-005 Aluminum		ASA-92-8-331 		Conti 65387 65807 910-195P801 910-19A801 910-19A830 910-19P801 RIDEWELL 1000001 TRP AS2467G ASA8010
1R12-480 Flexmember 566-24-3-066 Piston 566-20-7-235 Composite		ASA-92-8-164 		Conti 64329 910-19P384 FIRESTONE 9243 W013589243 NEWAY 905-57-112 WATSON & CHALIN AS-0061
1R12-481 Flexmember 566-24-3-097 Piston 566-20-7-235 Composite		ASA-92-8-164 		Conti 64278 910-17-5P429 910-175P429 FIRESTONE 9923 W013589923 NEWAY 905-57-118 TRIANGLE 8429 TRP AS99230
1R12-484 Flexmember 566-24-3-038 Piston 566-20-7-215 Composite		ASA-92-8-269 		Conti 64418 910-17-5P574 910-175P574 NEWAY 905-57-215
1R12-485 Flexmember 566-24-3-038 Piston 566-20-7-215 Composite		ASA-92-8-269 		Conti 910-175P715 NEWAY 905-57-214 TRP AS95010

-  - Bolt or Stud 1/2-13 or 1/2-20
















 - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF

 - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10

 - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-486 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-215 Composite		ASA-92-8-269 		<u>Conti</u> 64418 910-17-5P574 910-175P574 910-175P714 <u>NEWAY</u> 905-57-216
1R12-487 <u>Flexmember</u> 566-24-3-067 <u>Piston</u> 566-20-7-239 Composite		ASA-92-8-164 		<u>Conti</u> 64459 910-12A488 910-12P488 <u>FIRESTONE</u> 9366 W013589366 NABI-HF 633-7773 <u>NEWAY</u> 905-57-160 905-57-210 905-57-225 <u>TRIANGLE</u> 8488 <u>TRP</u> AS93660 <u>WATSON & CHALIN</u> AS-0054
1R12-492 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-036 Aluminum		ASA-92-8-164 		<u>Conti</u> 64486 910-14A545 <u>FIRESTONE</u> W013588806
1R12-494 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-036 Aluminum		ASA-92-8-331 		<u>Conti</u> 64762 910-17-5A802 910-175A802
1R12-498 <u>Flexmember</u> 566-24-3-097 <u>Piston</u> 566-20-7-237 Composite		ASA-92-8-164 		<u>Conti</u> 64399 910-17-5P428 910-175P428 <u>FIRESTONE</u> 9922 W013589922 <u>NEWAY</u> 905-57-119 <u>TRIANGLE</u> 8428 <u>TRP</u> AS99220

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF












Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers	
1R12-499 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-238 Composite		ASA-92-8-331 		<u>Conti</u> 64405 910-17-5P454 910-175P454 <u>FIRESTONE</u> 9936 W013589936 <u>NEWAY</u> 905-57-156 <u>TRIANGLE</u> 8454 <u>TRP</u> AS99360	
1R12-502 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-235 Composite		ASA-92-8-164 		<u>Conti</u> 64402 910-17-5P443 910-175P443 <u>FIRESTONE</u> 9921 W013589921 <u>NEWAY</u> 905-57-117 <u>TRIANGLE</u> 8443 <u>TRP</u> AS99210 <u>WATSON & CHALIN</u> AS-0090	
1R12-504 <u>Flexmember</u> 566-24-3-066 <u>Piston</u> 566-20-7-237 Composite		ASA-92-8-269 		<u>Conti</u> 64409 910-17-5P502 910-175P502 <u>FIRESTONE</u> 9471 W013589471	
1R12-505 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-235 Composite		ASA-92-8-164 		<u>Conti</u> 64451 910-12P395 <u>FIRESTONE</u> 9325 W013589325 <u>GILLIG</u> 87-17289 <u>NABI-HF</u> 630-5056 <u>NEWAY</u> 905-57-149 <u>TRIANGLE</u> 8395 <u>TRP</u> AS93250	
1R12-507 <u>Flexmember</u> 566-24-3-090 <u>Piston</u> 566-20-7-236 Composite		ASA-92-8-355 	M12 X 1.75-6g 		

-  - Bolt or Stud 1/2-13 or 1/2-20
















 - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF

 - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
















 - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-508 <u>Flexmember</u> 566-24-3-067 <u>Piston</u> 566-20-7-251 Composite		ASA-92-8-164 		<u>Conti</u> 64439 64443 64456 910-10P471 910-10P482 910-12P484 <u>FIRESTONE</u> 8204 W013588204 W013589307 W013589334 <u>NEWAY</u> 905-57-173 905-57-223 <u>TRIANGLE</u> 8484
1R12-509 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-005 Aluminum		ASA-92-8-164 		<u>Conti</u> 64269 910-16P310 <u>DAYTON</u> 352-9082 <u>FAB TEK</u> 101828 <u>FIRESTONE</u> 9082 W013589082 <u>GRANNING</u> 2727 <u>HDA</u> PMABG-9082B <u>HENDRICKSON</u> 36514-7 B-2066 <u>HUTCHENS</u> <u>IND.</u> 9630-01 <u>INT'L /</u> <u>NAVISTAR</u> 517559C9 <u>KWIK-LOK /</u> <u>TODCO</u> CP-3281 CP-5125 CP-5152 <u>LOAD GUARD</u> SC2035 <u>NEWAY</u> 905-57-006 905-57-027 905-57-037 905-57-054 905-57-075 <u>R & S TRUCK &</u> <u>BODY</u> 1090217 <u>REYCO</u> 12882-01 <u>RIDEWELL</u> 1003589082C S-542-C <u>SUSPENSIONS</u> <u>INC.</u> 201869 <u>TAURUS</u> AS506-9082 <u>TOYO</u> TRL-240/393 <u>TRIANGLE</u> 8310
1R12-511 <u>Flexmember</u> 566-24-3-048 <u>Piston</u> 566-20-7-240 Composite		UPPER BEAD PLATE NOT INCLUDED. SHOWN FOR REFERENCE ONLY.		<u>GMC</u> 15504181 G1015009 G1020956 <u>NOVABUS</u> G1015009 G1202944
1R12-512 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-156 Composite		ASA-92-8-005 		<u>Conti</u> 64633 910-14A707 <u>FIRESTONE</u> 9127 W013589127 <u>NEW FLYER</u> 9594
















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-523 <u>Flexmember</u> 566-24-3-165 <u>Piston</u> 566-20-7-236 Composite		ASA-92-8-355 	M12x1.75-6g 	<u>INT'L / NAVISTAR</u> 3541732C1
1R12-527 <u>Flexmember</u> 566-24-3-066 <u>Piston</u> 566-20-7-006 Aluminum		ASA-92-8-002 		
1R12-530 <u>Flexmember</u> 566-24-3-061 <u>Piston</u> 566-20-7-251 Composite		ASA-92-8-164 		<u>FIRESTONE</u> 9306 W013589306
1R12-531 <u>Flexmember</u> 566-24-3-061 <u>Piston</u> 566-20-7-251 Composite		ASA-92-8-164 		
1R12-532 <u>Flexmember</u> 566-24-3-097 <u>Piston</u> 566-20-7-235 Composite		ASA-92-8-331 		<u>Conti</u> 64412 910-17-5P548 910-175P548 <u>FIRESTONE</u> 9935 W013589935 <u>NEWAY</u> 905-57-157 <u>TRIANGLE</u> 8548 TRP AS99350

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-534 <u>Flexmember</u> 566-24-3-116 <u>Piston</u> 566-20-7-158 Composite		ASA-92-8-360 		<u>Conti</u> 64708 910-19P762
1R12-535 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-236 Composite		ASA-92-8-344 	M12 X 1.75-6g 	
1R12-538 <u>Flexmember</u> 566-24-3-163 <u>Piston</u> 566-20-7-236 Composite		ASA-92-8-165 	M12 x 1.75-6G 	<u>Conti</u> 64263 910-175P456 910-18-5P456 910-185P456 <u>FIRESTONE</u> 9648 W013589648 <u>FLEETRITE</u> 1R12-1057 <u>INT'L /</u> <u>NAVISTAR</u> 2027911C1 2027911C2 2027911C3 <u>TRIANGLE</u> 8456 <u>TRP</u> AS96480
1R12-539 <u>Flexmember</u> 566-24-3-061 <u>Piston</u> 566-20-7-251 Composite		ASA-92-8-164 		
1R12-540 <u>Flexmember</u> 566-24-3-116 <u>Piston</u> 566-20-7-209 Composite		ASA-92-8-360 		<u>WATSON &</u> <u>CHALIN</u> AS-0114G

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF
















Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-541 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-209 Composite		ASA-92-8-360 		<u>Conti</u> 64650 910-16P769 <u>WATSON & CHALIN</u> AS-0113G
1R12-543 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-212 Composite		ASA-92-8-269 		<u>Conti</u> 65361 910-14AT75 910-14P575 <u>NEWAY</u> 905-57-275
1R12-545 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-240 Composite		ASA-92-8-309 		<u>MCI</u> 12-04-6007
1R12-552 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-215 Composite		ASA-92-8-269 		<u>Conti</u> 64416 910-17-5P572 910-175P572 <u>FIRESTONE</u> 9471 9501 W013589471 <u>NEWAY</u> 905-57-212 TRP AS95010
1R12-553 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-213 Composite		ASA-92-8-269 		<u>Conti</u> 64417 910-17-5P573 910-175P573 <u>FIRESTONE</u> 9472 9491 W013589472 W013589491 <u>NEWAY</u> 905-57-213 <u>TRIANGLE</u> 8467

-  - Bolt or Stud 1/2-13 or 1/2-20

 - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF

 - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10

 - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-554 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-214 Composite		ASA-92-8-269 		Conti 64415 910-17-5P571 910-175P571 <u>FIRESTONE</u> W013589470 <u>NEWAY</u> 905-57-211 <u>TRIANGLE</u> 8501
1R12-555 <u>Flexmember</u> 566-24-3-067 <u>Piston</u> 566-20-7-253 Composite		ASA-92-8-017 		Conti 64658 910-10P542 <u>FIRESTONE</u> 8961 W013588961 <u>REYCO</u> 23377-01 <u>TRIANGLE</u> 8542
1R12-556 <u>Flexmember</u> 566-24-3-067 <u>Piston</u> 566-20-7-252 Composite		ASA-92-8-017 		Conti 64441 910-10P480 <u>FIRESTONE</u> 8964 W013588964 <u>REYCO</u> 21598-01 <u>TRIANGLE</u> 8480
1R12-557 <u>Flexmember</u> 566-24-3-067 <u>Piston</u> 566-20-7-252 Composite		ASA-92-8-017 		Conti 64444 910-10P503 <u>FIRESTONE</u> 8976 W013588976 <u>REYCO</u> 21055-01 <u>TRIANGLE</u> 8503
1R12-558 <u>Flexmember</u> 566-24-3-067 <u>Piston</u> 566-20-7-252 Composite		ASA-92-8-164 		Conti 64438 910-10P400 <u>FIRESTONE</u> 8986 W013588986 <u>RIDEWELL</u> 1003588986C <u>TRIANGLE</u> 8400

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF
















Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-559 <u>Flexmember</u> 566-24-3-067 <u>Piston</u> 566-20-7-252 Composite	 14.1 4.5	ASA-92-8-164 5.50 9.00	 4.12 9.30	<u>Conti</u> 64437 910-10P399 <u>FIRESTONE</u> 9029 W013589029 <u>RIDEWELL</u> 1003589029C <u>TRIANGLE</u> 8399
1R12-560 <u>Flexmember</u> 566-24-3-067 <u>Piston</u> 566-20-7-253 Composite	 14.1 4.5	ASA-92-8-164 5.50 9.00	 4.12 9.30	<u>Conti</u> 64436 910-10P398 <u>FIRESTONE</u> 9308 W013589308 <u>NEWAY</u> 905-57-089 <u>REYCO</u> 17360-01 <u>TRIANGLE</u> 8398 TRP AS93080
1R12-561 <u>Flexmember</u> 566-24-3-067 <u>Piston</u> 566-20-7-253 Composite	 14.1 4.0	ASA-92-8-164 5.50 9.00	 4.12 9.30	<u>Conti</u> 64435 910-10P397 <u>FIRESTONE</u> 9332 W013589332 <u>REYCO</u> 20074-01 <u>TRIANGLE</u> 8397 TRP AS93320
1R12-562 <u>Flexmember</u> 566-24-3-067 <u>Piston</u> 566-20-7-251 Composite	 14.1 4.5	ASA-92-8-331 5.50 9.00	 9.30	<u>Conti</u> 68009 910-12P024 <u>FIRESTONE</u> 8197 W013588197 <u>NEWAY</u> 905-57-230
1R12-563 <u>Flexmember</u> 566-24-3-067 <u>Piston</u> 566-20-7-252 Composite	 14.1 4.5	ASA-92-8-192 3.05 9.00	 4.12 9.30	<u>Conti</u> 64463 910-12P544 <u>FIRESTONE</u> 8934 W013588934 <u>HENDRICKSON</u> S-20228 <u>TRIANGLE</u> 8544

- Bolt or Stud 1/2-13 or 1/2-20
















- Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- Air Fitting - 1/4 NPTF

- Air Fitting - 1/2 NPTF or 3/8 NPTF
- Stud - 3/4-10

- Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-567 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-235 Composite				<u>Conti</u> 64306 910-16P393 <u>FIRESTONE</u> 9026 W013589026 <u>PETERBILT</u> 03-06213 03-07111 <u>TRIANGLE</u> 8393
1R12-568 <u>Flexmember</u> 566-24-3-066 <u>Piston</u> 566-20-7-235 Composite				<u>Conti</u> 64339 910-19P472 <u>FIRESTONE</u> 8852 W013588852 <u>FLEETRITE</u> 1R12-1058 <u>PETERBILT</u> 03-07887 <u>TRIANGLE</u> 8472
1R12-571 <u>Flexmember</u> 566-24-3-067 <u>Piston</u> 566-20-7-238 Composite				<u>Conti</u> 64460 910-12P495 <u>FIRESTONE</u> 9365 W013589365 <u>NEWAY</u> 905-57-159 <u>TRIANGLE</u> 8495 <u>TRP</u> AS93650
1R12-576 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-159 Composite				<u>Conti</u> 64651 910-16P770
1R12-580 <u>Flexmember</u> 566-24-3-117 <u>Piston</u> 566-20-7-299 Composite				<u>Conti</u> 64383 910-21P448 <u>FIRESTONE</u> 9370 W013589370 <u>TRP</u> AS93700 <u>WATSON & CHALIN</u> AS-0057

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-584 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-158 Composite		ASA-92-8-331 		<u>RIDEWELL</u> 1001R12584G
1R12-586 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-237 Composite		ASA-92-8-269 		<u>Conti</u> 64403 910-17-5P445 910-175P445 <u>FIRESTONE</u> 9473 W013589473 <u>NEWAY</u> 905-57-152 905-57-179 <u>TRP</u> AS94730
1R12-592 <u>Flexmember</u> 566-24-3-097 <u>Piston</u> 566-20-7-158 Composite		ASA-92-8-355 		
1R12-593 <u>Flexmember</u> 566-24-3-100 <u>Piston</u> 566-20-7-036 Aluminum		ASA-92-8-164 		
1R12-599 <u>Flexmember</u> 566-24-3-090 <u>Piston</u> 566-20-7-159 Composite		ASA-92-8-331 		
















-  - Bolt or Stud 1/2-13 or 1/2-20

 - Air Fitting - 1/4 NPTF
















 - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13

 - Air Fitting - 1/2 NPTF or 3/8 NPTF

 - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers	
1R12-600 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-156 Composite		ASA-92-8-331 			
1R12-603 <u>Flexmember</u> 566-24-3-108 <u>Piston</u> 566-20-7-322 Aluminum		ASA-92-8-440 		<u>Conti</u> 64266 68207 910-16A382 910-16A999 910S-16A382 <u>FIRESTONE</u> 9781 W013589781 <u>FLEETRITE</u> 1R12-1064 <u>FREIGHTLINER</u> 16-19465-000 6813200017 A16-14004-000 A16-14004-001 <u>TRIANGLE</u> 8382	
1R12-607 <u>Flexmember</u> 566-24-3-066 <u>Piston</u> 566-20-7-158 Composite		ASA-92-8-331 			
1R12-609 <u>Flexmember</u> 566-24-3-090 <u>Piston</u> 566-20-7-159 Composite		ASA-92-8-192 		<u>Conti</u> 65649 910-21P817	
1R12-613 <u>Flexmember</u> 566-24-3-066 <u>Piston</u> 566-20-7-158 Composite		ASA-92-8-192 		<u>Conti</u> 64761 910-19A552	

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-614 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-156 Composite		ASA-92-8-164 		
1R12-615 <u>Flexmember</u> 566-24-3-164 <u>Piston</u> 566-20-7-303 Composite		ASA-92-8-306 	M12x1.75-6g 	<u>Conti</u> 64312 910-16P449 <u>FIRESTONE</u> 8829 W013588829 <u>FLEETRITE</u> 1R12-1059 <u>MACK TRUCK</u> 57QL54M <u>TRIANGLE</u> 8449 <u>VOLVO</u> 20396293 20413888 20505399 3934699 8079902 8084296 8097092
1R12-616 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-251 Composite		ASA-92-8-164 		
1R12-617 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-036 Aluminum		ASA-92-8-164 		
1R12-620 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-239 Composite		ASA-92-8-430 		<u>Conti</u> 64475 910-14P465 <u>FIRESTONE</u> 9335 W013589335 <u>HENDRICKSON</u> 56917-1 56917-2 65086-2 <u>TRIANGLE</u> 8465 <u>TRP</u> AS93350
















-  - Bolt or Stud 1/2-13 or 1/2-20

 - Air Fitting - 1/4 NPTF
















 - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13

 - Air Fitting - 1/2 NPTF or 3/8 NPTF

 - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-621 <u>Flexmember</u> 566-24-3-097 <u>Piston</u> 566-20-7-159 Composite	 24.5 9.5 1R12-621	ASA-92-8-164  5.50 9.00	 7.87 9.80	Conti 64293 910-16P332 <u>FIRESTONE</u> 9093 W013589093 <u>NEWAY</u> 905-57-007 905-57-032 905-57-035 <u>TRIANGLE</u> 8332
1R12-622 <u>Flexmember</u> 566-24-3-097 <u>Piston</u> 566-20-7-236 Composite	 21.5 6.7 1R12-622	ASA-92-8-355  5.87 9.00	M12 X 1.75-6g  10.00	INT'L/ <u>NAVISTAR</u> 3596112C1
1R12-631 <u>Flexmember</u> 566-24-3-120 <u>Piston</u> 566-20-7-079 Steel	 22.8 8.1 1R12-631	ASA-92-8-439 1.250-12 UNF outside .500-14 NPTF inside  5.75 9.00	 4.12 10.2	<u>PREVOST</u> 360258 63-0125
1R12-636 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-156 Composite	 17.1 5.3 1R12-636 2.00	ASA-92-8-440  6.20 9.00	 9.80	Conti 65361 910-14A575 <u>FIRESTONE</u> 9634 W013589634 <u>TRP</u> AS96340
1R12-637 <u>Flexmember</u> 566-24-3-090 <u>Piston</u> 566-20-7-159 Composite	 29.1 8.3 1R12-637	ASA-92-8-164  5.50 9.00	 7.87 9.80	Conti 64385 910-21P511 <u>FIRESTONE</u> W013589338

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF
















Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-639 <u>Flexmember</u> 566-24-3-066 <u>Piston</u> 566-20-7-159 Composite		ASA-92-8-164 		<u>Conti</u> 64326 910-19P357 <u>FIRESTONE</u> W013589240
1R12-640 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-238 Composite		ASA-92-8-257 		<u>Conti</u> 64398 910-17-5P426 <u>FIRESTONE</u> W013589902
1R12-644 <u>Flexmember</u> 566-24-3-097 <u>Piston</u> 566-20-7-158 Composite		AS1-92-8-192 		<u>Conti</u> 64340 910-19P552 <u>FIRESTONE</u> W013588855
1R12-645 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-080 Composite		ASA-92-8-164 		<u>FIRESTONE</u> W013589210
1R12-647 <u>Flexmember</u> 566-24-3-097 <u>Piston</u> 566-20-7-303 Composite		ASA-92-8-306 	M12x1.75-6g 	<u>MACK TRUCK</u> 20910892 57QL519M <u>VOLVO</u> 20733034

-  - Bolt or Stud 1/2-13 or 1/2-20
















 - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF

 - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10












 - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers	
1R12-648 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-239 Composite		ASA-92-8-164 		<u>Conti</u> 64479 910-14P490 <u>FIRESTONE</u> 9336 W013589336	
1R12-653 <u>Flexmember</u> 566-24-3-066 <u>Piston</u> 566-20-7-159 Composite		ASA-92-8-004 			
1R12-655 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-158 Composite		ASA-92-8-164 			
1R12-663 <u>Flexmember</u> 566-24-3-090 <u>Piston</u> 566-20-7-006 Aluminum		ASA-92-8-164 		<u>Conti</u> 64382 910-21P360 <u>FIRESTONE</u> W013589320	
1R12-669 <u>Flexmember</u> 566-24-3-038 <u>Piston</u> 566-20-7-053 Aluminum		ASA-92-8-021 		<u>Conti</u> 64274 910-14P312 <u>FIRESTONE</u> 9069 W013589069 <u>INT'L /</u> <u>NAVISTAR</u> 554764C1 <u>LOAD GUARD</u> SC2034 <u>PETERBILT</u> 03-01649 03-02038 <u>03-02456</u> 03-04759 03-07112 23-10042 <u>TAURUS</u> AS504-9069 AS506-9069 <u>TRIANGLE</u> 8312 <u>WATSON &</u> <u>CHALIN</u> AS-0077	















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R12-676 <u>Flexmember</u> 566-24-3-076 <u>Piston</u> 566-20-7-235 Composite				<u>Conti</u> 64274 910-14P312 <u>FIRESTONE</u> 9069 W013589069
1R12-689 <u>Flexmember</u> 566-24-3-066 <u>Piston</u> 566-20-7-236 Composite				
1R12-1047 <u>Flexmember</u> 566-24-3-142 <u>Piston</u> 566-20-7-413 Composite				<u>Conti</u> 68151 910-13-5P874 <u>FIRESTONE</u> 9807 W013589807 <u>NEW HOLLAND</u> 48100494
1R12-1048 <u>Flexmember</u> 566-24-3-097 <u>Piston</u> 566-20-7-158 Composite				<u>Conti</u> 67586 910-17-5A930 <u>FIRESTONE</u> 9974 W013589974
1R12-1049 <u>Flexmember</u> 566-24-3-097 <u>Piston</u> 566-20-7-236 Composite				<u>MACK TRUCK</u> 21244322 21669088 <u>VOLVO</u> 21132005 21669088

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R13-038 <u>Flexmember</u> 566-26-3-072 <u>Piston</u> 566-20-7-097 Steel		ASA-92-8-245 		<u>Conti</u> 1110-5-21A313 11105-21A313 64273 <u>DAYTON</u> 352-9122 <u>FLEETRITE</u> 1R13-246 <u>HENDRICKSON</u> B-12514-008 B-3830 C-22173 S-3467 S-3830 <u>INT'L /</u> <u>NAVISTAR</u> 554772C1 <u>LOAD GUARD</u> SC2041 <u>NEWAY</u> 905-57-020 905-57-071 905-57-076 905-57-077 905-57-185 AR-1215-1-G <u>REYCO</u> 12883-02 <u>RIDEWELL</u> 1003589122C S-3053-C <u>TAURUS</u> AS622-9122 <u>TOYO</u> TRL-270/476 <u>WATSON &</u> <u>CHALIN</u> AS-0023
1R13-039 <u>Flexmember</u> 566-26-3-051 <u>Piston</u> 566-20-7-327 Composite		ASA-92-8-245 		<u>Conti</u> 1010-16-5S783 1010-165S783 64746 <u>DAYTON</u> 352-9121 <u>FIRESTONE</u> 9121 W013589121 HDA PMABG-9123B <u>HENDRICKSON</u> B-3411 <u>INT'L /</u> <u>NAVISTAR</u> 554773C1 <u>LOAD GUARD</u> SC2040 <u>NEWAY</u> 905-57-019 905-57-052 905-57-078 905-57-083 AR-1115-1-G <u>R & S TRUCK &</u> <u>BODY</u> 1090023 <u>REYCO</u> 12882-02 <u>RIDEWELL</u> 1003589121C S-3052-C <u>SAUR AXLES</u> <u>(SAS)</u> P50-733B <u>TAURUS</u> AS621-9121 <u>TRIANGLE</u> 8317 <u>WATSON &</u> <u>CHALIN</u> AS-0013 AS-0083
1R13-047 <u>Flexmember</u> 566-26-3-051 <u>Piston</u> 566-20-7-096 Steel		ASA-92-8-245 		<u>Conti</u> 1110-5-17A377 64347 <u>FIRESTONE</u> W013589144 <u>NEWAY</u> 905-57-110 <u>TRIANGLE</u> 8377
1R13-048 <u>Flexmember</u> 566-26-3-072 <u>Piston</u> Not Included		ASA-92-8-245 	USE EXISTING SUPER CUSHION PISTON	<u>INT'L /</u> <u>NAVISTAR</u> 554774C1 <u>LOAD GUARD</u> SC2056 <u>NEWAY</u> 900-44-658 900-44-668 <u>RIDEWELL</u> 1013589124C <u>TAURUS</u> AS622-9124

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF















Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R13-049 <u>Flexmember</u> 566-26-3-051 <u>Piston</u> Not Included	 1R13-049 Service Assembly for 1R13-039	ASA-92-8-245 	USE EXISTING SUPER CUSHION PISTON	INT'L / NAVISTAR 554775C1 LOAD GUARD SC2055 NEWAY 900-44-670 900-44-702 905-54-060 RIDEWELL 1013589123C TAURUS AS621-9123
1R13-053 <u>Flexmember</u> 566-26-3-051 <u>Piston</u> 566-20-7-036 Aluminum	 1R13-053 18.0 6.0	ASA-20-8-245 	 7.87 10.10	FIRESTONE 8754 W013588754 NEW FLYER 13
1R13-070 <u>Flexmember</u> 566-26-3-015 <u>Piston</u> 566-20-7-084 Aluminum	 1R13-070 26.0 7.6	ASD-20-8-053 	 3/4-10 9.25	Conti 910-19P444 LOAD GUARD SC2776 MACK TRUCK 57QL332 57QL39306 NEWAY 905-44-608 905-57-070 905-57-087 TRIANGLE 8444
1R13-075 <u>Flexmember</u> 566-26-3-051 <u>Piston</u> 566-20-7-036-03 Aluminum	 1R13-075 18.0 6.0	ASA-92-8-245 	 7.87 10.10	
1R13-097 <u>Flexmember</u> 566-26-3-081 <u>Piston</u> 566-20-7-296 Composite	 1R13-097 17.8 5.6	ASA-92-8-245 	 7.87 10.20	Conti 1010-15S518 1010-15S962 67600 RIDEWELL 1001R13-087 1001R13-097 1003588752C TRIANGLE 8518

-  - Bolt or Stud 1/2-13 or 1/2-20
















 - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF

 - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10

 - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers	
1R13-109 <u>Flexmember</u> 566-26-3-081 <u>Piston</u> 566-20-7-296 Composite		ASA-92-8-243 		<u>Conti</u> 1010-15S871 66340 <u>FIRESTONE</u> 8782 W013588782 <u>RIDEWELL</u> 1001R13-109	
1R13-115 <u>Flexmember</u> 566-26-3-044 <u>Piston</u> 566-20-7-006 Aluminum		ASA-92-8-004 		<u>Conti</u> 64375 910D-21A324 <u>FIRESTONE</u> 9250 W013589250 <u>RIDEWELL</u> 1003589250C <u>TRIANGLE</u> 8324 TRP AS92500 <u>WATSON &</u> <u>CHALIN</u> AS-0096	
1R13-116 <u>Flexmember</u> 566-26-3-044 <u>Piston</u> 566-20-7-006 Aluminum		ASA-92-8-004 		<u>Conti</u> 64376 910D-21A363 <u>FIRESTONE</u> 9252 W013589252 <u>RIDEWELL</u> 1003589252C <u>TRIANGLE</u> 8363 TRP AS92520	
1R13-117 <u>Flexmember</u> 566-26-3-043 <u>Piston</u> 566-20-7-080 Composite		ASA-92-8-004 		<u>Conti</u> 64371 910B-17-5A323 910B-175A323 <u>FIRESTONE</u> 9275 W013589275 <u>RIDEWELL</u> 1003589275C <u>TRIANGLE</u> 8323 TRP AS92750	
1R13-118 <u>Flexmember</u> 566-26-3-068 <u>Piston</u> 566-20-7-325 Composite		ASA-92-8-240 		<u>Conti</u> 1010-21P434 64394 <u>FIRESTONE</u> 9262 9580 W013589580 <u>FLEETRITE</u> 1R13-247 <u>HENDRICKSON</u> 29892 C-20127 C-20414 <u>TRIANGLE</u> 8434 <u>TRP</u> AS95800	

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF















Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R13-119 <u>Flexmember</u> 566-26-3-098 <u>Piston</u> 566-20-7-106 Steel		ASA-92-8-235 		<u>Conti</u> 64287 910-13-5S433 <u>FIRESTONE</u> W013589270 <u>FLEETRITE</u> 1R13-248 <u>HENDRICKSON</u> C-20010 S-20010 TRP AS92700
1R13-120 <u>Flexmember</u> 566-26-3-054 <u>Piston</u> 566-20-7-334 Aluminum		ASA-92-8-049 		<u>Conti</u> 1110-5-15A422 11105-15A422 64428 <u>FIRESTONE</u> 9218 W013589218 <u>NEWAY</u> 905-57-209 <u>RIDEWELL</u> 1003589218C <u>TRIANGLE</u> 8422 <u>WATSON & CHALIN</u> AS-0073
1R13-124 <u>Flexmember</u> 566-26-3-050 <u>Piston</u> 566-20-7-127 Steel		ASA-92-8-230 		<u>Conti</u> 1010-15S522 1010-15S711 64397 <u>FIRESTONE</u> 8710 8755 W013588710 W013588755 <u>HENDRICKSON</u> B-22046 C-21623 C-22045 C-22046 <u>TRIANGLE</u> 8522 <u>TRP</u> AS87550
1R13-130 <u>Flexmember</u> 566-26-3-055 <u>Piston</u> 566-20-7-230 Composite		ASA-92-8-245 		<u>Conti</u> 1010-5AV-12P51 1010B-13S513 64420 <u>FIRESTONE</u> 8729 W013588729 <u>MERITOR</u> 202796 <u>SUSPENSIONS INC.</u> 202796 <u>TRIANGLE</u> 8513
1R13-133 <u>Flexmember</u> 566-26-3-056 <u>Piston</u> 566-20-7-231 Steel		ASA-92-8-307 		<u>DINA</u> 224-B020018 <u>MCI</u> 1510979

-  - Bolt or Stud 1/2-13 or 1/2-20
















 - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF

 - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10

 - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R13-138 <u>Flexmember</u> 566-26-3-050 <u>Piston</u> 566-20-7-106 Steel	 16.9 5.6	ASA-92-8-245  5.50 10.30	 5.66 9.50	Conti 1010-15S518 64396 <u>FIRESTONE</u> 8752 W013588752
1R13-149 <u>Flexmember</u> 566-26-3-068 <u>Piston</u> 566-20-7-127 Steel	 25.0 7.3	ASA-92-8-240  3.05 10.30	 5.66 10.20	
1R13-151 <u>Flexmember</u> 566-26-3-069 <u>Piston</u> 566-20-7-334 Aluminum	 13.9 5.1	ASA-92-8-326  3.12 6.25 11.30	 7.87 11.70	
1R13-152 <u>Flexmember</u> 566-26-3-071 <u>Piston</u> 566-20-7-235 Composite	 21.4 7.5	ASA-92-8-245  5.50 10.30	 9.80	Conti 1010-21P570 64252 <u>FIRESTONE</u> 8748 W013588748 <u>NEWAY</u> 905-57-167 AR-250-14 AR-250-15
1R13-153 <u>Flexmember</u> 566-26-3-071 <u>Piston</u> 566-20-7-237 Composite	 23.5 9.0	ASA-92-8-245  5.50 10.30	 9.80	Conti 1010-21P486 64419 <u>FIRESTONE</u> 8749 W013588749 <u>NEWAY</u> 905-57-168 AR-250-12 AR-250-16 AR-250-17 <u>TRIANGLE</u> 8486

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF
















Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R13-155 <u>Flexmember</u> 566-26-3-051 <u>Piston</u> 566-20-7-106 Steel		ASA-92-8-243 		<u>Conti</u> 1010-16S724 64649 <u>WATSON & CHALIN</u> AS-0107G
1R13-159 <u>Flexmember</u> 566-26-3-073 <u>Piston</u> 566-20-7-154 Composite		ASA-92-8-230 		<u>Conti</u> 1010-15P453 1010-5-15P460 10105-15P460 64645 <u>FIRESTONE</u> 8709 8751 W013588709 W013588751 <u>FLEETRITE</u> 1R13-249 <u>HENDRICKSON</u> C-20900 <u>C-21800 TRIANGLE</u> 8460
1R13-174 <u>Flexmember</u> 566-26-3-078 <u>Piston</u> 566-20-7-152 Composite		ASA-92-8-401 		<u>DANA / SPICER</u> SR1VA101
1R13-176 <u>Flexmember</u> 566-26-3-078 <u>Piston</u> 566-20-7-154 Composite		ASA-92-8-325 		<u>Conti</u> 1010-16S533 64636 <u>FIRESTONE</u> 8713 W013588713 <u>HENDRICKSON</u> C-22948 <u>TRIANGLE</u> 8533
1R13-177 <u>Flexmember</u> 566-26-3-078 <u>Piston</u> 566-20-7-154 Composite		ASA-92-8-274 		<u>Conti</u> 1010-16S526 64638 <u>FIRESTONE</u> 8708 W013588708 <u>FLEETRITE</u> 1R13-250 <u>HENDRICKSON</u> C-21966 <u>TRIANGLE</u> 8526

-  - Bolt or Stud 1/2-13 or 1/2-20
















 - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF

 - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10

 - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R13-179 <u>Flexmember</u> 566-26-3-078 <u>Piston</u> 566-20-7-152 Composite		ASA-92-8-245 		
1R13-181 <u>Flexmember</u> 566-26-3-051 <u>Piston</u> 566-20-7-124 Steel		ASA-92-8-245 		
1R13-182 <u>Flexmember</u> 566-26-3-051 <u>Piston</u> 566-20-7-124 Steel		ASA-92-8-243 		
1R13-188 <u>Flexmember</u> 566-26-3-078 <u>Piston</u> 566-20-7-314 Composite		ASA-92-8-424 		<u>DANA / SPICER</u> SR1JA100 SR1VA101-1 SR1VA105 <u>HENDRICKSON</u> S-29892
1R13-189 <u>Flexmember</u> 566-26-3-078 <u>Piston</u> 566-20-7-152 Composite		ASA-92-8-230 		

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R13-207 <u>Flexmember</u> 566-26-3-081 <u>Piston</u> 566-20-7-106 Steel	 17.8 5.6	ASA-92-8-243  2.13 6.20 10.30	 5.66 9.50	<u>Conti</u> 1010-15S713 64639 <u>FIRESTONE</u> W013588753 <u>WATSON & CHALIN</u> AS0098
1R13-208 <u>Flexmember</u> 566-26-3-071 <u>Piston</u> 566-20-7-235 Composite	 23.5 7.5	ASA-92-8-249  1.84 4.89 3.05 10.30	 9.80	<u>Conti</u> 1010-21P774 64728 <u>FIRESTONE</u> W013588746
1R13-210 <u>Flexmember</u> 566-26-3-081 <u>Piston</u> 566-20-7-106 Steel	 17.8 5.6	ASA-92-8-240  3.05 10.30	 5.66 9.50	<u>Conti</u> 1010-15S773 64725 <u>FIRESTONE</u> W013588740
1R13-216 <u>Flexmember</u> 566-26-3-072 <u>Piston</u> 566-20-7-097 Steel	 24.9 8.9	ASA-92-8-245  5.50 10.30	 7.87 10.20	
1R13-235 <u>Flexmember</u> 566-26-3-095 <u>Piston</u> 566-20-7-274 Steel	 30.1 9.6	ASA-92-8-230  1.38 5.50 10.30	 8.78 10.30	<u>HENDRICKSON</u> S-25872














-  - Bolt or Stud 1/2-13 or 1/2-20

 - Air Fitting - 1/4 NPTF





 - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13

 - Air Fitting - 1/2 NPTF or 3/8 NPTF

 - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R13-237 <u>Flexmember</u> 566-26-3-097 <u>Piston</u> 566-20-7-277 Steel		ASA-92-8-230 		<u>HENDRICKSON</u> S-25871
1R13-239 <u>Flexmember</u> 566-26-3-098 <u>Piston</u> 566-20-7-106 Steel		ASA-92-8-249 		<u>Conti</u> 64287 910-13-5S433 910-135S433 910-135S881 <u>FIRESTONE</u> 9270 W013589270 <u>HENDRICKSON</u> 1R13-102 C-21208 S-25559 <u>TRIANGLE</u> 8433 <u>WATSON & CHALIN</u> AS-0084
1R14-018 <u>Flexmember</u> 566-28-3-021 <u>Piston</u> 566-20-7-096 Steel		ASA-92-8-028 		11105-17A365 <u>Conti</u> 1110-5-21A365 64344 <u>DAYTON</u> 352-9149 <u>FIRESTONE</u> 9149 W013589149 <u>GILLIG</u> 53-13188 <u>INT'L / NAVISTAR</u> 554776C1 <u>LOAD GUARD</u> SC2043 <u>PEERLESS</u> 0550-00010 <u>TAURUS</u> AS621-9149 <u>TRIANGLE</u> 8365
1R14-019 <u>Flexmember</u> 566-28-3-020 <u>Piston</u> 566-20-7-097 Steel		ASA-92-8-028 		11105-21A369 <u>Conti</u> 1110-5-21A370 11105-21A370 64354 <u>FIRESTONE</u> 9152 W013589152 <u>HENDRICKSON</u> B-7128 <u>INT'L / NAVISTAR</u> 554777C1 <u>LOAD GUARD</u> SC2044 <u>PEERLESS</u> 0550-00080 0550-00081 <u>TAURUS</u> AS622-9156 <u>TRIANGLE</u> 8370
1R14-024 <u>Flexmember</u> 566-28-3-021 <u>Piston</u> Not Included		ASA-92-8-078 	USE EXISTING SUPER CUSHION PISTON	<u>INT'L / NAVISTAR</u> 1681741C1 <u>LOAD GUARD</u> SC2112 <u>PEERLESS</u> 0550-00060 <u>TAURUS</u> AS621-9181

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF











Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R14-025 Flexmember 566-28-3-020 Piston Not Included	 1R14-025 Service Assembly of 1R14-019	ASA-92-8-078 	USE EXISTING SUPER CUSHION PISTON	INT'L / NAVISTAR 1681742C1 LOAD GUARD SC2111
1R14-026 Flexmember 566-28-3-021 Piston 566-20-7-096 Steel	 1R14-026	ASA-92-8-028 		Conti 1110-5-17A364 11105-17A364 64343 DAYTON 352-9148 FIRESTONE 9148 W013589148 INT'L / NAVISTAR 554778C1 LOAD GUARD SC2042 PEERLESS 0550-00070 TAURUS AS621-9148 TRIANGLE 8364

-  - Bolt or Stud 1/2-13 or 1/2-20















 - Tapped Hole on Top Retainers
3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF

 - Air Fitting - 1/2 NPTF or
3/8 NPTF
-  - Stud - 3/4-10

 - Combination Stud Air Fitting
Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers	
1R14-029 <u>Flexmember</u> 566-28-3-021 <u>Piston</u> Not Included	 1R14-029 Service Assembly of 1R14-028	 ASA-92-8-079	USE EXISTING SUPER CUSHION PISTON	INT'L / <u>NAVISTAR</u> 1681744C1 <u>LOAD GUARD</u> SC2114 <u>NEWAY</u> 900-57-001 <u>RIDEWELL</u> 1013589159C <u>TAURUS</u> AS621-9159	
1R14-030 <u>Flexmember</u> 566-28-3-020 <u>Piston</u> 566-20-7-097 Steel	 1R14-030	 ASA-92-8-031		<u>Conti</u> 1110-5-21A318 11105-21A318 4811NP04 64352 <u>DAYTON</u> 352-9158 <u>FIRESTONE</u> 9158 W013589158 <u>HENDRICKSON</u> 36514-1 36514-4 B-12514-004 B-2063	INT'L / <u>NAVISTAR</u> 554780C1 <u>LOAD GUARD</u> SC2045 <u>NEWAY</u> 905-57-005 905-57-069 AR-1215-1-F <u>RIDEWELL</u> 1003589158C S-2574-C <u>TAURUS</u> AS622-9158 <u>TRIANGLE</u> 8318
1R14-031 <u>Flexmember</u> 566-28-3-020 <u>Piston</u> Not Included	 1R14-031 Service Assembly of 1R14-030	 ASC-92-8-079	USE EXISTING SUPER CUSHION PISTON	INT'L / <u>NAVISTAR</u> 1681745C1 <u>LOAD GUARD</u> SC2115 <u>NEWAY</u> 900-44-197 <u>RIDEWELL</u> 1013589154C <u>TAURUS</u> AS622-9154	
1R14-037 <u>Flexmember</u> 566-28-3-015 <u>Piston</u> 566-20-7-334 Aluminum	 1R14-037	 ASA-92-8-028		<u>Conti</u> 1110-5-15A414 11105-15A414 64424 <u>DAYTON</u> 352-9215 <u>FIRESTONE</u> 9215 W013589215 <u>HENDRICKSON</u> B-3648 INT'L / <u>NAVISTAR</u> 554781C1	<u>LOAD GUARD</u> SC2047 <u>TRIANGLE</u> 8414
1R14-038 <u>Flexmember</u> 566-28-3-015 <u>Piston</u> 566-20-7-334 Aluminum	 1R14-038	 ASA-92-8-031		<u>Conti</u> 1110-5-15A415 11105-15A415 64253 <u>DAYTON</u> 352-9200 <u>FIRESTONE</u> 9200 W013589200 <u>HENDRICKSON</u> B-3839 INT'L / <u>NAVISTAR</u> 1681746C1	<u>LOAD GUARD</u> SC2116 <u>RIDEWELL</u> 1003589200C S-2572-C <u>SUSPENSIONS</u> INC. 200458 <u>TRIANGLE</u> 8415 <u>WATSON &</u> <u>CHALIN</u> AS-0082

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R14-039 Flexmember 566-28-3-065 Piston 566-20-7-334 Aluminum	 18.0 5.7	ASA-92-8-100 		Conti 1110-5C-16A320 11105C-16A320 11105C-16A782 64254 DAYTON 352-8050 FIRESTONE 8050 W013588050 FLEETRITE 1R14-241 HENDRICKSON 36514-13 B-4771 INT'L / NAVISTAR 1685174C1 LOAD GUARD SC2052 REYCO 23631-01 TRIANGLE 8320 WATSON & CHALIN AS-0039
1R14-042 Flexmember 566-28-3-015 Piston 566-20-7-334-03 Aluminum	 18.0 5.7	ASA-92-8-049 		Conti 1110-5C-16A378 11105C-16A378 64357 FIRESTONE 8052 W013588052 HENDRICKSON 36514-12 B-12514-012 INT'L / NAVISTAR 1681747C1 LOAD GUARD SC2121 TRIANGLE 8378 WATSON & CHALIN AS-0078
1R14-045 Flexmember 566-28-3-020 Piston 566-20-7-097 Steel	 25.8 8.9	ASA-92-8-049 		Conti 1110-5-21A313 11105-21A313 64273 FIRESTONE 8792 9122 W013588792 W013589122 HENDRICKSON 36514-2 36514-8 B-3467 INT'L / NAVISTAR 1681748C1 LOAD GUARD SC2098 TRIANGLE 8313 TRP AS91220
1R14-052 Flexmember 566-28-3-015 Piston 566-20-7-334 Aluminum	 18.0 5.7	ASA-92-8-122 		HENDRICKSON B-9001
1R14-060 Flexmember 566-28-3-020 Piston Not Included	 18.0 5.7	ASA-92-8-116 	USE EXISTING SUPER CUSHION PISTON	INT'L / NAVISTAR 1681749C1 LOAD GUARD SC2099

-  - Bolt or Stud 1/2-13 or 1/2-20
















 - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13

 - Air Fitting - 1/4 NPTF

 - Air Fitting - 1/2 NPTF or 3/8 NPTF

 - Stud - 3/4-10

 - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R14-094 <u>Flexmember</u> 566-28-3-015 <u>Piston</u> 566-20-7-334-03 Aluminum	 18.0 5.7	ASA-92-8-223  2.75 3.75 6.50 11.30	 7.87 11.70	<u>GILLIG</u> 53-20415-0001
1R14-101 <u>Flexmember</u> 566-28-3-021 <u>Piston</u> 566-20-7-080 Composite	 22.0 8.8	ASA-92-8-048  3.12 6.25 11.30	 7.87 10.10	<u>FLXIBLE</u> 87-0808-00001 97-5382-001 97-6694-1
1R14-106 <u>Flexmember</u> 566-28-3-021 <u>Piston</u> 566-20-7-188 Steel	 19.5 5.5	ASA-92-8-279  5.75 2.875 11.30	 7.87 9.50	<u>MCI</u> 12-03-1029
1R14-108 <u>Flexmember</u> 566-28-3-015 <u>Piston</u> 566-20-7-334 Aluminum	 18.0 5.7	ASA-92-8-031  3.12 6.25 11.30	 7.87 11.70	
1R14-112 <u>Flexmember</u> 566-28-3-024 <u>Piston</u> 566-20-7-050 Aluminum	 15.0 4.9 3/4x10 UNC	ASA-92-8-221  4.76 11.30	 10.00	<u>FLXIBLE</u> 6-336-183 <u>GMC</u> 2052623 2054879 2090412 G1017370 G1050310

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R14-113 <u>Flexmember</u> 566-28-3-030 <u>Piston</u> 566-20-7-181 Steel	29.7 9.5	ASC-92-8-049 5.50 11.30	7.87 10.2	<u>Conti</u> 1110-5-22S750 11105-22S750 11105-22S764 64688 <u>FIRESTONE</u> 5505 W013585505 <u>NEWAY</u> 905-57-103
1R14-115 <u>Flexmember</u> 566-28-3-021 <u>Piston</u> 566-20-7-097 Steel	23.7 8.9	ASA-92-8-028 6.25 11.30	7.87 10.20	<u>Conti</u> 1110-5-17A367 11105-17A367 64346 <u>FIRESTONE</u> 9961 W013589961 <u>RIDEWELL</u> 1003589961C <u>TAURUS</u> AS621-9961 <u>TRIANGLE</u> 8367 <u>TRP</u> AS99610
1R14-117 <u>Flexmember</u> 566-28-3-031 <u>Piston</u> 566-20-7-185 Steel	6.55 2.65	578-92-8-267 2.6 2.36 11.30 4.27 3.68 PT.5x14	578-92-8-267 4.09 11.00	
1R14-124 <u>Flexmember</u> 566-28-3-021 <u>Piston</u> 566-20-7-217 Composite	22.0 8.8	ASA-92-8-048 3.12 6.25 11.30	7.87 10.10	<u>FLXIBLE</u> T14-1035
1R14-127 <u>Flexmember</u> 566-28-3-031 <u>Piston</u> 566-20-7-181 Steel	30.8 10.1	ASA-92-8-100 7.75 11.30 1.38	7.87 10.10	<u>Conti</u> 1110-5-22S712 11105-22S712 64637 <u>FIRESTONE</u> 9264 W013589264 <u>HENDRICKSON</u> C-13122 <u>RIDEWELL</u> 1000002 <u>TRIANGLE</u> 8539

- Bolt or Stud 1/2-13 or 1/2-20
















- Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- Air Fitting - 1/4 NPTF

- Air Fitting - 1/2 NPTF or 3/8 NPTF
- Stud - 3/4-10

- Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R14-130 <u>Flexmember</u> 566-28-3-021 <u>Piston</u> 566-20-7-096 Steel	22.5 7.2 1R14-130	ASA-92-8-318 5.50 11.30	7.87 10.20	<u>Conti</u> 1110-5-17A507 11105-17A507 64350 <u>FIRESTONE</u> 8778 W013588778
1R14-137 <u>Flexmember</u> 566-28-3-021 <u>Piston</u> 566-20-7-096 Steel	22.5 7.2 1R14-137	ASA-92-8-049 5.50 11.30	7.87 10.20	<u>Conti</u> 1110-5-19A431 11105-19A431 64391 <u>FIRESTONE</u> 9134 W013589134 <u>NEWAY</u> 905-57-125 <u>TRIANGLE</u> 8431
1R14-141 <u>Flexmember</u> 566-28-3-021 <u>Piston</u> 566-20-7-189 Steel	19.5 9.7 1R14-141	ASA-92-8-272 6.25 3.12 .500-14 NPTF 11.30	7.87 9.50	<u>MCI</u> 12-01-1002 12-01-1048
1R14-151 <u>Flexmember</u> 566-28-3-020 <u>Piston</u> 566-20-7-096 Steel	24.2 7.2 1R14-151	ASA-92-8-100 7.75 1.38 11.30	7.87 10.20	<u>Conti</u> 1110-5-19A960 67547 <u>RIDEWELL</u> 1000006
1R14-154 <u>Flexmember</u> 566-28-3-020 <u>Piston</u> 566-20-7-097 Steel	25.8 8.9 1R14-154	ASA-92-8-361 6.20 11.30	7.87 10.20	<u>WATSON & CHALIN</u> AS-0023-1G

- Bolt or Stud 1/2-13 or 1/2-20
- Air Fitting - 1/4 NPTF
- Stud - 3/4-10
- Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- Air Fitting - 1/2 NPTF or 3/8 NPTF
- Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R14-155 <u>Flexmember</u> 566-26-3-015 <u>Piston</u> 566-20-7-334 Aluminum		ASA-92-8-030 		<u>Conti</u> 1110-5C-16A729 64660
1R14-159 <u>Flexmember</u> 566-26-3-021 <u>Piston</u> 566-20-7-096 Steel		ASA-92-8-049 		<u>Conti</u> 1110-5-17A405 11105-17A405 64349 <u>FIRESTONE</u> 9164 W013589164 <u>NEWAY</u> 905-57-111 <u>R & S TRUCK & BODY</u> 1090326 <u>TRIANGLE</u> 8405
1R14-160 <u>Flexmember</u> 566-28-3-021 <u>Piston</u> 566-20-7-097 Steel		ASA-92-8-049 		<u>Conti</u> 1110-5-17A377 11105-17A377 64347 <u>FIRESTONE</u> 9144 W013589144 <u>NEWAY</u> 905-57-155 <u>TRIANGLE</u> 8523
1R14-164 <u>Flexmember</u> 566-28-3-164 <u>Piston</u> 566-20-7-097 Steel		ASA-92-8-402 		
1R14-167 <u>Flexmember</u> 566-28-3-015 <u>Piston</u> 566-20-7-223 Steel		ASA-92-8-393 		
















-  - Bolt or Stud 1/2-13 or 1/2-20

 - Air Fitting - 1/4 NPTF
















 - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13

 - Air Fitting - 1/2 NPTF or 3/8 NPTF

 - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R14-170 <u>Flexmember</u> 566-28-3-020 <u>Piston</u> 566-20-7-097 Steel	 25.8 8.9	ASA-92-8-174  6.20 11.30	 7.87 10.20	<u>Conti</u> 1110-5-22A752 11105-22A752 34690 <u>NEWAY</u> 905-57-102 <u>TRP</u> AS55031 <u>WATSON & CHALIN</u> AS-0047G
1R14-171 <u>Flexmember</u> 566-28-3-065 <u>Piston</u> 566-20-7-152 Composite	 18.4 5.9	ASA-92-8-237  5.50 11.30 1.38	 5.9 9.9	<u>Conti</u> 1110-5A-16P523 11105A-16P523 64421 <u>FIRESTONE</u> 8091 W013588091 <u>FLEETRITE</u> 1R14-242 <u>HENDRICKSON</u> C-20901 S20901
1R14-172 <u>Flexmember</u> 566-28-3-042 <u>Piston</u> 566-20-7-152 Composite	 22.5 5.9	ASA-92-8-237  5.50 11.30 1.38	 5.9 9.9	<u>Conti</u> 1110-5F-17P745 11105F-17P745 65593 <u>FIRESTONE</u> W013588774 <u>HENDRICKSON</u> C-25873
1R14-174 <u>Flexmember</u> 566-28-3-020 <u>Piston</u> 566-20-7-097 Steel	 25.8 8.9	ASA-92-8-049  5.50 11.30	 7.87 10.20	<u>Conti</u> 1110-5-22A530 11105-22A530 64422 <u>FIRESTONE</u> 5503 W013585503 <u>NEWAY</u> 905-57-200 <u>TRIANGLE</u> 8530 <u>TRP</u> AS55030 <u>WATSON & CHALIN</u> AS-0047
1R14-175 <u>Flexmember</u> 566-28-3-042 <u>Piston</u> 566-20-7-334 Aluminum	 20.3 5.1	ASA-92-8-174  6.20 11.30	 7.87 11.70	<u>RIDEWELL</u> 1000008

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF
















Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R14-176 Flexmember 566-28-3-020 Piston 566-20-7-181 Steel		ASA-92-8-100 		
1R14-177 Flexmember 566-28-3-021 Piston 566-20-7-276 Steel		ASA-92-8-049 		NABI-HF 5014470
1R14-179 Flexmember 566-28-3-024 Piston 566-20-7-334 Aluminum		ASA-92-8-049 		
1R14-182 Flexmember 566-28-3-043 Piston 566-20-7-304 Steel		ASA-92-8-272 		MCI 12-01-1090
1R14-183 Flexmember 566-28-3-044 Piston 566-20-7-152 Composite		ASA-92-8-100 		

-  - Bolt or Stud 1/2-13 or 1/2-20
















 - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF

 - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10

 - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R14-190 <u>Flexmember</u> 566-28-3-044 <u>Piston</u> 566-20-7-152 Composite	 18.0 5.9 1R14-190	ASA-92-8-237  5.50 1.38 11.40	 5.9 9.9	<u>Conti</u> 1110-5F-17P745 11105F-17P745 65593 <u>WATSON & CHALIN</u> AS-0144
1R14-198 <u>Flexmember</u> 566-28-3-015 <u>Piston</u> 566-20-7-334 Aluminum	 18.0 4.7 1R14-198	ASA-92-8-100  7.75 1.38 11.30	 7.87 11.70	<u>Conti</u> 1110-5C-16A706 64628
1R14-201 <u>Flexmember</u> 566-28-3-020 <u>Piston</u> 566-20-7-097 Steel	 25.8 8.9 1R14-201	ASA-92-8-100  7.75 1.38 11.30	 7.87 10.20	<u>Conti</u> 1110-5-21A965 67625
1R14-205 <u>Flexmember</u> 566-28-3-015 <u>Piston</u> 566-20-7-230 Composite	 14.6 4.6 1R14-205	ASA-92-8-434  .750-14 NPTF M12x1.75 6.75 11.30	 10.00	<u>MCI</u> 12-01-1143
1R14-209 <u>Flexmember</u> 566-28-3-020 <u>Piston</u> 566-20-7-096 Steel	 24.2 7.2 1R14-209	ASA-92-8-237  5.50 1.38 11.30	 7.87 10.20	

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R14-215 <u>Flexmember</u> 566-28-3-021 <u>Piston</u> 566-20-7-327 Composite		ASA-92-8-049 		<u>FIRESTONE</u> W013589141
1R14-216 <u>Flexmember</u> 566-28-3-015 <u>Piston</u> 566-20-7-334 Aluminum		ASA-92-8-434 		<u>MCI</u> 12-01-1249
1R14-218 <u>Flexmember</u> 566-28-3-021 <u>Piston</u> 566-20-7-276 Steel		ASA-92-8-049 		<u>NABI-HF</u> 5009273
1R14-222 <u>Flexmember</u> 566-28-3-043 <u>Piston</u> 566-20-7-158 Composite		ASA-92-8-279 		<u>MCI</u> 12-04-1158
1R14-232 <u>Flexmember</u> 566-28-3-042 <u>Piston</u> 566-20-7-323 Steel		ASA-92-8-237 		<u>WATSON & CHALIN</u> AS-0241

-  - Bolt or Stud 1/2-13 or 1/2-20
















 - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF

 - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
















 - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1R14-236 <u>Flexmember</u> 566-28-3-057 <u>Piston</u> 566-20-7-274 Steel	29.5 9.5	ASA-92-8-237 5.50 11.30 1.38	7.87 10.23	HENDRICKSON S-24446 WATSON & CHALIN AS-0246
1R14-240 <u>Flexmember</u> 566-28-3-059 <u>Piston</u> 566-20-7-277 Steel	26.5 8.2	ASA-92-8-237 5.50 11.30 1.38	7.87 10.28	HENDRICKSON S-24445
1R15-001 <u>Flexmember</u> 566-30-3-001 <u>Piston</u> 566-20-7-152 Composite	19.0 5.8	ASA-92-8-237 5.50 11.40 1.38	5.9 9.9	
















- Bolt or Stud 1/2-13 or 1/2-20
- Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
- Air Fitting - 1/4 NPTF
- Air Fitting - 1/2 NPTF or 3/8 NPTF
- Stud - 3/4-10
- Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1S3-011 <u>Piston</u> ASB-06-7-014		ASB-06-5-012 .750-16 UNF-2A outside .125-27 NPTF inside 	.500-13 UNC 	<u>FIRESTONE</u> 4001 W023584001 <u>LES AUTOBUS</u> G5006637 <u>LINK CAB & SEAT SPRINGS</u> 1101-0001 <u>NOVABUS</u> N12687 <u>PREVOST</u> 95-0208
1S3-013 <u>Piston</u> ASC-06-7-017		ASC-06-5-014 5/16-18 UNC 	.625-11 UNC outside .125 NPTF inside 	<u>FIRESTONE</u> 3000 3001 W023583000 W023583001 <u>PREVOST</u> 950208
1S4-007 <u>Piston</u> ASC-08-7-139		ASB-08-5-007 .375-16 UNC 	.750-16 UNF-2A outside .125-27 NPTF inside 	<u>Conti</u> 67770 SC29-O001 <u>FIRESTONE</u> 7001 7002 7031 W023587001 W023587002 W023587031 <u>FLXIBLE</u> 97-9999-01867 <u>LINK CAB & SEAT SPRINGS</u> 1101-0020 1102-0023 <u>MACK TRUCK</u> 227QS33
1S4-008 <u>Piston</u> ASC-08-7-005		ASB-08-5-006 .750-16 UNF outside .125-27 NPTF inside 	.500-13 UNC 	<u>FIRESTONE</u> 7010 W023587010 <u>LINK CAB & SEAT SPRINGS</u> 1101-0021 <u>MACK TRUCK</u> 227QS39301
1S4-016 <u>Piston</u> ASC-08-7-137		ASB-08-5-132 .500 O.D. Smooth 	.750 smooth outside .125-27 NPTF inside 	<u>INT'L / NAVISTAR</u> 1680378C1
















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1S4-030 Piston ASC-08-7-093		ASB-08-5-006 ↑ .750-16 UNF outside .125-27 NPTF inside  2.65	.500-13 UNC  2.12	<u>FREIGHTLINER</u> 20-12461
1S4-035 Piston ASC-08-7-163		ASB-08-5-132 ↑ .500 O.D. smooth  2.65	.750 smooth outside .125-27 UNC inside  2.12	<u>Conti</u> 62844 SZ70-5060P02 <u>FIRESTONE</u> 7003 7050 7055 W023587003 W023587050 W023587055
1S4-042 Piston ASC-08-7-219		AS2-08-5-007 ↑ .375-16 UNC  2.65	.750 smooth  2.12	<u>VOLVO</u> 66003-0007
1S4-044 Piston ASC-08-7-194		ASB-08-5-076 ↑ .750 smooth outside .125-27 NPTF inside  2.65	.500-13 UNC  2.12	<u>Conti</u> 62561 SZ70-5067 <u>LINK CAB & SEAT SPRINGS</u> 1101-0023
1S4-056 Piston ASC-08-7-194		ASB-08-5-129 ↑ .750-16 UNC outside .125-27 NPTF inside  2.65	.500-13 UNC  2.12	<u>FIRESTONE</u> 7040 W023587040 <u>LINK CAB & SEAT SPRINGS</u> 1101-0024
















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1S4-058 <u>Piston</u> ASC-08-7-139		AS2-08-5-007 .375-16 UNC 		<u>Conti</u> 67858 SC29-0086 <u>FIRESTONE</u> 7086 W023587086
1S4-067 <u>Piston</u> ASC-08-7-137		ASB-08-5-024 .750-16 UNF outside .125-27 NPTF inside 		<u>FIRESTONE</u> 7007 W023587007 <u>MACK TRUCK</u> 227QS34B
1S4-074 <u>Piston</u> ASC-08-7-134		AS2-08-5-007 .375-16 UNC 		<u>VOLVO</u> 66003-3201
1S4-123 <u>Piston</u> ASC-08-7-157		ASB-08-5-170 .125-27 NPTF .375-16 UNC 		<u>Conti</u> 67769 SC29-0046 SZ70-5060P02 <u>FIRESTONE</u> W023587046 <u>LINK CAB & SEAT SPRINGS</u> 1102-0022
1S4-173 <u>Piston</u> ASC-08-7-137		ASB-08-5-172 3/4 - 16 UNF 2A 		
















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1S4-175 Piston ASC-08-7-157	 1S4-175	ASB-08-5-076 .750 smooth outside .125-27 NPTF inside 	.375-16 UNC 	Conti 67858 SC29-0086 <u>LINK CAB & SEAT SPRINGS</u> 1101-0025
1S4-187 Flexmember 579-08-1-049	 1S4-187	ASB-08-5-129 .750-16 UNC outside .125-27 NPTF inside 	.750-16 UNF-2A outside .125-27 NPTF inside 	DANA / SPICER SR1VA103
1S4-205 Flexmember 579-08-1-002 Piston 566-08-7-157	 1S4-205	ASB-08-5-129 .750-16 UNF outside .125-27 NPTF inside 	.375-16 UNC 	
1S4.5-073 Piston ASC-08-7-194	 1S4.5-073	ASB-08-5-076 .750 smooth outside .125-27 NPTF inside 	.500-13 UNC 	<u>LINK CAB & SEAT SPRINGS</u> 1101-0030
1S4.5-107 Piston ASC-08-7-194	 1S4.5-107	ASB-08-5-129 .750-16 UNC outside .125-27 NPTF inside 	.500-13 UNC 	<u>FIRESTONE</u> 7080 W023587080
















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1S4.5-113 <u>Piston</u> 579-08-7-219		ASB-08-5-132 .500 O.D. smooth 	.750 smooth outside .125-27 UNC inside 	<u>FIRESTONE</u> 7056 W023587056 <u>LINK CAB & SEAT SPRINGS</u> 1102-0043
1S4.5-121 <u>Piston</u> ASC-08-7-157		ASB-08-5-201 .375-16 UNC .125-27 NPTF 	.375-16 UNC 	<u>Conti</u> 67851 SC29-W035 SZ70-7065P02 <u>FIRESTONE</u> 7035 W023587035 <u>SEARS SEAT</u> S-20235 S-9383
1S4.5-179 <u>Piston</u> ASC-08-7-157		ASB-08-5-076 .750 smooth outside .125-27 NPTF inside 	.375-16 UNC 	<u>LINK CAB & SEAT SPRINGS</u> 1101-0031
1S5-005 <u>Piston</u> ASC-08-7-005		ASB-08-5-006 .750-16 UNF outside .125-27 NPTF inside 	.500-13 UNC 	<u>LINK CAB & SEAT SPRINGS</u> 1101-0040
1S5-006 <u>Piston</u> ASC-08-7-005		ASB-08-5-006 .750-16 UNF outside .125-27 NPTF inside 	.500-13 UNC 	<u>FIRESTONE</u> 7017 W023587014 W023587017 W023587042 W023587044 <u>LINK CAB & SEAT SPRINGS</u> 1101-0041
















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1S5-010 Piston ASC-08-7-139	 1S5-010	AS2-08-5-007 .375-16 UNC  2.65	.750-16 UNF outside .125 NPTF inside  2.88	Conti 67882 SC29-YG01
1S5-032 Piston ASC-08-7-163	 1S5-032	ASB-08-5-132 .500 O.D. smooth  2.65	.750 smooth outside .125-27 UNC inside  2.12	LINK CAB & SEAT SPRINGS 1101-0042 1101-A042
1S5-038 Piston ASC-08-7-194	 1S5-038	ASB-08-5-076 .750 smooth outside .125-27 NPTF inside  2.65	.500-13 UNC  2.12	FIRESTONE 7081 W023587081 LINK CAB & SEAT SPRINGS 1101-0043
1S5-040 Piston ASC-08-7-137	 1S5-040	ASB-08-5-132 .500 O.D. Smooth  2.65	.750 smooth outside .125-27 NPTF inside  3.25	Conti 67636 SC29-W087 FIRESTONE 7087 W023587087 FLEETRITE 1S5-040 FREIGHTLINER GYR1S5040
1S5-045 Piston ASC-08-7-139	 1S5-045	ASB-08-5-132 .500 O.D. smooth  2.65	.750-16 UNF-2A outside .125-27 NPTF inside  2.875	FREIGHTLINER GYR1S5045
















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1S5-055 <u>Piston</u> ASC-08-7-194		AS2-08-5-063 .750 smooth outside .125-27 NPTF inside 		<u>MACK TRUCK</u> 227QS38B
1S5-057 <u>Piston</u> 579-08-7-157		ASB-08-5-170 .125-27 NPTF .375-16 UNC 		<u>Conti</u> 67852 SC29-Y108 SZ70-8077P02 <u>FIRESTONE</u> 7108 W023587108 <u>MILSCO</u> 07067A
1S5-060 <u>Piston</u> ASC-08-7-219		AS2-08-5-007 .750 smooth .375-16 UNC 		<u>VOLVO</u> 66003-0004
1S5-061 <u>Piston</u> ASC-08-7-194		AS2-08-5-079 .125-27 NPTF .500-13 UNC 		
1S5-070 <u>Piston</u> ASB-08-7-134		AS2-08-5-007 .750 smooth outside .125-27 NPTF inside .375-16 UNC 		<u>VOLVO</u> 8169029
















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1S5-072 Piston ASC-08-7-219		AS2-08-5-066 	.750 smooth outside .125-27 NPTF inside 	<u>FLEETRITE</u> 1S5-072 <u>INT'L</u> / <u>NAVISTAR</u> 2012771C1
1S5-120 Piston ASC-08-7-194		ASB-08-5-129 	.500-13 UNC 	<u>FIRESTONE</u> 7014 7017 7042 7044 W023587014 W023587017 W023587042 W023587044
1S5-122 Piston ASC-08-7-213		ASB-08-5-145 	.750 smooth outside .125 NPTF inside 	
1S5-133 Piston ASC-08-7-157		ASB-08-5-076 	.375-16 UNC 	<u>LINK CAB & SEAT SPRINGS</u> 1101-0045
1S5-135 Piston ASC-08-7-157		ASB-08-5-170 	.375-16 UNC 	<u>LINK CAB & SEAT SPRINGS</u> 1101-0044
















-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Air Fitting - 1/4 NPTF
-  - Stud - 3/4-10
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1S5-152 Piston ASC-08-7-219		AS2-08-5-112 .375-16 UNC 	.750 smooth outside .125-27 UNC inside 	<u>FIRESTONE</u> 7110 W023587110
1S5-154 Piston ASC-08-7-213		ASB-08-5-190 M20 x 2.50-6G 	.750-16 smooth outside .125-27 NPTF inside 	<u>MACK TRUCK</u> 227QS312BM
1S5-157 Piston ASC-08-7-006		AS2-08-5-007 .375-16 UNC 	.750-16 UNF outside .125 NPTF inside 	<u>FIRESTONE</u> 7064 <u>LINK CAB & SEAT SPRINGS</u> 1102-0074
1S5-164 Piston ASC-08-7-137		ASB-08-5-190 M20 x 2.50-6G 	.750 smooth outside .125-27 NPTF inside 	<u>MACK TRUCK</u> 227QS47M
1S5-173 Piston ASC-08-7-137		ASB-08-5-132 .500 O.D. smooth 	.750 smooth outside .125-27 NPTF inside 	<u>FREIGHTLINER</u> 18-41909-0










-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers	
1S5-174 Piston ASC-08-7-232		ASB-08-5-132 .500 O.D. Smooth 	.750 smooth outside .125-27 NPTF inside 		
1S5-175 Flexmember 579-10-1-116 Piston ASC-08-7-277		ASB-08-5-176 Recommended Mounting Hole .72" Diameter 	1/4" Air Tube Fitting Recommended Mounting Hole 1.34" Diameter 	Conti 67451 67638 68161 SC31-B207 SC31-Y205 SC31-Y215 FIRESTONE 7205 7207 7215 W023587205 W023587207 W023587215	FREIGHTLINER 18-40977-000 18-52651-000
1S5-176 Flexmember 579-10-1-115 Piston ASC-08-7-277		ASB-08-5-176 Recommended Mounting Hole .72" Diameter 	1/4" Air Tube Fitting Recommended Mounting Hole 1.34" Diameter 	Conti 67452 SC31-W206 FIRESTONE 7202 7206 W023587202 W023587206 FREIGHTLINER 18-29919-000	
1S5-186 Flexmember 579-10-1-083 Piston 579-08-7-301		579-08-5-112 .375-16 UNC 	.750-16 UNF-2A outside .125-27 NPTF inside 	Conti 68162 SC29-Y036 FIRESTONE 7036 W023587036 PETERBILT 2903200	
1S6-023 Piston ASB-08-7-079		ASB-08-5-048 M20 x 2.50-6G outside .125 NPTF inside 	M20 x 2.50-6G 		

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1S6-026 <u>Piston</u> ASC-08-7-223		AS2-08-5-048 M20 x 2.50-6G outside .125-27 NPTF inside 		<u>MACK TRUCK</u> 227QS310BM
1S6-031 <u>Piston</u> ASC-08-7-215		ASB-08-5-146 M20 x 2.50-6G 		<u>FREIGHTLINER</u> GYR1S6031
1S6-033 <u>Piston</u> ASC-08-7-215		ASB-08-5-146 M20 x 2.50-6g 		
1S6-036 <u>Piston</u> 579-08-7-215		ASB-08-5-146 M20 x 2.50-6g 		
1S6-046 <u>Piston</u> ASC-08-7-215		ASB-08-5-145 .750-16 UNF 		<u>LINK CAB & SEAT SPRINGS</u> 1101-0060

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Part No.	Side View With Extended And Compressed Height	Upper Mounting View	Lower Mounting View	Manufacturer Numbers
1S6-055 Piston ASC-08-7-215		ASB-08-5-146 M20 x 2.50-6G 	.750 smooth outside .125-27 NPTF inside 	
1S6-641 Piston 566-08-7-215		ASB-08-5-145 .75 - 16 UNF 	.750-16 UNF-2A outside .125-27 NPTF inside 	
1S8-003 Flexmember 579-16-1-002 Piston 579-16-7-103		579-16-5-001 		

-  - Bolt or Stud 1/2-13 or 1/2-20
-  - Tapped Hole on Top Retainers 3/8-16, on Pistons - 1/2-13
-  - Air Fitting - 1/4 NPTF
-  - Air Fitting - 1/2 NPTF or 3/8 NPTF
-  - Stud - 3/4-10
-  - Combination Stud Air Fitting Stud - 3/4-16; Air Fitting - 1/4 NPTF

Flexible Member No.	Piston Number	Air Spring Number	Flexible Member No.	Piston Number	Air Spring Number
556-33-8-335		3B14-464	566-22-3-049	566-20-7-124	1R11-232
556-33-8-335		3B14-459	566-22-3-049	566-20-7-240	1R11-189
556-33-8-335		3B14-457	566-22-3-049	566-20-7-124	1R11-130
556-33-8-335		3B14-455	566-22-3-051	566-20-7-183	1R11-115
556-33-8-335		3B14-450	566-22-3-057	566-20-7-253	1R11-225
566-16-3-007	566-16-7-021	1R8-034	566-22-3-057	566-20-7-150	1R11-171
566-16-3-007	566-16-7-000	1R8-031	566-22-3-057	566-20-7-150	1R11-161
566-16-3-007	566-16-7-000	1R8-009	566-22-3-060	566-20-7-257	1R11-175
566-16-3-007	566-16-7-021	1R8-041	566-22-3-068	566-20-7-257	1R11-216
566-18-3-003	566-16-7-009	1R9-065	566-22-3-073	566-20-7-308	1R11-224
566-18-3-004	566-16-7-021	1R9-070	566-22-3-075	566-20-7-257	1R11-176
566-18-3-004	566-16-7-000	1R9-056	566-22-3-079	566-20-7-079	1R11-244
566-18-3-004	566-16-7-000	1R9-054	566-22-3-084	566-20-7-156	1R11-249
566-18-3-004	566-16-7-021	1R9-053	566-22-3-143	566-20-7-120	1R11-243
566-18-3-004	Not Included	1R9-047	566-22-3-143	566-20-7-253	1R11-241
566-18-3-004	566-16-7-021	1R9-003	566-22-3-143	566-20-7-156	1R11-223
566-18-3-004	566-16-7-021	1R9-071	566-22-3-143	566-20-7-239	1R11-191
566-18-3-010	566-16-7-017	1R9-038	566-22-3-143	566-20-7-209	1R11-179
566-18-3-010	566-16-7-017	1R9-025	566-22-3-143	566-20-7-209	1R11-178
566-20-3-021	566-20-7-240	1R10-133	566-22-3-143	566-20-7-240	1R11-170
566-20-3-021	566-20-7-240	1R10-127	566-22-3-143	566-20-7-250	1R11-169
566-20-3-021	566-20-7-237	1R10-122	566-22-3-143	566-20-7-235	1R11-166
566-20-3-021	566-20-7-240	1R10-120	566-22-3-143	566-20-7-239	1R11-149
566-20-3-021	566-20-7-240	1R10-118	566-22-3-143	566-20-7-240	1R11-147
566-20-3-021	566-20-7-077-03	1R10-109	566-22-3-143	566-20-7-240	1R11-143
566-20-3-021	566-20-7-120	1R10-108	566-22-3-143	566-20-7-156	1R11-121
566-20-3-021	566-20-7-240	1R10-105	566-22-3-143	566-20-7-079	1R11-090
566-20-3-021	566-20-7-240	1R10-099	566-22-3-143	566-20-7-120	1R11-088
566-20-3-021	566-20-7-240	1R10-091	566-22-3-143	566-20-7-077-03	1R11-045
566-20-3-021	566-20-7-120	1R10-090	566-22-3-143	566-20-7-036	1R11-039
566-20-3-021	566-20-7-240	1R10-089	566-22-3-143	566-20-7-209	1R11-209
566-20-3-021	566-20-7-240	1R10-087	566-22-3-143	Not Included	1R11-109
566-20-3-021	Not Included	1R10-085	566-22-3-143	566-20-7-240	1R11-094
566-20-3-021	566-20-7-387	1R10-171	566-23-8-329		2B14-469
566-20-3-021	566-20-7-240	1R10-165	566-24-3-024	566-20-7-240	1R12-127
566-20-3-022	Not Included	1R10-030	566-24-3-024	566-20-7-079	1R12-028
566-20-3-022	566-20-7-240	1R10-019	566-24-3-038	566-20-7-053	1R12-669
566-20-3-023	566-20-7-240	1R10-137	566-24-3-038	566-20-7-080	1R12-645
566-20-3-027	566-20-7-150	1R10-101	566-24-3-038	566-20-7-238	1R12-640
566-20-3-029	566-20-7-055	1R10-072	566-24-3-038	566-20-7-036	1R12-617
566-22-3-006	566-20-7-079	1R11-018	566-24-3-038	566-20-7-237	1R12-586
566-22-3-021	566-20-7-252	1R11-242	566-24-3-038	566-20-7-158	1R12-584
566-22-3-021	566-20-7-286	1R11-222	566-24-3-038	566-20-7-159	1R12-576
566-22-3-021	566-20-7-287	1R11-221	566-24-3-038	566-20-7-235	1R12-567
566-22-3-021	566-20-7-286	1R11-220	566-24-3-038	566-20-7-214	1R12-554
566-22-3-021	566-20-7-287	1R11-219	566-24-3-038	566-20-7-213	1R12-553
566-22-3-021	566-20-7-253	1R11-205	566-24-3-038	566-20-7-215	1R12-552
566-22-3-021	566-20-7-253	1R11-204	566-24-3-038	566-20-7-240	1R12-545
566-22-3-021	566-20-7-251	1R11-203	566-24-3-038	566-20-7-209	1R12-541
566-22-3-021	566-20-7-252	1R11-202	566-24-3-038	566-20-7-236	1R12-535
566-22-3-021	566-20-7-252	1R11-201	566-24-3-038	566-20-7-005	1R12-509
566-22-3-021	566-20-7-252	1R11-200	566-24-3-038	566-20-7-235	1R12-502
566-22-3-021	566-20-7-014	1R11-162	566-24-3-038	566-20-7-238	1R12-499
566-22-3-021	566-20-7-014	1R11-159	566-24-3-038	566-20-7-036	1R12-494
566-22-3-021	566-20-7-055	1R11-152	566-24-3-038	566-20-7-215	1R12-486
566-22-3-021	566-20-7-055	1R11-151	566-24-3-038	566-20-7-215	1R12-485
566-22-3-021	566-20-7-055	1R11-150	566-24-3-038	566-20-7-215	1R12-484
566-22-3-021	566-20-7-055	1R11-066	566-24-3-038	566-20-7-246	1R12-462
566-22-3-021	566-20-7-014	1R11-047	566-24-3-038	566-20-7-079	1R12-454
566-22-3-021	566-20-7-014	1R11-028	566-24-3-038	566-20-7-235	1R12-441
566-22-3-021	566-20-7-156	1R11-207	566-24-3-038	566-20-7-158	1R12-438
566-22-3-021	566-20-7-287	1R11-268	566-24-3-038	566-20-7-158	1R12-436
566-22-3-028	566-20-7-055	1R11-075	566-24-3-038	566-20-7-246	1R12-423
566-22-3-042	566-20-7-235	1R11-252	566-24-3-038	566-20-7-246	1R12-400
566-22-3-044	566-20-7-079	1R11-097	566-24-3-038	566-20-7-240	1R12-396

*The prefixes ASC, ASD, AS3 OR AS4 may be used interchangeably with 566 and may appear on some flex members or pistons.

121

Flexible Member No.	Piston Number	Air Spring Number	Flexible Member No.	Piston Number	Air Spring Number
566-24-3-038	Not Included	1R12-394	566-24-3-067	566-20-7-251	1R12-508
566-24-3-038	566-20-7-079	1R12-369	566-24-3-067	566-20-7-239	1R12-487
566-24-3-038	566-20-7-163	1R12-366	566-24-3-067	566-20-7-014	1R12-465
566-24-3-038	566-20-7-079	1R12-365	566-24-3-067	566-20-7-014	1R12-435
566-24-3-038	566-20-7-080	1R12-358	566-24-3-067	566-20-7-055	1R12-324
566-24-3-038	566-20-7-080	1R12-356	566-24-3-067	566-20-7-164	1R12-309
566-24-3-038	566-20-7-080	1R12-285	566-24-3-067	566-20-7-055	1R12-204
566-24-3-038	566-20-7-080	1R12-220	566-24-3-067	566-20-7-055	1R12-178
566-24-3-038	566-20-7-079	1R12-188	566-24-3-067	566-20-7-055	1R12-156
566-24-3-038	566-20-7-079	1R12-182	566-24-3-067	Not Included	1R12-097
566-24-3-038	566-20-7-080	1R12-155	566-24-3-067	566-20-7-014	1R12-095
566-24-3-038	566-20-7-080	1R12-130	566-24-3-072	566-20-7-079	1R12-212
566-24-3-038	Not Included	1R12-093	566-24-3-076	566-20-7-158	1R12-655
566-24-3-038	566-20-7-079	1R12-090	566-24-3-076	566-20-7-239	1R12-648
566-24-3-038	566-20-7-080	1R12-066	566-24-3-076	566-20-7-156	1R12-636
566-24-3-038	566-20-7-233	1R12-419	566-24-3-076	566-20-7-239	1R12-620
566-24-3-048	566-20-7-240	1R12-511	566-24-3-076	566-20-7-251	1R12-616
566-24-3-048	566-20-7-240	1R12-304	566-24-3-076	566-20-7-156	1R12-614
566-24-3-048	566-20-7-120	1R12-288	566-24-3-076	566-20-7-156	1R12-600
566-24-3-048	566-20-7-240	1R12-284	566-24-3-076	566-20-7-212	1R12-543
566-24-3-048	566-20-7-120	1R12-217	566-24-3-076	566-20-7-156	1R12-512
566-24-3-048	566-20-7-120	1R12-154	566-24-3-076	566-20-7-235	1R12-505
566-24-3-048	566-20-7-006	1R12-143	566-24-3-076	566-20-7-036	1R12-492
566-24-3-061	566-20-7-251	1R12-539	566-24-3-076	566-20-7-156	1R12-445
566-24-3-061	566-20-7-251	1R12-531	566-24-3-076	566-20-7-156	1R12-437
566-24-3-061	566-20-7-251	1R12-530	566-24-3-076	566-20-7-164	1R12-434
566-24-3-061	566-20-7-014	1R12-383	566-24-3-076	566-20-7-036	1R12-422
566-24-3-061	566-20-7-197	1R12-359	566-24-3-076	566-20-7-158	1R12-421
566-24-3-061	566-20-7-197	1R12-351	566-24-3-076	566-20-7-036	1R12-370
566-24-3-061	566-20-7-197	1R12-350	566-24-3-076	566-20-7-164	1R12-367
566-24-3-066	566-20-7-159	1R12-653	566-24-3-076	566-20-7-036	1R12-355
566-24-3-066	566-20-7-159	1R12-639	566-24-3-076	566-20-7-080	1R12-352
566-24-3-066	566-20-7-158	1R12-613	566-24-3-076	566-20-7-055	1R12-325
566-24-3-066	566-20-7-235	1R12-568	566-24-3-076	566-20-7-055	1R12-205
566-24-3-066	566-20-7-006	1R12-527	566-24-3-076	566-20-7-036-03	1R12-169
566-24-3-066	566-20-7-237	1R12-504	566-24-3-076	566-20-7-006	1R12-139
566-24-3-066	566-20-7-235	1R12-480	566-24-3-076	566-20-7-036	1R12-132
566-24-3-066	566-20-7-005	1R12-467	566-24-3-076	566-20-7-036	1R12-076
566-24-3-066	566-20-7-159	1R12-444	566-24-3-076	566-20-7-235	1R12-676
566-24-3-066	566-20-7-237	1R12-439	566-24-3-090	566-20-7-006	1R12-663
566-24-3-066	566-20-7-080	1R12-395	566-24-3-090	566-20-7-159	1R12-637
566-24-3-066	566-20-7-006	1R12-357	566-24-3-090	566-20-7-159	1R12-609
566-24-3-066	566-20-7-080	1R12-281	566-24-3-090	566-20-7-159	1R12-599
566-24-3-066	566-20-7-080	1R12-265	566-24-3-090	566-20-7-236	1R12-507
566-24-3-066	566-20-7-006	1R12-261	566-24-3-090	566-20-7-159	1R12-363
566-24-3-066	566-20-7-006	1R12-195	566-24-3-090	566-20-7-006	1R12-335
566-24-3-066	566-20-7-080	1R12-185	566-24-3-090	566-20-7-159	1R12-256
566-24-3-066	566-20-7-080	1R12-167	566-24-3-097	566-20-7-303	1R12-647
566-24-3-066	566-20-7-006	1R12-145	566-24-3-097	566-20-7-158	1R12-644
566-24-3-066	566-20-7-006	1R12-142	566-24-3-097	566-20-7-236	1R12-622
566-24-3-066	Not Included	1R12-113	566-24-3-097	566-20-7-159	1R12-621
566-24-3-066	566-20-7-006	1R12-103	566-24-3-097	566-20-7-158	1R12-592
566-24-3-066	566-20-7-236	1R12-689	566-24-3-097	566-20-7-235	1R12-532
566-24-3-066	566-20-7-158	1R12-607	566-24-3-097	566-20-7-237	1R12-498
566-24-3-066	566-20-7-006	1R12-208	566-24-3-097	566-20-7-235	1R12-481
566-24-3-067	566-20-7-238	1R12-571	566-24-3-097	566-20-7-158	1R12-450
566-24-3-067	566-20-7-252	1R12-563	566-24-3-097	566-20-7-158	1R12-446
566-24-3-067	566-20-7-251	1R12-562	566-24-3-097	566-20-7-246	1R12-424
566-24-3-067	566-20-7-253	1R12-561	566-24-3-097	566-20-7-246	1R12-404
566-24-3-067	566-20-7-253	1R12-560	566-24-3-097	566-20-7-246	1R12-402
566-24-3-067	566-20-7-252	1R12-559	566-24-3-097	566-20-7-079	1R12-274
566-24-3-067	566-20-7-252	1R12-558	566-24-3-097	566-20-7-236	1R12-1049
566-24-3-067	566-20-7-252	1R12-557	566-24-3-097	566-20-7-158	1R12-1048
566-24-3-067	566-20-7-252	1R12-556	566-24-3-100	566-20-7-036	1R12-593
566-24-3-067	566-20-7-253	1R12-555	566-24-3-108	566-20-7-322	1R12-603

122

*The prefixes ASC, ASD, AS3 OR AS4 may be used interchangeably with 566 and may appear on some flex members or pistons.

Flexible Member No.	Piston Number	Air Spring Number	Flexible Member No.	Piston Number	Air Spring Number
566-24-3-108	566-20-7-116	1R12-303	566-28-3-015	566-20-7-334	1R14-037
566-24-3-116	566-20-7-209	1R12-540	566-28-3-015	566-20-7-334	1R14-216
566-24-3-116	566-20-7-158	1R12-534	566-28-3-015	566-20-7-230	1R14-205
566-24-3-117	566-20-7-299	1R12-580	566-28-3-015	566-20-7-223	1R14-167
566-24-3-120	566-20-7-079	1R12-631	566-28-3-020	566-20-7-096	1R14-209
566-24-3-120	566-20-7-223	1R12-406	566-28-3-020	566-20-7-097	1R14-201
566-24-3-120	566-20-7-192	1R12-377	566-28-3-020	566-20-7-181	1R14-176
566-24-3-140	566-20-7-377	1R12-403	566-28-3-020	566-20-7-097	1R14-174
566-24-3-142	566-20-7-413	1R12-1047	566-28-3-020	566-20-7-097	1R14-170
566-24-3-163	566-20-7-236	1R12-538	566-28-3-020	566-20-7-097	1R14-154
566-24-3-163	566-20-7-221	1R12-401	566-28-3-020	Not Included	1R14-060
566-24-3-163	566-20-7-080	1R12-092	566-28-3-020	566-20-7-097	1R14-045
566-24-3-163	566-20-7-235	1R12-069	566-28-3-020	Not Included	1R14-031
566-24-3-164	566-20-7-303	1R12-615	566-28-3-020	566-20-7-097	1R14-030
566-24-3-165	566-20-7-236	1R12-523	566-28-3-020	Not Included	1R14-025
566-24-3-165	566-20-7-236	1R12-432	566-28-3-020	566-20-7-097	1R14-019
566-24-3-165	566-20-7-163	1R12-375	566-28-3-020	566-20-7-096	1R14-151
566-26-3-015	566-20-7-084	1R13-070	566-28-3-021	566-20-7-276	1R14-218
566-26-3-015	566-20-7-334	1R14-155	566-28-3-021	566-20-7-327	1R14-215
566-26-3-043	566-20-7-080	1R13-117	566-28-3-021	566-20-7-276	1R14-177
566-26-3-044	566-20-7-006	1R13-116	566-28-3-021	566-20-7-097	1R14-160
566-26-3-044	566-20-7-006	1R13-115	566-28-3-021	566-20-7-096	1R14-159
566-26-3-050	566-20-7-106	1R13-138	566-28-3-021	566-20-7-189	1R14-141
566-26-3-050	566-20-7-127	1R13-124	566-28-3-021	566-20-7-096	1R14-137
566-26-3-051	566-20-7-124	1R13-182	566-28-3-021	566-20-7-096	1R14-130
566-26-3-051	566-20-7-124	1R13-181	566-28-3-021	566-20-7-217	1R14-124
566-26-3-051	566-20-7-106	1R13-155	566-28-3-021	566-20-7-097	1R14-115
566-26-3-051	566-20-7-036-03	1R13-075	566-28-3-021	566-20-7-188	1R14-106
566-26-3-051	566-20-7-036	1R13-053	566-28-3-021	566-20-7-080	1R14-101
566-26-3-051	Not Included	1R13-049	566-28-3-021	Not Included	1R14-029
566-26-3-051	566-20-7-096	1R13-047	566-28-3-021	566-20-7-096	1R14-028
566-26-3-051	566-20-7-327	1R13-039	566-28-3-021	Not Included	1R14-027
566-26-3-054	566-20-7-334	1R13-120	566-28-3-021	566-20-7-096	1R14-026
566-26-3-055	566-20-7-230	1R13-130	566-28-3-021	Not Included	1R14-024
566-26-3-056	566-20-7-231	1R13-133	566-28-3-021	566-20-7-096	1R14-018
566-26-3-068	566-20-7-325	1R13-118	566-28-3-024	566-20-7-334	1R14-179
566-26-3-068	566-20-7-127	1R13-149	566-28-3-024	566-20-7-050	1R14-112
566-26-3-069	566-20-7-334	1R13-151	566-28-3-030	566-20-7-181	1R14-113
566-26-3-071	566-20-7-235	1R13-208	566-28-3-031	566-20-7-181	1R14-127
566-26-3-071	566-20-7-237	1R13-153	566-28-3-031	566-20-7-185	1R14-117
566-26-3-071	566-20-7-235	1R13-152	566-28-3-042	566-20-7-334	1R14-175
566-26-3-072	Not Included	1R13-048	566-28-3-042	566-20-7-152	1R14-172
566-26-3-072	566-20-7-097	1R13-038	566-28-3-042	566-20-7-323	1R14-232
566-26-3-072	566-20-7-097	1R13-216	566-28-3-043	566-20-7-304	1R14-182
566-26-3-073	566-20-7-154	1R13-159	566-28-3-043	566-20-7-158	1R14-222
566-26-3-078	566-20-7-152	1R13-189	566-28-3-044	566-20-7-152	1R14-190
566-26-3-078	566-20-7-314	1R13-188	566-28-3-044	566-20-7-152	1R14-183
566-26-3-078	566-20-7-152	1R13-179	566-28-3-057	566-20-7-274	1R14-236
566-26-3-078	566-20-7-154	1R13-177	566-28-3-059	566-20-7-277	1R14-240
566-26-3-078	566-20-7-154	1R13-176	566-28-3-065	566-20-7-152	1R14-171
566-26-3-078	566-20-7-152	1R13-174	566-28-3-065	566-20-7-334	1R14-039
566-26-3-081	566-20-7-106	1R13-210	566-28-3-164	566-20-7-097	1R14-164
566-26-3-081	566-20-7-106	1R13-207	566-30-3-001	566-20-7-152	1R15-001
566-26-3-081	566-20-7-296	1R13-109	566-92-3-356		2B14-362
566-26-3-081	566-20-7-296	1R13-097	578-33-8-335		3B14-453
566-26-3-095	566-20-7-274	1R13-235	578-33-8-335		3B14-463
566-26-3-097	566-20-7-277	1R13-237	578-33-8-335		3B14-462
566-26-3-098	566-20-7-106	1R13-119	578-33-8-335		3B14-456
566-26-3-098	566-20-7-106	1R13-239	578-91-3-301		1B12-313
566-28-3-015	566-20-7-334	1R14-198	578-91-3-301		1B12-306
566-28-3-015	566-20-7-334	1R14-108	578-91-3-301		1B12-305
566-28-3-015	566-20-7-334-03	1R14-094	578-91-3-301		1B12-301
566-28-3-015	566-20-7-334	1R14-052	578-91-3-301		1B12-322
566-28-3-015	566-20-7-334-03	1R14-042	578-91-3-351		1B14-351
566-28-3-015	566-20-7-334	1R14-038	578-91-3-351		1B14-350

*The prefixes ASC, ASD, AS3 OR AS4 may be used interchangeably with 566 and may appear on some flex members or pistons.

Flexible Member No.	Piston Number	Air Spring Number	Flexible Member No.	Piston Number	Air Spring Number
578-91-3-351		1B14-373	578-92-3-353		2B14-367
578-91-3-352		1B14-358	578-92-3-353		2B14-366
578-92-3-202		2B9-245	578-92-3-353		2B14-360
578-92-3-202		2B9-244	578-92-3-353		2B14-359
578-92-3-202		2B9-240	578-92-3-353		2B14-356
578-92-3-202		2B9-230	578-92-3-353		2B14-355
578-92-3-202		2B9-225	578-92-3-353		2B14-354
578-92-3-202		2B9-216	578-923-356		2B14-479
578-92-3-202		2B9-210	578-92-3-356		2B14-476
578-92-3-202		2B9-206	578-92-3-356		2B14-470
578-92-3-202		2B9-201	578-92-3-356		2B14-462
578-92-3-202		2B9-200	578-92-3-356		2B14-383
578-92-3-206		2B9-270	578-92-3-356		2B14-365
578-92-3-206		2B9-265	578-92-3-356		2B14-363
578-92-3-206		2B9-255	578-93-3-100		3B12-338
578-92-3-206		2B9-254	578-93-3-100		3B12-335
578-92-3-206		2B9-253	578-93-3-100		3B12-329
578-92-3-206		2B9-252	578-93-3-100		3B12-328
578-92-3-206		2B9-251	578-93-3-100		3B12-324
578-92-3-206		2B9-250	578-93-3-100		3B12-319
578-92-3-206		2B9-218	578-93-3-100		3B12-315
578-923-208		2B9-607	578-93-3-100		3B12-312
578-92-3-208		2B9-266	578-93-3-100		3B12-310
578-923-211		2B9-611	578-93-3-100		3B12-305
578-923-211		2B9-606	578-93-3-100		3B12-304
578-923-211		2B9-296	578-93-3-100		3B12-303
578-92-3-211		2B9-288	578-93-3-100		3B12-301
578-92-3-211		2B9-280	578-93-3-100		3B12-300
578-92-3-211		2B9-246	578-93-3-100		3B12-342
578-92-3-211		2B9-239	578-93-3-103		3B12-347
578-92-3-211		2B9-229	578-93-3-103		3B12-326
578-9-23-211		2B9-614	578-93-3-103		3B12-325
578-92-3-250		2B10-226	578-93-3-103		3B12-323
578-92-3-309		2B12-463	578-93-3-103		3B12-322
578-92-3-309		2B12-432	578-93-3-104		3B12-337
578-92-3-309		2B12-429	578-93-3-105		3B12-416
578-92-3-309		2B12-427	578-93-3-105		3B12-415
578-92-3-309		2B12-426	578-93-3-335		3B14-452
578-92-3-309		2B12-425	578-93-3-335		3B14-451
578-92-3-309		2B12-424	578-93-3-350		3B14-367
578-92-3-309		2B12-412	578-93-3-350		3B14-365
578-92-3-309		2B12-411	578-93-3-350		3B14-364
578-92-3-309		2B12-410	578-93-3-350		3B14-361
578-92-3-309		2B12-406	578-93-3-350		3B14-360
578-92-3-309		2B12-340	578-93-3-350		3B14-359
578-92-3-309		2B12-320	578-93-3-350		3B14-356
578-92-3-309		2B12-319	578-93-3-350		3B14-354
578-92-3-309		2B12-318	578-93-3-350		3B14-351
578-92-3-309		2B12-313	579-91-3-501		1B5-510
578-92-3-309		2B12-309	579-91-3-532		1B8-564
578-92-3-309		2B12-307	579-923-510		2B6-530
578-92-3-309		2B12-304	579-92-3-515		2B6-535
578-92-3-309		2B12-300	579-923-525		2B7-542
578-92-3-310		2B12-446	579-92-3-525		2B7-541
578-92-3-310		2B12-434	579-92-3-525		2B7-540
578-92-3-310		2B12-428	579-92-3-526		2B7-548
578-92-3-310		2B12-402	579-92-3-530		2B8-550
578-92-3-310		2B12-324			
578-92-3-310		2B12-317			
578-92-3-310		2B12-305			
578-92-3-315		2B12-440			
578-92-3-315		2B12-416			
578-92-3-315		2B12-346			
578-92-3-315		2B12-345			
578-92-3-353		2B14-473			

*The prefixes ASC, ASD, AS3 OR AS4 may be used interchangeably with 566 and may appear on some flex members or pistons.

Firestone Flex Member No.	Firestone No.	Air Spring Number	Firestone Flex Member No.	Firestone No.	Air Spring Number
19	7009	1B12-301	1T15L-2	8900	1R11-204
20	6910	2B9-200	1T15L-2	9476	1R11-205
20	6935	2B9-201	1T15L-4	8919	1R11-191
20	6905	2B9-206	1T15LA-0	9618	1R11-220
20	6908	2B9-210	1T15LA-0	9625	1R11-222
20	6897	2B9-229	1T15LA-1	9617	1R11-219
20	6940	2B9-230	1T15LA-1	9622	1R11-221
20	6902	2B9-239	1T15LC-2.5	9379	1R12-178
20	6932	2B9-246	1T15LC-2.5	9566	1R12-204
20	6941	2B9-265	1T15LC-2.5	9565	1R12-324
21	7145	2B14-354	1T15LC-4.5	9568	1R12-205
21	7146	2B14-355	1T15LC-4.5	9567	1R12-325
21	7136	2B14-356	1T15LP-5	9293	1R10-120
21	7140	2B14-359	1T15LP-5	9291	1R10-122
21	7135	2B14-360	1T15LP-5	9295	1R11-166
21	7123	2B14-367	1T15M-0	9039	1R12-095
22	7424	2B12-300	1T15M-0	9031	1R12-350
22	7408	2B12-307	1T15M-0	9033	1R12-351
22	7400	2B12-309	1T15M-0	9077	1R12-359
22	7405	2B12-313	1T15M-0	8961	1R12-555
22	7185	2B12-318	1T15M-0	8964	1R12-556
22	7409	2B12-319	1T15M-0	8976	1R12-557
22	7401	2B12-320	1T15M-0	8986	1R12-558
22	7410	2B12-406	1T15M-0	9029	1R12-559
22	7404	2B12-410	1T15M-0	9308	1R12-560
22	7181	2B12-411	1T15M-0	9332	1R12-561
22	7183	2B12-412	1T15M-2	9302	1R12-132
22	7180	2B12-425	1T15M-2	9053	1R12-309
22	7406	2B12-426	1T15M-2	9127	1R12-355
22	7429	2B12-427	1T15M-2	9366	1R12-487
22	7423	2B12-432	1T15M-2	9325	1R12-505
26	7325	2B8-550	1T15M-2	8204	1R12-508
38	8008	3B12-300	1T15M-2	9078	1R12-512
38	8010	3B12-301	1T15M-2	8197	1R12-562
38	8018	3B12-303	1T15M-2	8934	1R12-563
38	8006	3B12-304	1T15M-2	9365	1R12-571
38	8027	3B12-310	1T15M-4	9069	1R12-069
38	8033	3B12-312	1T15M-4	9010	1R12-352
38	8032	3B12-319	1T15M-4	9070	1R12-370
38	7994	3B12-328	1T15M-4	8802	1R12-434
38	7995	3B12-329	1T15M-4	9797	1R12-437
38	7996	3B12-335	1T15M-4	8805	1R12-438
113	7103	1B14-350	1T15M-4	8806	1R12-445
113	7105	1B14-351	1T15M-6	9083	1R12-066
257	7795	2B10-226	1T15M-6	9213	1R12-090
313	7808	3B14-354	1T15M-6	9082	1R12-092
313	7838	3B14-356	1T15M-6	9227	1R12-130
313	7839	3B14-359	1T15M-6	9392	1R12-143
313	7848	3B14-360	1T15M-6	9096	1R12-155
313	7847	3B14-367	1T15M-6	9219	1R12-182
333	7846	3B14-451	1T15M-6	9223	1R12-188
333	7850	3B14-452	1T15M-6	9193	1R12-220
113B-1	7112	1B14-358	1T15M-6	9194	1R12-356
1T14C-1		1R9-065	1T15M-6	9096	1R12-358
1T14F-4	5406	1R9-038	1T15M-6	9296	1R12-400
1T14F-4		1R9-070	1T15M-6	8924	1R12-436
1T15L-1.5	9422	1R11-028	1T15M-6	9362	1R12-441
1T15L-2	9447	1R11-066	1T15M-6	9026	1R12-567
1T15L-2	9448	1R11-150	1T15M-7.5	9921	1R12-502
1T15L-2	9457	1R11-151	1T15M-7.5	9935	1R12-532
1T15L-2	9459	1R11-152	1T15M-8	9923	1R12-481
1T15L-2	9376	1R11-200	1T15M-9	9101	1R12-103
1T15L-2	9377	1R11-201	1T15M-9	9241	1R12-142
1T15L-2	9378	1R11-202	1T15M-9	9238	1R12-145
1T15L-2	9387	1R11-203	1T15M-9	9192	1R12-167

*The prefixes ASC, ASD, AS3 OR AS4 may be used interchangeably with 566 and may appear on some flex members or pistons.

Firestone Flex Member No.	Firestone No.	Air Spring Number	Firestone Flex Member No.	Firestone No.	Air Spring Number
1T15M-9	9349	1R12-195	1T19L-11	9158	1R14-030
1T15M-9	9130	1R12-281	1T19L-11	9122	1R14-045
1T15M-9	9348	1R12-357	20-2	6927	2B9-218
1T15M-9	9203	1R12-395	20-2	6943	2B9-250
1T15M-9	9346	1R12-439	20-2	6948	2B9-251
1T15M-9	9245	1R12-446	20-2	6944	2B9-252
1T15M-9	9243	1R12-480	20-2	6945	2B9-253
1T15M-9	8852	1R12-568	20-2	6946	2B9-254
1T15M-11	9321	1R12-256	20-2	6947	2B9-255
1T15M-11	9320	1R12-363	21-2	6801	2B14-365
1T15M-11	9370	1R12-580	21-2	6803	2B14-366
1T15MLW-7	8944	1R12-366	22-1.5	7443	2B12-305
1T15MT-3	9640	1R12-367	22-1.5	7447	2B12-324
1T15MT-6	9466	1R12-365	22-1.5	7444	2B12-416
1T15MT-8	9287	1R12-274	22-1.5	7473	2B12-428
1T15MT-8	9371	1R12-401	22-1.5	7472	2B12-434
1T15MT-8	9297	1R12-402	22-1.5	7444	2B12-446
1T15MT-8	9373	1R12-403	228-1.5	7545	2B12-345
1T15MT-8	9375	1R12-404	228-1.5	7550	2B12-346
1T15MT-8	9648	1R12-538	228-1.5	7446	2B12-402
1T15MW-10	9265	1R12-375	228-1.5	7555	2B12-440
1T15S-6	9043	1R10-089	233-2	7557	2B14-383
1T15S-6	9073	1R11-018			
1T15TM-1	5766	1R11-161			
1T15TM-1	9421	1R11-171			
1T15V-8	9473	1R12-484			
1T15V-8	9471	1R12-485			
1T15V-8	9473	1R12-486			
1T15V-8	9471	1R12-504			
1T15V-8	9471	1R12-552			
1T15V-8	9472	1R12-553			
1T15V-8	9470	1R12-554			
1T15V-8	9275	1R13-117			
1T15V-11	9250	1R13-115			
1T15V-11	9252	1R13-116			
1T15VLY-10.5	9580	1R13-118			
1T15VM-4.0	9270	1R13-119			
1T15ZR-6	9780	1R12-303			
1T17B-11	8748	1R13-152			
1T17B-11	8749	1R13-153			
1T17BB-2	8729	1R13-130			
1T17CA-5	8709	1R13-159			
1T17CA-6.5	8713	1R13-176			
1T17CA-6.5	8708	1R13-177			
1T17CL-5	8710	1R13-124			
1T19F-5	9204	1R12-265			
1T19F-5	9218	1R13-120			
1T19F-5	9215	1R14-037			
1T19F-5	9200	1R14-038			
1T19F-7	9148	1R14-026			
1T19F-7	9961	1R14-115			
1T19F-7	9164	1R14-159			
1T19F-7	9144	1R14-160			
1T19F-9	9134	1R14-137			
1T19F-11	9156	1R14-019			
1T19F-12	5505	1R14-113			
1T19F-12	5503	1R14-174			
1T19F-14	9264	1R14-127			
1T19FC-6	8091	1R14-171			
1T19J-6	8052	1R14-042			
1T19J-7	8050	1R14-039			
1T19L-7	9121	1R13-039			
1T19L-7	9149	1R14-018			
1T19L-7	9177	1R14-028			
1T19L-11	9122	1R13-038			

126 *The prefixes ASC, ASD, AS3 OR AS4 may be used interchangeably with 566 and may appear on some flex members or pistons.

Piston Number	Flexible Member No.	Air Spring Number	Piston Number	Flexible Member No.	Air Spring Number
566-08-7-157	579-08-1-002	1S4-205	566-20-7-055	566-20-3-029	1R10-072
566-08-7-215		1S6-641	566-20-7-077-	566-22-3-143	1R11-045
566-16-7-000	566-18-3-004	1R9-056	566-20-7-077-	566-20-3-021	1R10-109
566-16-7-000	566-18-3-004	1R9-054	566-20-7-079	566-24-3-120	1R12-631
566-16-7-000	566-16-3-007	1R8-031	566-20-7-079	566-24-3-038	1R12-454
566-16-7-000	566-16-3-007	1R8-009	566-20-7-079	566-24-3-038	1R12-369
566-16-7-009	566-18-3-003	1R9-065	566-20-7-079	566-24-3-038	1R12-365
566-16-7-017	566-18-3-010	1R9-038	566-20-7-079	566-24-3-097	1R12-274
566-16-7-017	566-18-3-010	1R9-025	566-20-7-079	566-24-3-072	1R12-212
566-16-7-021	566-18-3-004	1R9-070	566-20-7-079	566-24-3-038	1R12-188
566-16-7-021	566-18-3-004	1R9-053	566-20-7-079	566-24-3-038	1R12-182
566-16-7-021	566-18-3-004	1R9-003	566-20-7-079	566-24-3-038	1R12-090
566-16-7-021	566-16-3-007	1R8-034	566-20-7-079	566-24-3-024	1R12-028
566-16-7-021	566-18-3-004	1R9-071	566-20-7-079	566-22-3-079	1R11-244
566-16-7-021	566-16-3-007	1R8-041	566-20-7-079	566-22-3-044	1R11-097
566-20-7-005	566-24-3-038	1R12-509	566-20-7-079	566-22-3-143	1R11-090
566-20-7-005	566-24-3-066	1R12-467	566-20-7-079	566-22-3-006	1R11-018
566-207-006	566-24-3-066	1R12-208	566-20-7-080	566-28-3-021	1R14-101
566-20-7-006	566-26-3-044	1R13-116	566-20-7-080	566-26-3-043	1R13-117
566-20-7-006	566-26-3-044	1R13-115	566-20-7-080	566-24-3-038	1R12-645
566-20-7-006	566-24-3-090	1R12-663	566-20-7-080	566-24-3-066	1R12-395
566-20-7-006	566-24-3-066	1R12-527	566-20-7-080	566-24-3-038	1R12-358
566-20-7-006	566-24-3-066	1R12-357	566-20-7-080	566-24-3-038	1R12-356
566-20-7-006	566-24-3-090	1R12-335	566-20-7-080	566-24-3-076	1R12-352
566-20-7-006	566-24-3-066	1R12-261	566-20-7-080	566-24-3-038	1R12-285
566-20-7-006	566-24-3-066	1R12-195	566-20-7-080	566-24-3-066	1R12-281
566-20-7-006	566-24-3-066	1R12-145	566-20-7-080	566-24-3-066	1R12-265
566-20-7-006	566-24-3-048	1R12-143	566-20-7-080	566-24-3-038	1R12-220
566-20-7-006	566-24-3-066	1R12-142	566-20-7-080	566-24-3-066	1R12-185
566-20-7-006	566-24-3-076	1R12-139	566-20-7-080	566-24-3-066	1R12-167
566-20-7-006	566-24-3-066	1R12-103	566-20-7-080	566-24-3-038	1R12-155
566-20-7-014	566-24-3-067	1R12-465	566-20-7-080	566-24-3-038	1R12-130
566-20-7-014	566-24-3-067	1R12-435	566-20-7-080	566-24-3-163	1R12-092
566-20-7-014	566-24-3-061	1R12-383	566-20-7-080	566-24-3-038	1R12-066
566-20-7-014	566-24-3-067	1R12-095	566-20-7-084	566-26-3-015	1R13-070
566-20-7-014	566-22-3-021	1R11-162	566-20-7-096	566-28-3-020	1R14-209
566-20-7-014	566-22-3-021	1R11-159	566-20-7-096	566-28-3-021	1R14-159
566-20-7-014	566-22-3-021	1R11-047	566-20-7-096	566-28-3-021	1R14-137
566-20-7-014	566-22-3-021	1R11-028	566-20-7-096	566-28-3-021	1R14-130
566-20-7-036	566-26-3-051	1R13-053	566-20-7-096	566-28-3-021	1R14-028
566-20-7-036	566-24-3-038	1R12-617	566-20-7-096	566-28-3-021	1R14-026
566-20-7-036	566-24-3-038	1R12-494	566-20-7-096	566-28-3-021	1R14-018
566-20-7-036	566-24-3-076	1R12-492	566-20-7-096	566-26-3-051	1R13-047
566-20-7-036	566-24-3-076	1R12-422	566-20-7-097	566-28-3-020	1R14-201
566-20-7-036	566-24-3-076	1R12-370	566-20-7-097	566-28-3-020	1R14-174
566-20-7-036	566-24-3-076	1R12-355	566-20-7-097	566-28-3-020	1R14-170
566-20-7-036	566-24-3-076	1R12-132	566-20-7-097	566-28-3-021	1R14-160
566-20-7-036	566-24-3-076	1R12-076	566-20-7-097	566-28-3-020	1R14-154
566-20-7-036	566-22-3-143	1R11-039	566-20-7-097	566-28-3-021	1R14-115
566-20-7-036	566-24-3-100	1R12-593	566-20-7-097	566-28-3-020	1R14-045
566-20-7-036-	566-26-3-051	1R13-075	566-20-7-097	566-28-3-020	1R14-030
566-20-7-036-	566-24-3-076	1R12-169	566-20-7-097	566-28-3-020	1R14-019
566-20-7-050	566-28-3-024	1R14-112	566-20-7-097	566-26-3-072	1R13-038
566-20-7-053	566-24-3-038	1R12-669	566-20-7-097	566-26-3-072	1R13-216
566-20-7-055	566-24-3-076	1R12-325	566-20-7-097	566-28-3-164	1R14-164
566-20-7-055	566-24-3-067	1R12-324	566-20-7-106	566-26-3-081	1R13-210
566-20-7-055	566-24-3-076	1R12-205	566-20-7-106	566-26-3-081	1R13-207
566-20-7-055	566-24-3-067	1R12-204	566-20-7-106	566-26-3-051	1R13-155
566-20-7-055	566-24-3-067	1R12-178	566-20-7-106	566-26-3-050	1R13-138
566-20-7-055	566-24-3-067	1R12-156	566-20-7-106	566-26-3-098	1R13-119
566-20-7-055	566-22-3-021	1R11-152	566-20-7-106	566-26-3-098	1R13-239
566-20-7-055	566-22-3-021	1R11-151	566-20-7-116	566-24-3-108	1R12-303
566-20-7-055	566-22-3-021	1R11-150	566-20-7-120	566-24-3-048	1R12-288
566-20-7-055	566-22-3-028	1R11-075	566-20-7-120	566-24-3-048	1R12-217
566-20-7-055	566-22-3-021	1R11-066	566-20-7-120	566-24-3-048	1R12-154

*The prefixes ASC, ASD, AS3 OR AS4 may be used interchangeably with 566 and may appear on some flex members or pistons.

Piston Number	Flexible Member No.	Air Spring Number	Piston Number	Flexible Member No.	Air Spring Number
566-20-7-240	566-24-3-038	1R12-545	566-20-7-287	566-22-3-021	1R11-219
566-20-7-240	566-24-3-048	1R12-511	566-20-7-287	566-22-3-021	1R11-268
566-20-7-240	566-24-3-038	1R12-396	566-20-7-296	566-26-3-081	1R13-109
566-20-7-240	566-24-3-048	1R12-304	566-20-7-296	566-26-3-081	1R13-097
566-20-7-240	566-24-3-048	1R12-284	566-20-7-299	566-24-3-117	1R12-580
566-20-7-240	566-24-3-024	1R12-127	566-20-7-303	566-24-3-097	1R12-647
566-20-7-240	566-22-3-049	1R11-189	566-20-7-303	566-24-3-164	1R12-615
566-20-7-240	566-22-3-143	1R11-170	566-20-7-304	566-28-3-043	1R14-182
566-20-7-240	566-22-3-143	1R11-147	566-20-7-308	566-22-3-073	1R11-224
566-20-7-240	566-22-3-143	1R11-143	566-20-7-314	566-26-3-078	1R13-188
566-20-7-240	566-20-3-023	1R10-137	566-20-7-322	566-24-3-108	1R12-603
566-20-7-240	566-20-3-021	1R10-133	566-20-7-323	566-28-3-042	1R14-232
566-20-7-240	566-20-3-021	1R10-127	566-20-7-325	566-26-3-068	1R13-118
566-20-7-240	566-20-3-021	1R10-120	566-20-7-327	566-28-3-021	1R14-215
566-20-7-240	566-20-3-021	1R10-118	566-20-7-327	566-26-3-051	1R13-039
566-20-7-240	566-20-3-021	1R10-105	566-20-7-328	566-22-3-143	1R11-267
566-20-7-240	566-20-3-021	1R10-099	566-20-7-328	566-22-3-076	1R11-266
566-20-7-240	566-20-3-021	1R10-091	566-20-7-334	566-28-3-015	1R14-198
566-20-7-240	566-20-3-021	1R10-089	566-20-7-334	566-28-3-024	1R14-179
566-20-7-240	566-20-3-021	1R10-087	566-20-7-334	566-28-3-042	1R14-175
566-20-7-240	566-20-3-022	1R10-019	566-20-7-334	566-28-3-015	1R14-108
566-20-7-240	566-22-3-143	1R11-094	566-20-7-334	566-28-3-015	1R14-052
566-20-7-240	566-20-3-021	1R10-165	566-20-7-334	566-28-3-065	1R14-039
566-20-7-246	566-24-3-038	1R12-462	566-20-7-334	566-28-3-015	1R14-038
566-20-7-246	566-24-3-097	1R12-424	566-20-7-334	566-28-3-015	1R14-037
566-20-7-246	566-24-3-038	1R12-423	566-20-7-334	566-26-3-069	1R13-151
566-20-7-246	566-24-3-097	1R12-404	566-20-7-334	566-26-3-054	1R13-120
566-20-7-246	566-24-3-097	1R12-402	566-20-7-334	566-28-3-015	1R14-216
566-20-7-246	566-24-3-038	1R12-400	566-20-7-334	566-26-3-015	1R14-155
566-20-7-250	566-22-3-143	1R11-169	566-20-7-334-	566-28-3-015	1R14-094
566-20-7-251	566-24-3-076	1R12-616	566-20-7-334-	566-28-3-015	1R14-042
566-20-7-251	566-24-3-067	1R12-562	566-20-7-377	566-24-3-140	1R12-403
566-20-7-251	566-24-3-061	1R12-539	566-20-7-387	566-20-3-021	1R10-171
566-20-7-251	566-24-3-061	1R12-531	566-20-7-392	566-22-3-143	1R11-273
566-20-7-251	566-24-3-061	1R12-530	566-20-7-413	566-24-3-142	1R12-1047
566-20-7-251	566-24-3-067	1R12-508	579-08-7-157		1S5-057
566-20-7-251	566-22-3-021	1R11-203	579-08-7-215		1S6-036
566-20-7-252	566-24-3-067	1R12-563	579-08-7-219		1S4.5-113
566-20-7-252	566-24-3-067	1R12-559	579-08-7-301	579-10-1-083	1S5-186
566-20-7-252	566-24-3-067	1R12-558	579-16-7-103	579-16-1-002	1S8-003
566-20-7-252	566-24-3-067	1R12-557	AS3-08-7-006		1S5-157
566-20-7-252	566-24-3-067	1R12-556	ASB-06-7-014		1S3-011
566-20-7-252	566-22-3-021	1R11-242	ASB-08-7-079		1S6-023
566-20-7-252	566-22-3-021	1R11-202	ASB-08-7-134		1S5-070
566-20-7-252	566-22-3-021	1R11-201	ASC-06-7-017		1S3-013
566-20-7-252	566-22-3-021	1R11-200	ASC-08-7-005		1S5-006
566-20-7-253	566-24-3-067	1R12-561	ASC-08-7-005		1S5-005
566-20-7-253	566-24-3-067	1R12-560	ASC-08-7-005		1S4-008
566-20-7-253	566-24-3-067	1R12-555	ASC-08-7-093		1S4-030
566-20-7-253	566-22-3-143	1R11-241	ASC-08-7-134		1S4-074
566-20-7-253	566-22-3-057	1R11-225	ASC-08-7-137		1S5-173
566-20-7-253	566-22-3-021	1R11-205	ASC-08-7-137		1S5-040
566-20-7-253	566-22-3-021	1R11-204	ASC-08-7-137		1S4-067
566-20-7-257	566-22-3-068	1R11-216	ASC-08-7-137		1S4-016
566-20-7-257	566-22-3-075	1R11-176	ASC-08-7-137		1S5-164
566-20-7-257	566-22-3-060	1R11-175	ASC-08-7-137		1S4-173
566-20-7-274	566-28-3-057	1R14-236	ASC-08-7-139		1S5-045
566-20-7-274	566-26-3-095	1R13-235	ASC-08-7-139		1S5-010
566-20-7-276	566-28-3-021	1R14-218	ASC-08-7-139		1S4-058
566-20-7-276	566-28-3-021	1R14-177	ASC-08-7-139		1S4-007
566-20-7-277	566-26-3-097	1R13-237	ASC-08-7-157		1S5-135
566-20-7-277	566-28-3-059	1R14-240	ASC-08-7-157		1S5-133
566-20-7-286	566-22-3-021	1R11-222	ASC-08-7-157		1S4.5-179
566-20-7-286	566-22-3-021	1R11-220	ASC-08-7-157		1S4.5-121
566-20-7-287	566-22-3-021	1R11-221	ASC-08-7-157		1S4-175

*The prefixes ASC, ASD, AS3 OR AS4 may be used interchangeably with 566 and may appear on some flex members or pistons.

Piston Number	Flexible Member No.	Air Spring Number	Piston Number	Flexible Member No.	Air Spring Number
ASC-08-7-157		1S4-123			
ASC-08-7-163		1S4-035			
ASC-08-7-163		1S5-032			
ASC-08-7-194		1S5-120			
ASC-08-7-194		1S5-061			
ASC-08-7-194		1S5-055			
ASC-08-7-194		1S5-038			
ASC-08-7-194		1S4.5-107			
ASC-08-7-194		1S4.5-073			
ASC-08-7-194		1S4-056			
ASC-08-7-194		1S4-044			
ASC-08-7-213		1S5-154			
ASC-08-7-213		1S5-122			
ASC-08-7-215		1S6-046			
ASC-08-7-215		1S6-033			
ASC-08-7-215		1S6-031			
ASC-08-7-215		1S6-055			
ASC-08-7-219		1S5-152			
ASC-08-7-219		1S5-072			
ASC-08-7-219		1S5-060			
ASC-08-7-219		1S4-042			
ASC-08-7-223		1S6-026			
ASC-08-7-232		1S5-174			
ASC-08-7-277	579-10-1-115	1S5-176			
ASC-08-7-277	579-10-1-116	1S5-175			
Not Included	566-18-3-004	1R9-047			
Not Included	566-28-3-020	1R14-060			
Not Included	566-28-3-020	1R14-031			
Not Included	566-28-3-021	1R14-029			
Not Included	566-28-3-021	1R14-027			
Not Included	566-28-3-020	1R14-025			
Not Included	566-28-3-021	1R14-024			
Not Included	566-26-3-051	1R13-049			
Not Included	566-26-3-072	1R13-048			
Not Included	566-24-3-038	1R12-394			
Not Included	566-24-3-066	1R12-113			
Not Included	566-24-3-067	1R12-097			
Not Included	566-24-3-038	1R12-093			
Not Included	566-20-3-021	1R10-085			
Not Included	566-20-3-022	1R10-030			

*The prefixes ASC, ASD, AS3 OR AS4 may be used interchangeably with 566 and may appear on some flex members or pistons.

https://truckmanualshub.com/

CROSS REFERENCE INFORMATION

Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.
AM GENERAL		64544	2B14-359	FD200-25428	2B9-255	FT330-29520	3B12-335	1110-5-21A31	1R13-038
Air Spring Rolling Lobe		64545	2B14-356	FD200-25429	2B9-251	FT330-29525	3B12-312	1110-5-21A31	1R14-045
5973923	1R9-003	64546	2B14-355	FD200-25453	2B9-218	FT330-29546	3B12-328	11105-21A313	1R13-038
5973924	1R12-076	64547	2B14-367	FD200-25-454	2B9-266	FT330-29547	3B12-315	11105-21A313	1R14-045
AMERICAN CARRIER		64548	2B14-354	FD200-25454	2B9-252	FT330-29547	3B12-329	1110-5-21A31	1R14-030
Air Spring Bellows		64549	2B9-250	FD200-25454	2B9-266	FT330-29554	3B12-415	11105-21A318	1R14-030
8003005	2B14-355	64550	2B9-253	FD200-25463	2B9-254	FT330-29723	3B12-335	1110-5-21A36	1R14-018
8003006	2B8-550	64551	2B9-255	FD330-22313	2B12-309	FT530-32325	3B14-359	11105-21A369	1R14-019
8003007	1B14-351	64552	2B9-251	FD330-22318	2B12-307	FT530-32329	3B14-356	1110-5-21A37	1R14-019
AMERICAN CARRIER		64553	2B9-218	FD330-22323	2B12-305	FT530-32333	3B14-360	11105-21A370	1R14-019
Air Spring Rolling Lobe		64554	2B9-252	FD330-22327	2B12-300	FT530-32336	3B14-354	1110-5-21A96	1R14-201
8003003	1R11-171	64554	2B9-266	FD330-22331	2B12-406	FT530-35436	3B14-453	1110-5-22A53	1R14-174
8003023	1R11-161	64555	2B9-254	FD330-22334	2B12-320	FT530-35441	3B14-452	11105-22A530	1R14-174
AUTO BUS		64560	3B12-319	FD330-22343	2B12-427	FT530-35455	3B14-364	1110-5-22A75	1R14-170
Air Spring Rolling Lobe		64562	3B12-300	FD330-22346	2B12-410	FT530-35455	3B14-457	11105-22A752	1R14-170
10530087	1R10-089	64563	3B12-301	FD330-22363	2B12-425	FT530-35456	3B14-451	1110-5-22S71	1R14-127
CHANCE BUS		64565	3B12-310	FD330-22364	2B12-313	FT530-35457	3B14-367	11105-22S712	1R14-127
Air Spring Rolling Lobe		64568	3B12-304	FD330-22365	2B12-426	FT530-35457	3B14-459	1110-5-22S75	1R14-113
23891728	1R11-152	64570	3B12-335	FD330-22367	2B12-319	FT530-35534	3B14-464	11105-22S750	1R14-113
CONTITECH		64571	3B12-312	FD330-22368	2B12-432	CONTITECH		11105-22S764	1R14-113
Air Spring Bellows		64572	3B12-328	FD330-22465	2B12-432	Air Spring Rolling Lobe		1110-5A-16P5	1R14-171
64267	2B9-200	64573	3B12-315	FD330-22471	2B12-412	1010-15P453	1R13-159	11105A-16P5	1R14-171
64268	2B12-406	64573	3B12-329	FD330-22472	2B12-411	1010-15S518	1R13-097	1110-5C-16A3	1R14-039
64270	2B12-309	64576	3B14-453	FD330-22500	2B12-304	1010-15S518	1R13-138	11105C-16A3	1R14-039
64283	2B12-300	64580	3B14-452	FD330-22540	2B12-463	1010-15S522	1R13-124	1110-5C-16A3	1R14-042
64284	2B12-440	64581	3B14-364	FD330-22780	2B12-429	1010-15S711	1R13-124	11105C-16A3	1R14-042
64285	3B12-303	64581	3B14-457	FD330-30323	2B12-305	1010-15S713	1R13-207	1110-5C-16A7	1R14-198
64488	2B12-307	64582	3B14-451	FD330-30340	2B12-324	1010-15S773	1R13-210	1110-5C-16A7	1R14-155
64489	2B12-320	64583	3B14-367	FD330-30369	2B12-416	1010-15S871	1R13-109	11105C-16A7	1R14-039
64491	2B12-427	64583	3B14-459	FD330-30369	2B12-446	1010-15S962	1R13-097	1110-5F-17P7	1R14-172
64492	2B12-410	64587	3B14-464	FD330-30370	2B12-402	1010-16-5S78	1R13-039	1110-5F-17P7	1R14-190
64493	2B12-463	64589	2B14-366	FD330-30371	2B12-434	1010-16S5783	1R13-039	11105F-17P74	1R14-172
64494	2B12-313	64590	2B14-365	FD330-30372	2B12-428	1010-16S526	1R13-177	11105F-17P74	1R14-190
64495	2B12-426	64593	2B14-462	FD330-30464	2B12-434	1010-16S533	1R13-176	34690	1R14-170
64497	2B12-319	64595	1B12-301	FD330-30502	2B12-317	1010-16S724	1R13-155	4811NP04	1R14-030
64498	2B12-432	64596	1B12-313	FD330-30513	2B12-324	1010-21P434	1R13-118	64252	1R13-152
64499	2B12-412	64597	2B12-345	FD331-26480	2B12-440	1010-21P486	1R13-153	64253	1R14-038
64500	2B12-411	64599	2B12-346	FD331-26514	2B12-345	1010-21P570	1R13-152	64254	1R14-039
64501	2B12-304	64601	2B8-550	FD331-26-541	2B12-346	1010-21P774	1R13-208	64255	1R11-028
64502	2B12-463	64604	2B14-383	FD331-26541	2B12-346	1010-5-15P46	1R13-159	64256	1R11-242
64503	3B14-359	64605	2B14-476	FD530-22311	2B14-360	10105-15P460	1R13-159	64258	1R12-352
64504	3B14-356	64606	2B14-470	FD530-22316	2B14-359	1010-5AV-12P	1R13-130	64258	1R12-421
64505	3B14-360	66094	2B6-535	FD530-22321	2B14-356	1010B-13S51	1R13-130	64259	1R12-182
64506	3B14-354	66300	2B12-429	FD530-22342	2B14-355	1110-5-15A41	1R14-037	64260	1R12-095
64509	2B9-239	66522	3B12-415	FD530-22345	2B14-367	11105-15A414	1R14-037	64262	1R12-090
64510	2B9-206	67667	2B7-548	FD530-22374	2B14-354	1110-5-15A41	1R14-038	64263	1R12-538
64511	2B9-210	67705	2B10-226	FD530-30449	2B14-366	11105-15A415	1R14-038	64264	1R12-404
64512	2B9-265	FD110-15766	2B6-535	FD530-30451	2B14-365	1110-5-15A42	1R13-120	64265	1R12-403
64512	2B9-280	FD110-17A77	2B7-548	FD530-30532	2B14-462	11105-15A422	1R13-120	64266	1R12-603
64513	2B9-230	FD120-20509	2B8-550	FD530-35530	2B14-383	1110-5-17A31	1R14-028	64269	1R12-092
64514	2B9-246	FD200-19310	2B9-239	FD530-35543	2B14-476	11105-17A316	1R14-028	64269	1R12-509
64515	2B9-201	FD200-19315	2B9-206	FD530-35544	2B14-470	1110-5-17A36	1R14-026	64273	1R13-038
64516	2B9-288	FD200-19320	2B9-200	FD530-35720	2B14-462	11105-17A364	1R14-026	64273	1R14-045
64517	2B9-229	FD200-19362	2B9-210	FS330-11468	1B12-301	11105-17A365	1R14-018	64274	1R12-069
64519	2B9-245	FD200-19448	2B9-252	FS330-11474	1B12-313	1110-5-17A36	1R14-028	64274	1R12-669
64521	1B14-358	FD200-19448	2B9-265	FS530-14339	1B14-358	11105-17A366	1R14-028	64274	1R12-676
64523	1B14-350	FD200-19448	2B9-280	FS530-14442	1B14-350	1110-5-17A36	1R14-115	64275	1R12-188
64524	1B14-351	FD200-19450	2B9-230	FS530-14446	1B14-351	11105-17A367	1R14-115	64276	1R12-365
64525	1B14-351	FD200-19452	2B9-246	FS530-14447	1B14-351	1110-5-17A37	1R13-047	64277	1R12-424
64531	2B12-305	FD200-19499	2B9-201	FT330-29413	3B12-319	1110-5-17A37	1R14-160	64278	1R12-481
64532	2B12-324	FD200-19504	2B9-288	FT330-29431	3B12-300	11105-17A377	1R14-160	64279	1R12-103
64533	2B12-416	FD200-19505	2B9-229	FT330-29432	3B12-301	1110-5-17A40	1R14-159	64286	1R11-150
64533	2B12-446	FD200-19510	2B9-245	FT330-29434	3B12-303	11105-17A405	1R14-159	64287	1R13-119
64534	2B12-402	FD200-19713	2B10-226	FT330-29466	3B12-310	1110-5-17A50	1R14-130	64287	1R13-239
64535	2B12-434	FD200-22524	2B10-226	FT330-29469	3B12-300	11105-17A507	1R14-130	64288	1R12-375
64536	2B12-428	FD200-22706	2B9-229	FT330-29498	3B12-301	1110-5-19A43	1R14-137	64290	1R12-401
64539	2B12-317	FD200-25426	2B9-250	FT330-29503	3B12-304	11105-19A431	1R14-137	64291	1R12-335
64543	2B14-360	FD200-25427	2B9-253	FT330-29508	3B12-312	1110-5-19A96	1R14-151	64292	1R12-155

Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.
CONTITECH		64397	1R13-124	64688	1R14-113	910-12A341	1R12-132	910-175P406	1R12-424
Air Spring Rolling Lobe (cont.)		64398	1R12-640	64708	1R12-534	910-12A343	1R12-132	910-17-5P418	1R12-450
64292	1R12-358	64399	1R12-498	64715	1R12-335	910-12A427	1R12-367	910-17-5P426	1R12-640
64293	1R12-621	64401	1R12-366	64716	1R12-256	910-12A488	1R12-487	910-17-5P428	1R12-498
64294	1R12-066	64402	1R12-502	64725	1R13-210	910-12A504	1R12-132	910-175P428	1R12-498
64297	1R12-356	64403	1R12-586	64728	1R13-208	910-12P024	1R12-562	910-17-5P429	1R12-481
64298	1R12-130	64405	1R12-499	64746	1R13-039	910-12P319	1R12-132	910-175P429	1R12-481
64301	1R12-220	64409	1R12-504	64761	1R12-613	910-12P329	1R12-355	910-17-5P436	1R12-366
64302	1R12-143	64410	1R12-402	64762	1R12-494	910-12P395	1R12-505	910-175P436	1R12-366
64304	1R12-441	64412	1R12-532	65356	1R12-357	910-12P484	1R12-508	910-175P440	1R12-403
64306	1R12-567	64415	1R12-554	65361	1R12-543	910-12P488	1R12-487	910-17-5P443	1R12-502
64310	1R12-400	64416	1R12-552	65361	1R12-636	910-12P495	1R12-571	910-175P443	1R12-502
64312	1R12-615	64417	1R12-553	65367	1R11-221	910-12P544	1R12-563	910-17-5P445	1R12-586
64314	1R12-436	64418	1R12-484	65387	1R12-467	910-13-5P874	1R12-1047	910-175P445	1R12-586
64323	1R12-167	64418	1R12-486	65389	1R11-222	910-13-5S433	1R13-119	910-175P451	1R12-404
64324	1R12-395	64419	1R13-153	65394	1R11-221	910-13-5S433	1R13-239	910-17-5P454	1R12-499
64325	1R12-145	64420	1R13-130	65593	1R14-172	910-135S433	1R13-239	910-175P454	1R12-499
64326	1R12-639	64421	1R14-171	65593	1R14-190	910-135S881	1R13-239	910-175P456	1R12-538
64327	1R12-261	64422	1R14-174	65649	1R12-609	910-14A330	1R12-370	910-17-5P502	1R12-504
64327	1R12-281	64423	1R11-252	65807	1R12-467	910-14A469	1R12-434	910-175P502	1R12-504
64329	1R12-480	64424	1R14-037	66109	1R11-268	910-14A496	1R12-437	910-175P519	1R12-403
64331	1R12-265	64428	1R13-120	66112	1R11-219	910-14A545	1R12-445	910-175P520	1R12-402
64331	1R12-446	64430	1R12-351	66113	1R11-220	910-14A545	1R12-492	910-175P521	1R12-401
64334	1R12-450	64431	1R12-359	66340	1R13-109	910-14A575	1R12-636	910-17-5P536	1R11-252
64335	1R12-195	64433	1R12-350	66-5-11S027	1R9-065	910-14A707	1R12-512	910-17-5P548	1R12-532
64336	1R12-403	64435	1R12-561	66-5-13S039	1R9-038	910-14AT75	1R12-543	910-175P548	1R12-532
64338	1R12-439	64436	1R12-560	66-5-13S056	1R9-003	910-14P312	1R12-069	910-17-5P571	1R12-554
64339	1R12-568	64437	1R12-559	66-5-13S446	1R9-070	910-14P312	1R12-669	910-175P571	1R12-554
64340	1R12-644	64438	1R12-558	66-5B-11S525	1R9-065	910-14P312	1R12-676	910-17-5P572	1R12-552
64342	1R14-028	64439	1R12-508	66908	1R12-432	910-14P345	1R12-352	910-175P572	1R12-552
64343	1R14-026	64440	1R12-465	67473	1R12-303	910-14P345	1R12-421	910-17-5P573	1R12-553
64344	1R14-018	64441	1R12-556	67479	1R12-142	910-14P450	1R12-205	910-175P573	1R12-553
64345	1R14-028	64443	1R12-508	67492	1R11-178	910-14P461	1R12-325	910-17-5P574	1R12-484
64346	1R14-115	64444	1R12-557	67547	1R14-151	910-14P462	1R12-438	910-17-5P574	1R12-486
64347	1R13-047	64445	1R12-132	67586	1R12-1048	910-14P465	1R12-620	910-175P574	1R12-484
64347	1R14-160	64446	1R12-309	67600	1R13-097	910-14P469	1R12-434	910-175P574	1R12-486
64349	1R14-159	64447	1R12-355	67625	1R14-201	910-14P490	1R12-648	910-175P714	1R12-486
64350	1R14-130	64451	1R12-505	67703	1R12-208	910-14P575	1R12-543	910-175P715	1R12-485
64352	1R14-030	64456	1R12-508	68009	1R12-562	910-14P709	1R12-285	910-18-5P406	1R12-424
64354	1R14-019	64459	1R12-487	68108	1R9-065	910-16A382	1R12-603	910-185P406	1R12-424
64357	1R14-042	64460	1R12-571	68119	1R9-065	910-16A999	1R12-603	910-18-5P440	1R12-403
64361	1R12-178	64463	1R12-563	68121	1R9-038	910-16P130	1R12-454	910-185P440	1R12-403
64362	1R11-204	64464	1R12-370	68123	1R9-070	910-16P310	1R12-092	910-18-5P451	1R12-404
64363	1R11-202	64472	1R12-205	68136	1R9-003	910-16P310	1R12-509	910-185P451	1R12-404
64364	1R11-149	64473	1R12-325	68151	1R12-1047	910-16P325	1R12-155	910-18-5P456	1R12-538
64365	1R11-200	64474	1R12-438	68207	1R12-603	910-16P325	1R12-358	910-185P456	1R12-538
64366	1R11-201	64475	1R12-620	68638	1R12-422	910-16P332	1R12-621	910-18-5P519	1R12-403
64367	1R11-159	64477	1R12-434	69075	1R12-454	910-16P333	1R12-066	910-185P519	1R12-403
64367	1R11-203	64479	1R12-648	910-10P311	1R12-095	910-16P350	1R12-092	910-18-5P520	1R12-402
64368	1R11-205	64484	1R12-437	910-10P328	1R12-351	910-16P352	1R12-356	910-185P520	1R12-402
64371	1R13-117	64486	1R12-445	910-10P331	1R12-359	910-16P353	1R12-130	910-18-5P521	1R12-401
64375	1R13-115	64486	1R12-492	910-10P339	1R12-350	910-16P372	1R12-220	910-185P521	1R12-401
64376	1R13-116	64615	1R12-281	910-10P397	1R12-561	910-16P376	1R12-143	910-195P801	1R12-467
64379	1R11-039	64627	1R11-171	910-10P398	1R12-560	910-16P391	1R12-441	910-19A358	1R12-261
64379	1R11-121	64628	1R14-198	910-10P399	1R12-559	910-16P393	1R12-567	910-19A358	1R12-281
64381	1R11-191	64631	1R11-179	910-10P400	1R12-558	910-16P407	1R12-090	910-19A552	1R12-613
64382	1R12-363	64632	1R12-285	910-10P471	1R12-435	910-16P408	1R12-182	910-19A801	1R12-467
64382	1R12-663	64633	1R12-512	910-10P471	1R12-508	910-16P409	1R12-188	910-19A830	1R12-467
64383	1R12-580	64636	1R13-176	910-10P473	1R12-465	910-16P410	1R12-365	910-19Pxxx	1R12-261
64384	1R12-256	64637	1R14-127	910-10P480	1R12-556	910-16P416	1R12-400	910-19P315	1R12-103
64385	1R12-637	64638	1R13-177	910-10P482	1R12-435	910-16P449	1R12-615	910-19P321	1R12-281
64386	1R11-166	64639	1R13-207	910-10P482	1R12-508	910-16P497	1R12-436	910-19P326	1R12-167
64388	1R10-120	64645	1R13-159	910-10P503	1R12-557	910-16P710	1R12-366	910-19P355	1R12-395
64389	1R10-122	64649	1R13-155	910-10P542	1R12-555	910-16P769	1R12-541	910-19P356	1R12-145
64391	1R14-137	64650	1R12-541	910-12A104	1R12-422	910-16P770	1R12-576	910-19P357	1R12-639
64394	1R13-118	64651	1R12-576	910-12A319	1R12-132	910-17-5A802	1R12-494	910-19P358	1R12-281
64395	1R12-367	64658	1R12-555	910-12A327	1R12-309	910-175A802	1R12-494	910-19P384	1R12-480
64396	1R13-138	64660	1R14-155	910-12A329	1R12-355	910-17-5A930	1R12-1048	910-19P390	1R12-265

Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.
CONTITECH		67636	1S5-040	354-7798	3B14-356	6800	2B14-362	7557	2B14-383
Air Spring Rolling Lobe (cont.)		67638	1S5-175	354-7800	3B14-360	6801	2B14-365	7782	2B14-470
910-19P390	1R12-446	67769	1S4-123	354-7818	3B14-359	6803	2B14-366	7788	2B9-245
910-19P435	1R12-375	67770	1S4-007	354-7847	3B14-367	6805	2B14-462	7790	2B12-324
910-19P438	1R12-195	67851	1S4.5-121	354-8008	3B12-300	6850	2B12-463	7795	2B10-226
910-19P439	1R12-357	67852	1S5-057	DAYTON		6897	2B9-229	7798	3B14-356
910-19P444	1R13-070	67858	1S4-058	Air Spring Rolling Lobe		6902	2B9-239	7800	3B14-360
910-19P470	1R12-439	67858	1S4-175	352-8050	1R14-039	6905	2B9-206	7808	3B14-354
910-19P472	1R12-568	67882	1S5-010	352-9039	1R12-095	6908	2B9-210	7816	3B14-359
910-19P552	1R12-644	68161	1S5-175	352-9053	1R12-309	6910	2B9-200	7818	3B14-359
910-19P762	1R12-534	68162	1S5-186	352-9069	1R12-069	6920	1B12-305	7838	3B14-453
910-19P801	1R12-467	SC29-0046	1S4-123	352-9069	1R12-669	6926	2B9-288	7839	3B14-456
910-19P946	1R12-142	SC29-0086	1S4-058	352-9073	1R11-018	6927	2B9-218	7843	3B14-457
910-19P973	1R12-208	SC29-0086	1S4-175	352-9082	1R12-092	6928	2B9-225	7846	3B14-451
910-21A361	1R12-335	SC29-O001	1S4-007	352-9082	1R12-509	6932	2B9-246	7847	3B14-459
910-21A505	1R12-256	SC29-W035	1S4.5-121	352-9083	1R12-066	6935	2B9-201	7850	3B14-452
910-21P360	1R12-363	SC29-W087	1S5-040	352-9096	1R12-358	6940	2B9-230	7855	3B14-462
910-21P360	1R12-663	SC29-Y036	1S5-186	352-9101	1R12-103	6941	2B9-280	7859	3B14-463
910-21P361	1R12-335	SC29-Y108	1S5-057	352-9105	1R12-132	6943	2B9-250	7862	3B14-464
910-21P448	1R12-580	SC29-YG01	1S5-010	352-9121	1R13-039	6944	2B9-252	7990	3B12-329
910-21P505	1R12-256	SC31-B207	1S5-175	352-9122	1R13-038	6945	2B9-253	7994	3B12-328
910-21P511	1R12-637	SC31-W206	1S5-176	352-9130	1R12-281	6946	2B9-254	7995	3B12-329
910-21P817	1R12-609	SC31-Y205	1S5-175	352-9148	1R14-026	6947	2B9-255	7996	3B12-335
910B-17-5A32	1R13-117	SC31-Y215	1S5-175	352-9149	1R14-018	6948	2B9-251	8006	3B12-304
910B-175A32	1R13-117	SZ70-5060P0	1S4-035	352-9158	1R14-030	7009	1B12-301	8008	3B12-300
910B-19-5P88	1R12-432	SZ70-5060P0	1S4-123	352-9177	1R14-028	7043	1B12-305	8010	3B12-301
910B-195P88	1R12-432	SZ70-5067	1S4-044	352-9194	1R12-356	7103	1B14-350	8018	3B12-303
910D-21A324	1R13-115	SZ70-7065P0	1S4.5-121	352-9200	1R14-038	7105	1B14-351	8025	3B12-300
910D-21A363	1R13-116	SZ70-8077P0	1S5-057	352-9203	1R12-395	7112	1B14-358	8027	3B12-310
910S-16A382	1R12-303	DANA/SPICER		352-9213	1R12-090	7119	2B9-240	8030	3B12-301
910S-16A382	1R12-603	Air Spring Rolling Lobe		352-9215	1R14-037	7123	2B14-367	8032	3B12-319
910S-16P382	1R12-303	SR1JA100	1R13-188	352-9238	1R12-145	7124	2B12-340	8033	3B12-312
99-10P538	1R11-222	SR1VA101	1R13-174	352-9321	1R12-261	7133	2B14-367	8038	3B12-415
99-10P576	1R11-221	SR1VA101-1	1R13-188	352-9415	1R11-018	7135	2B14-360	8039	3B12-416
99-10P862	1R11-220	SR1VA105	1R13-188	352-9422	1R11-028	7136	2B14-356	8042	3B12-322
99-12P314	1R11-028	DANA/SPICER		DINA		7140	2B14-359	8043	3B12-323
99-12P379	1R12-178	Air Spring Sleeve		Air Spring Bellows		7145	2B14-354	8047	3B12-326
99-12P401	1R11-204	SR1VA103	1S4-187	A-8127-19	2B9-200	7146	2B14-355	8048	3B12-325
99-12P447	1R11-202	DAYTON		AZ-8127-19	2B9-216	7180	2B12-425	W013586799	2B14-476
99-12P464	1R11-149	Air Spring Bellows		DINA		7181	2B12-411	W013586801	2B14-365
99-12P477	1R11-200	354-6801	2B14-365	Air Spring Rolling Lobe		7183	2B12-412	W013586803	2B14-366
99-12P478	1R11-201	354-6803	2B14-366	2027911C1	1R12-369	7184	2B12-429	W013586805	2B14-462
99-12P479	1R11-159	354-6902	2B9-201	224-B020018	1R13-133	7185	2B12-318	W013586850	2B12-463
99-12P479	1R11-203	354-6905	2B9-206	224-B020020	1R11-143	7325	2B8-550	W013586897	2B9-229
99-12P515	1R11-242	354-6910	2B9-200	224-B020030	1R10-099	7344	2B12-304	W013586902	2B9-239
99-12P516	1R11-205	354-6947	2B9-255	E-Z RIDE		7400	2B12-309	W013586905	2B9-206
99-12P563	1R11-150	354-7112	1B14-358	Air Spring Bellows		7401	2B12-320	W013586908	2B9-210
99-12P705	1R11-171	354-7123	2B14-367	8030120	2B9-206	7403	2B12-307	W013586910	2B9-200
99-14A322	1R11-018	354-7135	2B14-360	8030150	2B12-324	7404	2B12-410	W013586920	1B12-305
99-14A337	1R11-039	354-7136	2B14-356	8030160	2B14-365	7405	2B12-313	W013586926	2B9-288
99-14A337	1R11-121	354-7140	2B14-359	8030170	3B14-354	7406	2B12-426	W013586927	2B9-218
99-14A517	1R11-191	354-7145	2B14-354	8030180	3B14-359	7409	2B12-319	W013586928	2B9-225
99-14P517	1R11-191	354-7146	2B14-355	8030190	2B12-425	7410	2B12-406	W013586932	2B9-246
99-14P708	1R11-179	354-7181	2B12-411	E-Z RIDE		7423	2B12-432	W013586935	2B9-201
99-14P895	1R11-178	354-7183	2B12-412	Air Spring Rolling Lobe		7424	2B12-300	W013586940	2B9-230
99-9P537	1R11-221	354-7400	2B12-309	8030192	1R12-309	7429	2B12-427	W013586941	2B9-265
99-9P859	1R11-268	354-7403	2B12-307	FAB TEK		7437	2B12-320	W013586941	2B9-280
99-9P860	1R11-219	354-7404	2B12-410	Air Spring Bellows		7443	2B12-305	W013586943	2B9-250
99K-15P417	1R11-166	354-7405	2B12-313	40080	2B12-309	7444	2B12-416	W013586944	2B9-252
99K-15P424	1R10-120	354-7406	2B12-426	FAB TEK		7444	2B12-446	W013586944	2B9-266
99K-15P425	1R10-122	354-7409	2B12-319	Air Spring Rolling Lobe		7446	2B12-402	W013586945	2B9-253
99K-15P708	1R11-179	354-7410	2B12-406	101827	1R12-095	7447	2B12-324	W013586946	2B9-254
CONTITECH		354-7424	2B12-300	101828	1R12-092	7472	2B12-434	W013586947	2B9-255
Air Spring Sleeve		354-7429	2B12-427	101828	1R12-509	7473	2B12-428	W013586948	2B9-251
62561	1S4-044	354-7437	2B12-320	10828	1R12-309	7499	2B12-317	W013587008	1B12-313
62844	1S4-035	354-7443	2B12-305	FIRESTONE		7545	2B12-345	W013587009	1B12-301
67451	1S5-175	354-7446	2B12-402	Air Spring Bellows		7550	2B12-346	W013587043	1B12-305
67452	1S5-176	354-7447	2B12-324	6799	2B14-476	7555	2B12-440	W013587103	1B14-350

Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.
FIRESTONE		W013588018	3B12-303	9029	1R12-559	9303	1R12-132	9650	1R11-225
Air Spring Bellows (cont.)		W013588025	3B12-300	9031	1R12-350	9306	1R12-530	9675	1R11-221
W013587104	1B14-351	W013588027	3B12-310	9033	1R12-351	9307	1R12-435	9780	1R12-303
W013587105	1B14-351	W013588030	3B12-301	9039	1R12-095	9308	1R12-560	9781	1R12-603
W013587112	1B14-358	W013588032	3B12-319	9043	1R10-105	9320	1R12-363	9797	1R12-437
W013587119	2B9-240	W013588033	3B12-312	9053	1R12-309	9321	1R12-335	9807	1R12-1047
W013587123	2B14-367	W013588038	3B12-415	9067	1R10-089	9325	1R12-505	9921	1R12-502
W013587124	2B12-340	W013588039	3B12-416	9069	1R12-069	9332	1R12-561	9922	1R12-498
W013587133	2B14-367	W013588042	3B12-322	9069	1R12-669	9334	1R12-435	9923	1R12-481
W013587135	2B14-360	W013588043	3B12-323	9069	1R12-676	9335	1R12-620	9935	1R12-532
W013587136	2B14-356	W013588047	3B12-326	9070	1R12-370	9336	1R12-648	9936	1R12-499
W013587140	2B14-359	W013588048	3B12-325	9077	1R12-359	9346	1R12-439	9961	1R14-115
W013587145	2B14-354	FIRESTONE		9078	1R12-355	9348	1R12-357	9974	1R12-1048
W013587146	2B14-355	Air Spring Rolling Lobe		9082	1R12-092	9349	1R12-195	W013582119	1R9-065
W013587180	2B12-425	2119	1R9-065	9082	1R12-509	9362	1R12-441	W013585406	1R9-038
W013587181	2B12-411	5406	1R9-038	9083	1R12-066	9365	1R12-571	W013585409	1R9-003
W013587183	2B12-412	5409	1R9-003	9092	1R12-220	9366	1R12-487	W013585410	1R9-070
W013587184	2B12-429	5410	1R9-070	9093	1R12-621	9367	1R12-256	W013585435	1R9-003
W013587185	2B12-318	5503	1R14-174	9096	1R12-155	9370	1R12-580	W013585503	1R14-174
W013587325	2B8-550	5505	1R14-113	9096	1R12-358	9371	1R12-401	W013585505	1R14-113
W013587344	2B12-304	5710	1R8-034	9100	1R12-076	9373	1R12-403	W013585710	1R8-034
W013587400	2B12-309	5730	1R8-034	9101	1R12-103	9375	1R12-404	W013585730	1R8-034
W013587401	2B12-320	5739	1R11-088	9105	1R12-132	9376	1R11-200	W013585739	1R11-088
W013587403	2B12-307	5766	1R11-161	9113	1R12-132	9377	1R11-201	W013585766	1R11-161
W013587404	2B12-410	5770	1R10-101	9115	1R10-019	9378	1R11-202	W013585770	1R10-101
W013587405	2B12-313	5779	1R12-303	9121	1R12-039	9379	1R12-178	W013588050	1R14-039
W013587406	2B12-426	8050	1R14-039	9122	1R14-045	9380	1R10-091	W013588052	1R14-042
W013587409	2B12-319	8052	1R14-042	9127	1R12-512	9386	1R10-089	W013588091	1R14-171
W013587410	2B12-406	8091	1R14-171	9130	1R12-281	9387	1R11-159	W013588197	1R12-562
W013587423	2B12-432	8197	1R12-562	9134	1R14-137	9387	1R11-203	W013588204	1R12-508
W013587424	2B12-300	8204	1R12-508	9144	1R14-160	9392	1R12-143	W013588616	1R11-249
W013587429	2B12-427	8708	1R13-177	9148	1R14-026	9394	1R12-281	W013588708	1R13-177
W013587437	2B12-320	8709	1R13-159	9149	1R14-018	9415	1R11-018	W013588709	1R13-159
W013587443	2B12-305	8710	1R13-124	9152	1R14-019	9421	1R11-171	W013588710	1R13-124
W013587444	2B12-416	8713	1R13-176	9158	1R14-030	9422	1R11-028	W013588713	1R13-176
W013587444	2B12-446	8729	1R13-130	9164	1R14-159	9436	1R10-089	W013588729	1R13-130
W013587446	2B12-402	8748	1R13-152	9177	1R14-028	9439	1R11-039	W013588740	1R13-210
W013587447	2B12-324	8749	1R13-153	9179	1R14-028	9441	1R11-121	W013588746	1R13-208
W013587472	2B12-346	8751	1R13-159	9192	1R12-185	9447	1R11-066	W013588748	1R13-152
W013587473	2B12-428	8752	1R13-138	9194	1R12-356	9448	1R11-150	W013588749	1R13-153
W013587499	2B12-317	8754	1R13-053	9200	1R14-038	9457	1R11-151	W013588751	1R13-159
W013587545	2B12-345	8755	1R13-124	9203	1R12-395	9459	1R11-152	W013588752	1R13-138
W013587550	2B12-346	8778	1R14-130	9213	1R12-090	9466	1R12-365	W013588753	1R13-207
W013587555	2B12-440	8782	1R13-109	9215	1R14-037	9469	1R11-223	W013588754	1R13-053
W013587557	2B14-383	8792	1R14-045	9218	1R13-120	9471	1R12-504	W013588755	1R13-124
W013587782	2B14-470	8802	1R12-434	9219	1R12-182	9471	1R12-552	W013588774	1R14-172
W013587788	2B9-245	8805	1R12-438	9223	1R12-188	9472	1R12-553	W013588778	1R14-130
W013587790	2B12-324	8806	1R12-445	9227	1R12-130	9473	1R12-586	W013588782	1R13-109
W013587795	2B10-226	8829	1R12-615	9236HR	1R10-089	9476	1R11-205	W013588792	1R14-045
W013587798	3B14-356	8852	1R12-568	9238	1R12-145	9491	1R12-553	W013588802	1R12-434
W013587800	3B14-360	8899	1R10-108	9241	1R12-261	9501	1R12-552	W013588805	1R12-438
W013587808	3B14-354	8900	1R11-204	9243	1R12-480	9541	1R11-268	W013588806	1R12-445
W013587816	3B14-359	8901	1R11-149	9245	1R12-446	9542	1R11-268	W013588806	1R12-492
W013587818	3B14-359	8919	1R11-191	9250	1R13-115	9547	1R11-268	W013588829	1R12-615
W013587838	3B14-453	8924	1R12-436	9252	1R13-116	9565	1R12-324	W013588852	1R12-568
W013587843	3B14-457	8934	1R12-563	9262	1R13-118	9566	1R12-204	W013588855	1R12-644
W013587845	3B14-450	8944	1R12-366	9264	1R14-127	9567	1R12-325	W013588899	1R10-108
W013587846	3B14-451	8961	1R12-555	9265	1R12-375	9568	1R12-205	W013588900	1R11-204
W013587847	3B14-459	8964	1R12-556	9270	1R13-239	9580	1R13-118	W013588901	1R11-149
W013587850	3B14-452	8976	1R12-557	9275	1R13-117	9610	1R10-089	W013588903	1R11-252
W013587862	3B14-464	8986	1R12-558	9287	1R12-424	9616	1R11-242	W013588919	1R11-191
W013587990	3B12-329	8997	1R9-065	9291	1R10-122	9617	1R11-219	W013588924	1R12-436
W013587994	3B12-328	9010	1R12-421	9293	1R10-120	9618	1R11-220	W013588934	1R12-563
W013587995	3B12-329	9015	1R12-366	9295	1R11-166	9622	1R11-221	W013588944	1R12-366
W013587996	3B12-335	9017	1R10-085	9296	1R12-400	9625	1R11-222	W013588961	1R12-555
W013588006	3B12-304	9017	1R10-089	9297	1R12-402	9634	1R12-636	W013588963	1R12-465
W013588008	3B12-300	9018	1R12-304	9299	1R12-366	9640	1R12-367	W013588964	1R12-556
W013588010	3B12-301	9026	1R12-567	9302	1R12-132	9648	1R12-538	W013588976	1R12-557

Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.
FIRESTONE		W013589250	1R13-115	W013589491	1R12-553	7207	1S5-175	97-6694-1	1R14-101
Air Spring Rolling Lobe (cont.)		W013589252	1R13-116	W013589542	1R11-268	7215	1S5-175	97-9999-0218	1R12-383
W013588986	1R12-558	W013589264	1R14-127	W013589547	1R11-268	W023583000	1S3-013	T14-1035	1R14-124
W013588997	1R9-065	W013589265	1R12-375	W013589565	1R12-324	W023583001	1S3-013	FLXIBLE	
W013589010	1R12-352	W013589270	1R13-119	W013589566	1R12-204	W023584001	1S3-011	Air Spring Sleeve	
W013589010	1R12-421	W013589270	1R13-239	W013589567	1R12-325	W023587001	1S4-007	97-9999-0186	1S4-007
W013589015	1R12-366	W013589275	1R13-117	W013589568	1R12-205	W023587002	1S4-007	FREIGHTLINER	
W013589017	1R10-085	W013589287	1R12-424	W013589580	1R13-118	W023587003	1S4-035	Air Spring Bellows	
W013589017	1R10-089	W013589291	1R10-122	W013589592	1R10-133	W023587007	1S4-067	16-10769-000	2B12-309
W013589018	1R12-304	W013589293	1R10-120	W013589610	1R10-089	W023587010	1S4-008	16-11378-000	2B12-406
W013589026	1R12-567	W013589295	1R11-166	W013589616	1R11-242	W023587014	1S5-006	16-14318-000	2B9-201
W013589029	1R12-559	W013589296	1R12-400	W013589617	1R11-219	W023587014	1S5-120	FREIGHTLINER	
W013589031	1R12-350	W013589297	1R12-402	W013589618	1R11-220	W023587017	1S5-006	Air Spring Rolling Lobe	
W013589033	1R12-351	W013589299	1R12-366	W013589622	1R11-221	W023587017	1S5-120	16-13810-000	1R12-303
W013589039	1R12-095	W013589302	1R12-132	W013589625	1R11-222	W023587031	1S4-007	16-13810-001	1R12-303
W013589053	1R12-309	W013589306	1R12-530	W013589634	1R12-636	W023587035	1S4.5-121	16-13810-002	1R12-303
W013589067	1R10-089	W013589307	1R12-508	W013589640	1R12-367	W023587036	1S5-186	16-14377-000	1R12-303
W013589069	1R12-069	W013589308	1R12-560	W013589648	1R12-538	W023587040	1S4-056	16-15595-000	1R12-303
W013589069	1R12-669	W013589320	1R12-363	W013589650	1R11-225	W023587042	1S5-006	16-15595-001	1R12-303
W013589069	1R12-676	W013589320	1R12-663	W013589675	1R11-221	W023587042	1S5-120	16-15595-002	1R12-303
W013589070	1R12-370	W013589321	1R12-256	W013589780	1R12-303	W023587044	1S5-006	16-16825-000	1R12-303
W013589077	1R12-359	W013589321	1R12-335	W013589781	1R12-603	W023587044	1S5-120	16-19465-000	1R12-603
W013589078	1R12-355	W013589325	1R12-505	W013589797	1R12-437	W023587046	1S4-123	16-19468-000	1R12-303
W013589082	1R12-092	W013589332	1R12-561	W013589807	1R12-1047	W023587050	1S4-035	18-18335-000	1R12-303
W013589082	1R12-509	W013589334	1R12-508	W013589902	1R12-640	W023587055	1S4-035	18-18335-001	1R12-303
W013589083	1R12-066	W013589335	1R12-620	W013589921	1R12-502	W023587056	1S4.5-113	6813200017	1R12-603
W013589092	1R12-220	W013589336	1R12-648	W013589922	1R12-498	W023587080	1S4.5-107	A16-14004-00	1R12-603
W013589093	1R12-621	W013589338	1R12-637	W013589923	1R12-481	W023587081	1S5-038	A16-14004-00	1R12-603
W013589096	1R12-155	W013589342	1R12-450	W013589935	1R12-532	W023587086	1S4-058	FREIGHTLINER	
W013589096	1R12-358	W013589346	1R12-439	W013589936	1R12-499	W023587087	1S5-040	Air Spring Sleeve	
W013589100	1R12-076	W013589348	1R12-357	W013589961	1R14-115	W023587108	1S5-057	18-29919-000	1S5-176
W013589101	1R12-103	W013589349	1R12-195	W013589974	1R12-1048	W023587110	1S5-152	18-40977-000	1S5-175
W013589102	1R12-113	W013589362	1R12-441	W015449542	1R11-268	W023587202	1S5-176	18-41909-0	1S5-173
W013589105	1R12-132	W013589365	1R12-571	W01W359385	1R11-178	W023587205	1S5-175	18-52651-000	1S5-175
W013589115	1R10-019	W013589366	1R12-487	W01W359465	1R11-179	W023587206	1S5-176	20-12461	1S4-030
W013589121	1R13-039	W013589367	1R12-256	W359060	1R12-285	W023587207	1S5-175	GYR1S5040	1S5-040
W013589122	1R14-045	W013589370	1R12-580	FIRESTONE		W023587215	1S5-175	GYR1S5045	1S5-045
W013589127	1R12-512	W013589371	1R12-401	Air Spring Sleeve		FLXIBLE		GYR1S6031	1S6-031
W013589130	1R12-281	W013589373	1R12-403	3000	1S3-013	Air Spring Bellows		FRUEHAUF	
W013589134	1R14-137	W013589375	1R12-404	3001	1S3-013	6-336-13	2B12-304	Air Spring Bellows	
W013589141	1R14-215	W013589376	1R11-200	4001	1S3-011	6-336-5	2B12-304	UAB-5620	2B12-411
W013589144	1R13-047	W013589377	1R11-201	7001	1S4-007	FLXIBLE		UCA-0112	2B12-412
W013589144	1R14-160	W013589378	1R11-202	7002	1S4-007	Air Spring Rolling Lobe		UCA-0112B	2B12-412
W013589148	1R14-026	W013589379	1R12-178	7003	1S4-035	6-304-156	1R8-034	UCC-3054-1	2B12-411
W013589149	1R14-018	W013589380	1R10-091	7007	1S4-067	6-304-157	1R10-089	FRUEHAUF	
W013589152	1R14-019	W013589386	1R10-089	7010	1S4-008	6-336-11	1R9-003	Air Spring Rolling Lobe	
W013589158	1R14-030	W013589387	1R11-159	7014	1S5-120	6-336-15	1R10-091	MFR-022354	1R12-359
W013589164	1R14-159	W013589387	1R11-203	7017	1S5-006	6-336-166	1R9-047	MFR-022355	1R12-355
W013589177	1R14-028	W013589392	1R12-143	7017	1S5-120	6-336-174	1R10-089	UCB-4453-1	1R12-359
W013589179	1R14-028	W013589394	1R12-281	7031	1S4-007	6-336-175	1R8-034	UCB-9668-1	1R12-355
W013589192	1R12-185	W013589415	1R11-018	7035	1S4.5-121	6-336-182	1R10-091	UCE-1304-1	1R12-155
W013589194	1R12-356	W013589421	1R11-171	7036	1S5-186	6-336-183	1R14-112	UCE-1304-1	1R12-358
W013589200	1R14-038	W013589422	1R11-028	7040	1S4-056	6-336-200	1R11-121	UCE-1304-2	1R12-309
W013589203	1R12-395	W013589436	1R10-089	7042	1S5-120	6-336-202	1R12-095	UCE-9393-1	1R12-281
W013589210	1R12-645	W013589439	1R11-039	7044	1S5-120	6-336-209	1R10-019	UCE-9393-3	1R12-281
W013589213	1R12-090	W013589441	1R11-121	7050	1S4-035	6-336-212	1R10-087	UCE-9393-4	1R12-281
W013589215	1R14-037	W013589447	1R11-066	7055	1S4-035	6-841-92	1R10-089	GILLIG	
W013589218	1R13-120	W013589448	1R11-150	7056	1S4.5-113	87-0808-0000	1R14-101	Air Spring Rolling Lobe	
W013589219	1R12-182	W013589457	1R11-151	7064	1S5-157	97-240-153	1R10-085	53-13187	1R11-121
W013589223	1R12-188	W013589459	1R11-152	7080	1S4.5-107	97-240-153	1R10-089	53-13188	1R14-018
W013589227	1R12-130	W013589466	1R12-365	7081	1S5-038	97-2410-0000	1R12-169	53-14006	1R11-121
W013589236	1R10-089	W013589469	1R11-223	7086	1S4-058	97-2410-1	1R12-169	53-20415-000	1R14-094
W013589238	1R12-145	W013589470	1R12-554	7087	1S5-040	97-2410-2	1R12-169	53-8212	1R11-121
W013589240	1R12-639	W013589471	1R12-504	7108	1S5-057	97-2410-3	1R12-169	87-17289	1R12-505
W013589241	1R12-142	W013589471	1R12-552	7110	1S5-152	97-2410-4	1R12-169	GMC	
W013589241	1R12-261	W013589472	1R12-553	7202	1S5-176	97-2410-5	1R12-169	Air Spring Bellows	
W013589243	1R12-480	W013589473	1R12-586	7205	1S5-175	97-5382-001	1R14-101	2076095	2B12-320
W013589245	1R12-446	W013589476	1R11-205	7206	1S5-176	97-6693-1	1R12-169	693230	2B12-309

Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.
GMC		8221	3B12-335	C-1013	2B12-309	C-20217	1R12-366	554784C1	2B9-201
Air Spring Bellows (cont.)		GRANNING		S-12405	3B12-319	C-20223	1R12-367	554785C1	2B12-300
711954	2B12-320	Air Spring Rolling Lobe		S-14795	3B12-323	C-20414	1R13-118	554786C1	2B12-305
GMC		1359	1R12-066	S-7853	3B14-451	C-20900	1R13-159	554787C1	2B12-307
Air Spring Rolling Lobe		1528	1R12-066	HENDRICKSON		C-20901	1R14-171	554788C1	2B12-309
10530086	1R8-034	1971	1R9-038	Air Spring Rolling Lobe		C-21208	1R13-239	554789C1	2B12-320
10530087	1R10-089	2112	1R9-070	1R13-102	1R13-239	C-21623	1R13-124	554790C1	2B12-324
10530087	1R10-090	2727	1R12-092	20413	1R12-375	C-21800	1R13-159	554791C1	2B12-402
15504181	1R12-511	2727	1R12-509	29892	1R13-118	C-21966	1R13-177	554792C1	2B12-406
15963160	1R12-424	5065	1R12-132	36514-1	1R14-030	C-22045	1R13-124	554793C1	2B12-410
2021085	1R9-038	5122	1R9-065	36514-12	1R14-042	C-22046	1R13-124	554794C1	2B12-411
2052623	1R14-112	B59	1R12-066	36514-13	1R14-039	C-22173	1R13-038	554795C1	2B12-412
2054879	1R14-112	HDA		36514-2	1R14-045	C-22948	1R13-176	554796C1	2B14-354
2090412	1R14-112	Air Spring Bellows		36514-3	1R12-132	C-25873	1R14-172	554797C1	2B14-355
2475408	1R10-019	PMABG-6902	2B9-201	36514-4	1R14-030	S-20010	1R13-119	554798C1	2B14-356
6617550	1R8-034	PMABG-6910	2B9-200	36514-7	1R12-092	S-20228	1R12-563	554799C1	2B14-359
661756	1R10-089	PMABG-7136	2B14-356	36514-7	1R12-509	S20901	1R14-171	554800C1	2B14-360
661756	1R10-090	PMABG-7140	2B14-359	36514-8	1R14-045	S-24445	1R14-240	554801C1	3B14-354
661759A	1R10-085	PMABG-7400	2B12-309	48195	1R12-188	S-24446	1R14-236	554802C1	3B14-356
661759C	1R10-085	PMABG-7401	2B12-320	49048	1R12-365	S-25559	1R13-239	554803C1	3B14-359
662743	1R9-003	PMABG-7403	2B12-307	49674	1R12-365	S-25871	1R13-237	554804C1	3B14-360
662744	1R10-091	PMABG-7424	2B12-300	50405	1R12-424	S-25872	1R13-235	INT'L/NAVISTAR	
667302	1R10-085	PMABG-7446	2B12-402	50405-1	1R12-424	S-29892	1R13-188	Air Spring Rolling Lobe	
667512A	1R9-038	PMABG-7798	3B14-356	50405-2	1R12-424	S-3467	1R13-038	1660581C1	1R12-090
667512C	1R9-038	HDA		50898-1	1R12-402	S-3830	1R13-038	1660694C1	1R12-178
667513A	1R10-030	Air Spring Rolling Lobe		50898-2	1R12-402	S6195	1R12-185	1670043C1	1R12-401
667513C	1R10-030	PMABG-9039	1R12-095	50899-1	1R12-404	HISTEER		1672401C1	1R12-204
672755	1R9-053	PMABG-9082	1R12-092	50899-2	1R12-404	Air Spring Bellows		1675495C1	1R12-205
677302	1R10-085	PMABG-9082	1R12-509	56917-1	1R12-620	10301	3B14-452	1681579C1	1R12-142
677302	1R10-089	PMABG-9105	1R12-132	56917-2	1R12-620	10302	2B9-252	1681737C1	1R12-145
684192	1R10-089	PMABG-9123	1R13-039	57122-1	1R12-403	10302	2B9-280	1681738C1	1R12-167
684192	1R10-090	PMABG-9177	1R14-028	65086-2	1R12-620	10303	3B12-303	1681739C1	1R12-182
684193	1R10-089	HENDRICKSON		B-11650	1R12-095	10303	3B12-416	1681740C1	1R12-167
684193	1R10-090	Air Spring Bellows		B-12353	1R12-220	10307	2B9-266	1681741C1	1R14-024
684195-3	1R10-089	1015	3B12-322	B-1245	1R12-132	10313	3B12-415	1681742C1	1R14-025
684242	1R10-019	1475	2B12-324	B-12514-004	1R14-030	10315	2B12-346	1681743C1	1R14-027
698634	1R8-034	1796	2B12-345	B-12514-008	1R13-038	10316	2B14-383	1681744C1	1R14-029
6989635	1R10-090	20018	2B12-440	B-12514-012	1R14-042	HOLLAND HITCH		1681745C1	1R14-031
716110	1R10-019	36514-5	2B12-434	B-14249	1R12-256	Air Spring Bellows		1681746C1	1R14-038
716111	1R9-038	45843-1	2B9-206	B-2063	1R14-030	4514	3B14-360	1681747C1	1R14-042
720414	1R10-030	45843-3	2B9-200	B-2064	1R12-095	HUTCHENS IND.		1681748C1	1R14-045
8870484	1R8-034	5079	2B7-548	B-2065	1R14-028	Air Spring Bellows		1681749C1	1R14-060
8870485	1R10-089	B-1080	2B14-356	B-2066	1R12-092	10384-01	2B12-313	1685174C1	1R14-039
8875032	1R10-085	B-1159	2B12-307	B-2066	1R12-509	HUTCHENS IND.		1686386C1	1R12-401
8875032	1R10-089	B-11637	3B12-300	B-22046	1R13-124	Air Spring Rolling Lobe		2013947C2	1R9-054
G1015009	1R12-511	B-12405	3B12-319	B-2394	1R9-065	19141-01	1R11-161	2013948C2	1R9-056
G1017370	1R14-112	B-12514-005	2B12-434	B-2694	1R12-395	9424-01	1R12-095	2027911C1	1R12-538
G1019449	1R10-085	B-12514-014	2B14-360	B-2827	1R12-352	9424-03	1R12-095	2027911C2	1R12-538
G1019450	1R10-090	B-1345	2B12-410	B-2924	1R12-130	9424-1	1R12-097	2027911C3	1R12-538
G1019452	1R10-087	B-14486	2B10-226	B-3411	1R13-039	9630-01	1R12-092	2027912C1	1R12-324
G1020956	1R12-511	B-14487	3B12-312	B-3467	1R14-045	9630-01	1R12-509	2027913C1	1R12-325
G1020957	1R10-090	B-2630	2B9-201	B-3648	1R14-037	9630-03	1R12-093	350243C94	1R12-432
G1050310	1R14-112	B-2734	2B14-365	B-3830	1R13-038	INT'L/NAVISTAR		3541732C1	1R12-523
G5008051	1R8-034	B-2883	2B12-307	B-3839	1R14-038	Air Spring Bellows		3541733C1	1R11-175
GRANNING		B-3184	2B14-359	B-3842	1R12-103	1681750C1	2B12-432	3596112C1	1R12-622
Air Spring Bellows		B-3518	2B9-206	B-4375	1R12-256	1681751C1	2B12-434	501559C1	1R12-090
1014	3B14-359	B-3798	2B12-402	B-4771	1R14-039	1685175C1	2B9-206	501559C2	1R12-090
1015	2B14-359	B-5270	2B9-206	B-4773	1R12-143	1685176C1	2B9-218	517096C91	1R12-220
1218	2B12-305	B-5468	2B12-410	B-5060	1R12-145	1685177C1	2B12-313	517559C9	1R12-092
1371	2B9-200	B-6242	2B12-324	B-7128	1R14-019	1685178C1	2B12-319	517559C9	1R12-509
1476	3B14-359	B-6412	2B14-366	B-7193	1R11-018	1685179C1	2B12-425	554761C1	1R11-018
1589	2B12-305	B-6861	3B14-359	B-8988	1R12-195	1685180C1	2B12-426	554762C1	1R11-028
1613	3B14-356	B-7100	3B14-364	B-9001	1R14-052	1685181C1	2B12-427	554763C1	1R12-066
1626	2B14-356	B-8701	2B9-255	C-10443	1R12-208	1685182C1	2B12-428	554764C1	1R12-069
2725	2B12-307	B-8768	2B9-200	C-13122	1R14-127	1685183C1	2B14-365	554764C1	1R12-669
2726	2B12-309	B-8874	3B14-367	C-20010	1R13-119	1685184C1	2B14-367	554765C1	1R12-093
4514	3B14-360	B-9830	2B12-416	C-20124	1R12-375	554782C1	1B14-358	554766C1	1R12-095
4848	2B9-201	B-9830	2B12-446	C-20127	1R13-118	554783C1	2B9-200	554767C1	1R12-097

Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.
INT'L/NAVISTAR		1101-0042	1S5-032	SC2040	1R13-039	MCI		5973877	1R9-003
Air Spring Rolling Lobe (cont.)		1101-0043	1S5-038	SC2041	1R13-038	Air Spring Bellows		5973923	1R9-003
554768C1	1R12-103	1101-0044	1S5-135	SC2042	1R14-026	12C-1-36	2B9-240	5993113	1R9-003
554769C1	1R12-113	1101-0045	1S5-133	SC2043	1R14-018	12C-3-52	2B12-340	65	1R12-285
554770C1	1R12-132	1101-0060	1S6-046	SC2044	1R14-019	MCI		9594	1R12-512
554772C1	1R13-038	1101-A042	1S5-032	SC2045	1R14-030	Air Spring Rolling Lobe		99865	1R11-179
554773C1	1R13-039	1102-0022	1S4-123	SC2046	1R14-028	12-01-1002	1R14-141	NEW HOLLAND	
554774C1	1R13-048	1102-0023	1S4-007	SC2047	1R14-037	12-01-1048	1R14-141	Air Spring Rolling Lobe	
554775C1	1R13-049	1102-0043	1S4.5-113	SC2048	1R12-090	12-01-1090	1R14-182	48100494	1R12-1047
554776C1	1R14-018	1102-0074	1S5-157	SC2049	1R11-018	12-01-1143	1R14-205	NEWAY	
554777C1	1R14-019	LOAD GUARD		SC2050	1R11-028	12-01-1249	1R14-216	Air Spring Bellows	
554778C1	1R14-026	Air Spring Bellows		SC2052	1R14-039	12-03-1029	1R14-106	570-07-180	2B12-425
554779C1	1R14-028	SC2010	2B9-201	SC2053	1R12-113	12-03-1041	1R11-115	905-57-001	2B14-360
554780C1	1R14-030	SC2011	2B9-200	SC2054	1R12-093	12-03-6034	1R11-143	905-57-002	1B12-301
554781C1	1R14-037	SC2012	1B14-358	SC2055	1R13-049	12-04-1158	1R14-222	905-57-014	2B12-300
INT'L/NAVISTAR		SC2013	2B14-360	SC2056	1R13-048	12-04-6007	1R12-545	905-57-015	2B12-320
Air Spring Sleeve		SC2014	2B14-356	SC2058	1R12-090	12C-1-126	1R12-288	905-57-016	2B12-309
1680378C1	1S4-016	SC2015	2B14-359	SC2070	1R12-182	12F-4-34	1R10-091	905-57-026	1B14-358
2012771C1	1S5-072	SC2016	2B14-354	SC2098	1R14-045	12G-1-60	1R12-304	905-57-028	1B14-358
KENWORTH		SC2017	2B14-355	SC2099	1R14-060	12J-1-23	1R12-139	905-57-039	2B14-355
Air Spring Rolling Lobe		SC2018	2B12-411	SC2108	1R12-142	12J-1-88	1R12-154	905-57-041	1B14-358
K-102-A	1R11-018	SC2019	2B12-412	SC2109	1R12-145	12J-3-53	1R11-047	905-57-203	2B14-476
K-303-14	1R11-028	SC2020	2B12-309	SC2110	1R12-178	12K-1-45	1R12-288	905-57-236	3B12-322
K-303-15	1R11-028	SC2022	2B12-410	SC2111	1R14-025	12K-3-11	1R12-156	905-57-237	2B9-250
K-303-16	1R11-242	SC2023	2B12-406	SC2112	1R14-024	12L-1-104	1R12-217	905-57-257	2B14-469
K-303-18	1R11-219	SC2024	2B12-300	SC2113	1R14-027	12L-1-126	1R12-288	AR-1520	2B14-355
K-303-19	1R11-220	SC2025	2B12-320	SC2114	1R14-029	12L-1-133	1R12-304	AR-1834	1B14-358
K-303-22	1R11-221	SC2026	2B12-305	SC2115	1R14-031	12L-1-135	1R12-304	TC-144-2	2B12-300
K-303-25	1R11-222	SC2027	2B12-402	SC2116	1R14-038	12L-1-136	1R12-217	TC-144-3A	2B12-320
K-303-28	1R11-221	SC2028	2B12-324	SC2120	1R12-256	12L-1-140	1R12-396	TC-144-4	2B12-309
K-303-5	1R11-018	SC2029	3B14-356	SC2121	1R14-042	12L-1-142	1R12-304	NEWAY	
K-303-6	1R11-028	SC2030	3B14-360	SC2776	1R13-070	12L-1-169	1R12-394	Air Spring Rolling Lobe	
KWIK-LOK/TODCO		SC2031	3B14-354	LOADAIR		12L-1-215	1R12-454	900-44-197	1R14-031
Air Spring Bellows		SC2032	3B14-359	Air Spring Bellows		12L-4-212	1R9-053	900-44-199	1R12-097
53671	2B14-367	SC2071	2B9-206	P10-754U	2B6-535	12L-4-261	1R10-091	900-44-200	1R12-093
CP-5223	2B12-427	SC2072	2B9-218	MACK TRUCK		12L-4-5	1R10-091	900-44-201	1R12-113
KWIK-LOK/TODCO		SC2073	2B12-313	Air Spring Bellows		12L-4-8	1R9-053	900-44-216	1R12-093
Air Spring Rolling Lobe		SC2074	2B12-319	227QS32	2B8-550	12M-4-6	1R10-091	900-44-647	1R12-093
CP-3281	1R12-092	SC2075	2B12-425	57QK1113	2B8-550	14002	1R11-200	900-44-653	1R12-113
CP-3281	1R12-509	SC2076	2B12-426	57QL239	2B14-354	1496372	1R10-099	900-44-658	1R13-048
CP-5125	1R12-092	SC2077	2B12-427	MACK TRUCK		1498928	1R11-189	900-44-668	1R13-048
CP-5125	1R12-509	SC2078	2B12-428	Air Spring Rolling Lobe		1510979	1R13-133	900-44-670	1R13-049
CP-5152	1R12-092	SC2079	2B14-365	20910892	1R12-647	1512076	1R11-143	900-44-701	1R12-103
CP-5152	1R12-509	SC2080	2B14-367	21244322	1R12-1049	2992101C1	1R12-403	900-44-702	1R13-049
LES AUTOBUS		SC2101	2B12-432	21669088	1R12-1049	39390246	1R10-101	900-44-708	1R12-097
Air Spring Rolling Lobe		SC2119	3B12-301	364SQ27	1R12-404	G1004846	1R12-212	900-54-218	1R12-113
10530086	1R8-034	SC2122	2B9-250	364SQ28	1R12-365	MERITOR		900-54-234	1R12-097
10530087	1R10-090	SC2123	2B9-251	57QL332	1R13-070	Air Spring Rolling Lobe		900-57-001	1R14-029
661759C	1R10-085	SC2124	2B9-252	57QL39306	1R13-070	202796	1R13-130	905-44-608	1R13-070
698934	1R8-034	SC2125	2B9-253	57QL411M	1R12-365	MILSCO		905-54-060	1R13-049
698935	1R10-090	SC2126	2B9-254	57QL414M	1R12-404	Air Spring Sleeve		905-57-003	1R14-028
G5001705	1R8-034	SC2127	2B9-255	57QL519M	1R12-647	07067A	1S5-057	905-57-005	1R14-030
G5008052	1R10-090	SC2128	2B12-434	57QL54M	1R12-615	MONOCO COACH		905-57-006	1R12-092
LES AUTOBUS		SC2129	2B14-366	MACK TRUCK		Air Spring Rolling Lobe		905-57-006	1R12-509
Air Spring Sleeve		SC2130	3B12-300	Air Spring Sleeve		14002	1R11-200	905-57-007	1R12-621
G5006637	1S3-011	SC2131	3B12-303	227QS310BM	1S6-026	NABI-HF		905-57-008	1R12-103
LINK CAB & SEAT SPRINGS		SC2132	3B12-304	227QS312BM	1S5-154	Air Spring Rolling Lobe		905-57-009	1R12-103
Air Spring Sleeve		SC2784	3B12-312	227QS33	1S4-007	5009273	1R14-218	905-57-011	1R12-095
1101-0001	1S3-011	LOAD GUARD		227QS34B	1S4-067	5014470	1R14-177	905-57-012	1R12-351
1101-0020	1S4-007	Air Spring Rolling Lobe		227QS388	1S5-055	630-5056	1R12-505	905-57-019	1R13-039
1101-0021	1S4-008	SC2033	1R12-095	227QS39301	1S4-008	633-7773	1R12-487	905-57-020	1R13-038
1101-0023	1S4-044	SC2034	1R12-069	227QS47M	1S5-164	633-9668	1R11-249	905-57-023	1R12-095
1101-0024	1S4-056	SC2034	1R12-669	MASA		NEW FLYER		905-57-027	1R12-092
1101-0025	1S4-175	SC2035	1R12-092	Air Spring Bellows		Air Spring Rolling Lobe		905-57-027	1R12-509
1101-0030	1S4.5-073	SC2035	1R12-509	227002002	2B12-309	13	1R13-053	905-57-029	1R9-065
1101-0031	1S4.5-179	SC2036	1R12-066	227004001	2B9-201	14635	1R12-285	905-57-031	1R12-220
1101-0040	1S5-005	SC2038	1R12-103	227138412	2B9-200	55089	1R11-178	905-57-032	1R12-621
1101-0041	1S5-006	SC2039	1R12-132			5920815	1R9-003	905-57-034	1R9-065

Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.
NEWAY		AR-1115-1-G	1R13-039	03-07887	1R12-568	R & S TRUCK & BODY		1003588010C	3B12-301
Air Spring Rolling Lobe (cont.)		AR-1215-1-F	1R14-030	23-10042	1R12-069	Air Spring Rolling Lobe		1003588030C	3B12-301
905-57-035	1R12-621	AR-1215-1-G	1R13-038	23-10042	1R12-669	1090023	1R13-039	1006587437C	2B12-320
905-57-037	1R12-092	AR-1315-1-F	1R12-092	PETERBILT		1090216	1R14-028	S-1326-C	2B14-360
905-57-037	1R12-509	AR-1315-1-G	1R12-092	Air Spring Sleeve		1090217	1R12-092	S-1505-C	3B14-360
905-57-038-1	1R12-370	AR-1515-1	1R12-351	2903200	1S5-186	1090217	1R12-509	S-1728-C	2B9-201
905-57-052	1R13-039	AR-250-12	1R13-153	PEZZANI		1090218	1R12-095	S-2683-C	2B12-305
905-57-054	1R12-092	AR-250-14	1R13-152	Air Spring Bellows		1090276	1R12-132	S-2685-C	3B14-359
905-57-054	1R12-509	AR-250-15	1R13-152	AR-21-A	2B14-360	1090326	1R14-159	S-2845-C	2B9-206
905-57-069	1R14-030	AR-250-16	1R13-153	PREVOST		10907	1R12-261	S-3159-C	2B12-426
905-57-070	1R13-070	AR-250-17	1R13-153	Air Spring Bellows		REYCO		S-3363-C	2B12-320
905-57-071	1R12-092	AR-90112	1R12-370	63-0166	2B9-240	Air Spring Bellows		S-3364-C	1B14-358
905-57-075	1R13-038	NOVABUS		63-0173	2B9-200	12906-01	2B9-218	S-4302-C	2B12-307
905-57-075	1R12-509	Air Spring Rolling Lobe		63-0174	2B9-216	12906-02	2B9-218	S-4512-C	2B9-200
905-57-076	1R13-038	G1015009	1R12-511	63-0185	2B12-340	18813-01	2B12-440	S-4538-C	2B12-425
905-57-077	1R13-038	G1076863	1R10-105	PREVOST		19983-01	2B14-383	S-4540-C	2B14-354
905-57-078	1R13-039	G1202328	1R11-169	Air Spring Rolling Lobe		20018-01	2B12-440	S-4830-C	3B14-354
905-57-082	1R12-103	G1202651	1R11-169	360258	1R12-631	REYCO		S-5844-C	3B12-301
905-57-083	1R13-039	G1202652	1R11-169	63-0040	1R12-127	Air Spring Rolling Lobe		S-788-C	2B12-309
905-57-085	1R12-095	G1202944	1R12-511	63-0044	1R10-085	12882-01	1R12-092	RIDEWELL	
905-57-087	1R13-070	G5001705	1R8-034	63-0044	1R10-089	12882-01	1R12-509	Air Spring Rolling Lobe	
905-57-089	1R12-560	G5001706	1R8-034	63-0045	1R12-028	12882-02	1R13-039	1000001	1R12-467
905-57-090	1R12-370	N15558	1R10-085	63-0064	1R12-127	12883-01	1R12-103	1000002	1R14-127
905-57-097	1R11-225	N15558	1R10-089	63-0067	1R10-087	12883-02	1R13-038	1000006	1R14-151
905-57-099	1R12-363	N16374	1R11-121	63-0077	1R10-108	12884-01	1R12-188	1000008	1R14-175
905-57-102	1R14-170	N17842	1R11-130	63-0090	1R11-090	12884-01A	1R12-188	1001R12584G	1R12-584
905-57-103	1R14-113	N21361	1R12-422	63-0092	1R11-088	12928-01	1R12-421	1001R13-087	1R13-097
905-57-110	1R13-047	N35162	1R11-232	63-0093	1R11-243	17360-01	1R12-560	1001R13-097	1R13-097
905-57-111	1R14-159	N38168	1R10-120	63-0094	1R11-090	17361-01	1R11-204	1001R13-109	1R13-109
905-57-112	1R12-480	N39112	1R12-092	63-0099	1R11-243	17636-01	1R12-195	1003580725C	1R12-132
905-57-113	1R12-441	NOVABUS		63-0102	1R11-244	20074-01	1R12-561	1003585410C	1R9-070
905-57-117	1R12-502	Air Spring Sleeve		63-0104	1R11-088	20446-01	1R11-205	1003588752C	1R13-097
905-57-118	1R12-481	N12687	1S3-011	63-0105	1R11-243	21054-01	1R11-201	1003588802C	1R12-434
905-57-119	1R12-498	ORION		63-0106	1R11-090	21055-01	1R12-557	1003588802X	1R12-445
905-57-120	1R10-120	Air Spring Rolling Lobe		63-0109	1R11-109	21598-01	1R12-556	1003588805C	1R12-438
905-57-121	1R11-166	010132404-4	1R12-383	63-0125	1R12-631	23377-01	1R12-555	1003588919C	1R11-191
905-57-122	1R10-122	020117511-4	1R10-109	63-0126	1R11-244	23631-01	1R14-039	1003588924C	1R12-436
905-57-125	1R14-137	20117526	1R10-127	63-0129	1R11-097	RIDEWELL		1003588986C	1R12-558
905-57-126	1R12-439	20217501	1R11-147	63-0151	1R12-377	Air Spring Bellows		1003588997C	1R9-065
905-57-129	1R12-435	T14-1044	1R10-109	63-0158	1R10-087	1002B09270G	2B9-270	1003589010C	1R12-421
905-57-139	1R10-122	PEERLESS		63-0162	1R12-406	1003586801C	2B14-365	1003589029C	1R12-559
905-57-149	1R12-505	Air Spring Bellows		63-0178	1R12-145	1003586805C	2B14-462	1003589039C	1R12-095
905-57-152	1R12-586	0550-00001	2B12-425	63-0179	1R12-156	1003586850C	2B12-463	1003589053C	1R12-309
905-57-155	1R14-160	0550-00015	1B14-350	63-0180	1R12-288	1003586902C	2B9-239	1003589073C	1R11-018
905-57-156	1R12-499	0550-00030	3B14-354	63-0181	1R12-217	1003586905C	2B9-206	1003589082C	1R12-092
905-57-157	1R12-532	PEERLESS		63-0182	1R12-304	1003586910C	2B9-200	1003589082C	1R12-509
905-57-159	1R12-571	Air Spring Rolling Lobe		63-0183	1R12-396	1003586932C	2B9-246	1003589083C	1R12-066
905-57-160	1R12-487	0550-00010	1R14-018	63-0224	1R12-394	1003586945C	2B9-253	1003589101C	1R12-103
905-57-167	1R13-152	0550-00051	1R12-350	63-0226	1R8-034	1003586946C	2B9-254	1003589105C	1R12-132
905-57-168	1R13-153	0550-00060	1R14-024	63-0259	1R11-244	1003586947C	2B9-255	1003589121C	1R13-039
905-57-170	1R12-434	0550-00070	1R14-026	63-0260	1R11-243	1003586948C	2B9-251	1003589122C	1R13-038
905-57-173	1R12-508	0550-00080	1R14-019	PREVOST		1003587112C	1B14-358	1003589158C	1R14-030
905-57-179	1R12-586	0550-00081	1R14-019	Air Spring Sleeve		1003587135C	2B14-360	1003589177C	1R14-028
905-57-185	1R13-038	PETERBILT		95-0208	1S3-011	1003587136C	2B14-356	1003589200C	1R14-038
905-57-200	1R14-174	Air Spring Rolling Lobe		950208	1S3-013	1003587140C	2B14-359	1003589218C	1R13-120
905-57-209	1R13-120	03-01649	1R12-069	R & S TRUCK & BODY		1003587145C	2B14-354	1003589245C	1R12-446
905-57-210	1R12-487	03-01649	1R12-669	Air Spring Bellows		1003587146C	2B14-355	1003589250C	1R13-115
905-57-211	1R12-554	03-02038	1R12-069	1027405	2B9-200	1003587180C	2B12-425	1003589252C	1R13-116
905-57-212	1R12-552	03-02038	1R12-669	1027505	2B9-201	1003587400C	2B12-309	1003589275C	1R13-117
905-57-213	1R12-553	03-02456	1R12-069	1027519	2B12-309	1003587406C	2B12-426	1003589334C	1R12-435
905-57-214	1R12-485	03-02456	1R12-669	1027556	2B14-356	1003587437C	2B12-320	1003589378C	1R11-202
905-57-215	1R12-484	03-04759	1R12-069	1040201	2B12-307	1003587443C	2B12-305	1003589387C	1R11-203
905-57-216	1R12-486	03-04759	1R12-669	1082914	2B12-402	1003587473C	2B12-428	1003589447C	1R11-066
905-57-223	1R12-508	03-05107	1R12-356	1090201	2B12-307	1003587800C	3B14-360	1003589448C	1R11-150
905-57-225	1R12-487	03-06213	1R12-567	1090214	2B14-359	1003587808C	3B14-354	1003589457C	1R11-151
905-57-230	1R12-562	03-07111	1R12-567	1090215	2B12-300	1003587818C	3B14-359	1003589459C	1R11-152
905-57-275	1R12-543	03-07112	1R12-069			1003587839C	3B14-359	1003589797C	1R12-437
AR-1115-1-F	1R14-028	03-07112	1R12-669			1003588008C	3B12-300	1003589961C	1R14-115

Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.
RIDEWELL		TMC		4441	3B14-452	8337	1R11-039	8468	1R11-171
Air Spring Rolling Lobe (cont.)		Air Spring Rolling Lobe		4442	1B14-350	8339	1R12-350	8469	1R12-434
1013580702C	1R12-097	10530087	1R10-090	4447	1B14-351	8345	1R12-421	8470	1R12-439
1013580708C	1R11-018	661759C	1R10-085	4448	2B9-252	8352	1R12-356	8471	1R12-435
1013580712C	1R12-093	684192	1R10-090	4448	2B9-280	8353	1R12-130	8472	1R12-568
1013589039C	1R12-095	684193	1R10-090	4449	2B14-366	8355	1R12-395	8477	1R11-200
1013589102C	1R12-113	6989635	1R10-090	4450	2B9-230	8356	1R12-145	8478	1R11-201
1013589123C	1R13-049	G1020957	1R10-090	4451	2B14-365	8358	1R12-261	8479	1R11-203
1013589124C	1R13-048	TOYO		4452	2B9-246	8360	1R12-363	8480	1R12-556
1013589154C	1R14-031	Air Spring Rolling Lobe		4453	2B9-218	8361	1R12-261	8482	1R12-435
1013589159C	1R14-029	TRL230H3603	1R11-028	4454	2B9-266	8363	1R13-116	8484	1R12-508
S-2061-C	1R12-095	TRL-240/393	1R12-092	4455	3B14-364	8364	1R14-026	8486	1R13-153
S-2572-C	1R14-038	TRL-240/393	1R12-509	4456	3B14-451	8365	1R14-018	8488	1R12-487
S-2573-C	1R14-028	TRL-250	1R12-103	4457	3B14-367	8366	1R14-028	8490	1R12-370
S-2574-C	1R14-030	TRL-270/476	1R13-038	4463	2B9-254	8367	1R14-115	8495	1R12-571
S-3052-C	1R13-039	TRAILERS DE MONTERREY		4464	2B12-434	8370	1R14-019	8496	1R12-437
S-3053-C	1R13-038	Air Spring Bellows		4465	2B12-432	8372	1R12-220	8497	1R12-436
S-4695-C	1R14-028	73312A	2B12-424	4466	3B12-310	8376	1R12-143	8501	1R12-554
S-4797-C	1R14-028	73312B	2B9-216	4468	1B12-301	8377	1R13-047	8503	1R12-557
S-5356-C	1R12-095	TRIANGLE		4469	3B12-300	8378	1R14-042	8505	1R12-256
S-542-C	1R12-092	Air Spring Bellows		4471	2B12-412	8379	1R12-178	8513	1R13-130
S-542-C	1R12-509	4310	2B9-201	4472	2B12-411	8382	1R12-303	8514	1R11-219
S-570-C	1R12-132	4311	2B14-360	4480	2B12-440	8382	1R12-603	8515	1R11-242
S-5828-C	1R12-103	4313	2B12-309	4499	2B9-201	8390	1R12-446	8516	1R11-205
S-740-C	1R12-103	4315	2B9-206	4502	2B12-317	8391	1R12-441	8517	1R11-191
SAUR AXLES (SAS)		4316	2B14-359	4503	3B12-304	8393	1R12-567	8518	1R13-097
Air Spring Bellows		4318	2B12-307	4505	2B9-229	8395	1R12-505	8519	1R12-403
P10-755	2B12-300	4320	2B9-200	4508	3B12-312	8397	1R12-561	8520	1R12-402
P50-733A (LIF	2B9-201	4321	2B14-356	4509	2B8-550	8398	1R12-560	8521	1R12-401
PB10-784	2B12-434	4323	2B12-305	4510	2B9-245	8399	1R12-559	8522	1R13-124
SAUR AXLES (SAS)		4325	3B14-359	4513	2B12-324	8400	1R12-558	8523	1R14-160
Air Spring Rolling Lobe		4327	2B12-300	4514	2B12-345	8401	1R11-204	8525	1R9-065
P50-705	1R12-132	4329	3B14-356	4520	3B12-335	8405	1R14-159	8526	1R13-177
P50-733B	1R13-039	4331	2B12-406	4524	2B10-226	8406	1R12-424	8530	1R14-174
P50-734	1R12-095	4333	3B14-360	4525	3B12-312	8407	1R12-090	8533	1R13-176
SEARS SEAT		4334	2B12-320	4530	2B14-383	8408	1R12-182	8537	1R11-221
Air Spring Sleeve		4336	3B14-354	4541	2B12-346	8409	1R12-188	8538	1R11-222
S-20235	1S4.5-121	4337	2B12-320	4544	2B14-470	8410	1R12-365	8539	1R14-127
S-9383	1S4.5-121	4339	1B14-358	4546	3B12-328	8414	1R14-037	8542	1R12-555
SILENT DRIVE		4340	2B12-324	4547	3B12-329	8415	1R14-038	8544	1R12-563
Air Spring Bellows		4342	2B14-355	TRIANGLE		8416	1R12-400	8548	1R12-532
AS-7446	2B12-402	4343	2B12-427	Air Spring Rolling Lobe		8417	1R11-166	8563	1R11-150
AS-8025	3B12-310	4345	2B14-367	8310	1R12-092	8422	1R13-120	TRUCKSTELL	
AS-8027	3B12-310	4346	2B12-410	8310	1R12-509	8424	1R10-120	Air Spring Bellows	
SMOOTH RIDE		4362	2B9-210	8311	1R12-095	8425	1R10-122	63640	3B14-354
Air Spring Bellows		4363	2B12-425	8312	1R12-069	8427	1R12-367	63641	2B14-360
P10-755C	2B12-304	4364	2B12-313	8312	1R12-669	8428	1R12-498	63644	2B14-360
SUSPENSIONS INC.		4365	2B12-426	8313	1R14-045	8429	1R12-481	TRUCKSTELL	
Air Spring Bellows		4367	2B12-319	8314	1R11-028	8431	1R14-137	Air Spring Rolling Lobe	
200042	2B9-201	4368	2B12-432	8315	1R12-103	8433	1R13-239	63647	1R12-103
200117	3B12-310	4369	2B12-416	8316	1R14-028	8434	1R13-118	TTX	
200118	2B9-252	4369	2B12-446	8317	1R13-039	8435	1R12-375	Air Spring Bellows	
200177	3B14-452	4370	2B12-402	8318	1R14-030	8436	1R12-366	1999408	2B9-225
200180	2B9-254	4371	2B12-434	8319	1R12-132	8438	1R12-195	VOLVO	
200448	2B12-307	4372	2B12-428	8320	1R14-039	8443	1R12-502	Air Spring Bellows	
200620	3B12-304	4374	2B14-354	8321	1R12-281	8444	1R13-070	2076095	2B12-320
200835	2B9-250	4413	3B12-319	8322	1R11-018	8446	1R9-070	35203-0005	2B14-354
200981	2B12-313	4426	2B9-250	8323	1R13-117	8447	1R11-202	35203-3204	2B14-354
201602	2B12-317	4427	2B9-253	8324	1R13-115	8449	1R12-615	VOLVO	
SUSPENSIONS INC.		4428	2B9-255	8325	1R12-155	8450	1R12-205	Air Spring Rolling Lobe	
Air Spring Rolling Lobe		4429	2B9-251	8325	1R12-358	8451	1R12-404	20396293	1R12-615
200041	1R12-142	4430	3B12-304	8327	1R12-309	8454	1R12-499	20413888	1R12-615
200457	1R12-095	4431	3B12-300	8328	1R12-351	8456	1R12-538	20505399	1R12-615
200458	1R14-038	4432	3B12-301	8329	1R12-355	8460	1R13-159	20733034	1R12-647
201335	1R12-256	4434	3B12-303	8330	1R12-370	8461	1R12-325	21132005	1R12-1049
201869	1R12-092	4436	3B14-356	8331	1R12-359	8462	1R12-438	21669088	1R12-1049
201869	1R12-509	4437	3B14-359	8332	1R12-621	8465	1R12-620	3180673	1R12-423
202796	1R13-130	4439	3B14-360	8333	1R12-066	8467	1R12-553	3180984P2	1R12-462

Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.	Competitor No.	Our No.
VOLVO		AS-0039	1R14-039						
Air Spring Rolling Lobe (cont.)		AS-0040	1R12-103						
35003-3201	1R12-182	AS-0044	1R12-421						
35003-3203	1R12-182	AS-0047	1R14-174						
35003-3204	1R12-182	AS-0047G	1R14-170						
35003-3209	1R12-182	AS-0049	1R12-441						
3934699	1R12-615	AS-0050	1R12-370						
8061151	1R12-400	AS-0053	1R12-370						
8079902	1R12-615	AS-0054	1R12-487						
8084296	1R12-615	AS-0056	1R12-439						
8097092	1R12-615	AS-0057	1R12-580						
8169868	1R12-400	AS-0061	1R12-480						
VOLVO		AS-0073	1R13-120						
Air Spring Sleeve		AS-0077	1R12-069						
66003-0004	1S5-060	AS-0077	1R12-669						
66003-0007	1S4-042	AS-0078	1R14-042						
66003-3201	1S4-074	AS-0082	1R14-038						
8169029	1S5-070	AS-0083	1R13-039						
WATSON & CHALIN		AS-0084	1R13-239						
Air Spring Bellows		AS-0090	1R12-502						
AS-0001	2B9-200	AS-0095	1R12-309						
AS-0002	2B9-239	AS-0096	1R13-115						
AS-0003	2B12-309	AS0098	1R13-207						
AS-0004	2B14-356	AS-0101	1R12-356						
AS-0005	2B12-402	AS-0104	1R12-256						
AS-0006	3B14-356	AS-0107G	1R13-155						
AS-0007	2B12-307	AS-0113G	1R12-541						
AS-0008	2B14-359	AS-0114G	1R12-540						
AS-0009	2B12-300	AS-0144	1R14-190						
AS-0014	2B12-320	AS-0241	1R14-232						
AS-0019	3B12-300	AS-0246	1R14-236						
AS-0019-1F	3B12-328								
AS-0020	2B9-206								
AS-0021	2B14-365								
AS-0025	3B14-359								
AS-0027	2B12-305								
AS-0030	2B8-550								
AS-0032	2B14-470								
AS-0033	3B14-359								
AS-0034	2B14-476								
AS-0035	2B9-210								
AS-0041	2B9-250								
AS-0048	3B12-319								
AS-0048-1F	3B12-329								
AS-0048-2G	3B12-324								
AS-0048-3G	3B12-342								
AS-0058	2B9-229								
AS-0075	3B12-303								
AS-0086	3B14-452								
AS-0087	2B12-346								
AS-0087-1F	2B12-345								
AS-0088	2B9-245								
AS-0089	2B14-383								
WATSON & CHALIN									
Air Spring Rolling Lobe									
AS-0010	1R14-028								
AS-0011	1R12-092								
AS-0012	1R12-095								
AS-0013	1R13-039								
AS-0015	1R12-132								
AS-0017	1R11-028								
AS-0018	1R12-066								
AS-0023	1R13-038								
AS-0023-1G	1R14-154								
AS-0026	1R9-065								
AS-0028	1R12-066								
AS-0029	1R9-070								
AS-0036	1R12-335								

Discontinued Air Springs

<u>Discontinued part number</u>	<u>Replaced by</u>	<u>Discontinued part number</u>	<u>Replaced by</u>
1R8-036	1S8-003	1R13-103	1R13-159
1R9-019	1R9-065	1R13-126	1R13-038
1R10-053	1R10-091	1R13-140	1R13-176
1R10-059	1R10-089	1R13-174	1R13-188
1R10-078	1R10-089	1R13.5-128	1R13-177
1R10-086	1R10-089	1R14-083	1R14-039
1R10-094	NONE	1R14-093	1R14-171
1R11-075	NONE	1R14-110	1R14-141
1R11-089	1R11-243	1R14-123	1R14-175
1R11-096	1R11-244	1R14-147	1R14-094
1R11-172	1R10-122	1S5-146	1S5-164
1R11-174	1R11-227	1S6-024	NONE
1R12-014	NONE	1S6-025	1S6-055
1R12-047	NONE	1S12-002	1S12-615
1R12-155	1R12-358	1S12-004	1S12-365
1R12-158	NONE	1S12-005	1S12-365
1R12-162	NONE	1S12-006	1S12-402
1R12-186	1R12-603	1S12-007	1S12-404
1R12-197	1R12-365	1S12-017	1S12-538
1R12-225	1R12-424	1S12-022	1S12-400
1R12-265	NONE	1S12-027	1S12-424
1R12-279	1R12-281	1S12-029	1S12-402
1R12-284	1R12-511	1S12-030	1S12-403
1R12-319	1R12-631	1S12-031	1S12-404
1R12-334	1R12-394	1S12-033	1S12-615
1R12-352	1R12-421	1S12-035	1S12-615
1R12-372	1R12-552	1S12-240	1S12-424
1R12-373	1R12-553	1S12-244	1S12-401
1R12-390	1R12-554	1S12-245	1S12-400
1R12-397	1R12-615	3B14-352	3B14-361
1R12-398	1R12-538		
1R12-405	1R12-615		
1R12-427	1R12-615		
1R12-440	1R12-580		
1R12-488	1R12-404		
1R12-501	1R12-120		
1R12-503	1R12-580		
1R12-522	1R12-508		
1R12-533	1R12-481		
1R12-536	1R12-615		
1R12-537	1R12-615		
1R12-548	1R12-615		

Terms and Conditions

Veyance Technologies, Inc. and its affiliates offer a number of different terms and conditions for the purchase of materials, services, and products and the sale of products depending on the location of the transaction. These may vary from time to time and for different product categories and locations.

Please see our terms and conditions of sale at:

<http://www.goodyearep.com/Terms.aspx>

While every effort is made to keep these up to date, there may be discrepancies. If you have any questions, please ask for a copy of our terms and conditions when accepting or placing orders with us.